

Good. Safe. Yellow.

Price List Kč 2026



MA ***MIRON ABRASIVE***
SINCE 1995

Klingspor
Abrasive Technology



Klingspor products are marked with the oSa label



What does oSa mean?

In a host of applications, grinding and cutting require very high peripheral speeds from the rotating abrasive product. These products must therefore be particularly safe so as to stand up to the extreme mechanical and thermal stress.

Regrettably there are no globally binding safety requirements for abrasive products.

This is why responsible manufacturers of abrasive products from a number of European countries set up the Organisation for the Safety of Abrasives (oSa) in 2000 and thus setting a clear signal against inferior and dangerous products.

The user recognises these quality grade products from the oSa trade name. They signify to the manufacturer and trader a reduced liability risk, a market and competitive benefit and an image gain.

As a part of their in-house quality management system, the manufacturers see to it that the exact provisions are kept to and that only safe, high quality abrasive products are produced and marketed. The fact that the oSa – Organisation for the Safety of Abrasives - issues the worldwide protected oSa trademark to members is confirmation of this internal commitment.

The oSa label does not mean that the Organisation for the Safety of Abrasives or its institutions assume any liability of the designated products.

Contents

General information	
Contents	3

Coated abrasives	
Product summary	4-9

Rolls	
Applications guide	10-11
Rolls	12-27

Belts	
Applications guide	28-29
Short and long belts	30-64
Spirabands	65-67

Wide belts	
Wide belts	68-85

Fibre discs	
Applications guide	86
Fibre discs	87-95

Strips/sheets/discs	
Strips/sheets	
Applications guide	96
Strips/sheets	97-118
Discs	
Discs	119-143

Quick Change Discs	
Applications guide	144
Quick Change Discs	145-151

Abrasive mops	
Applications guide	152
Abrasive mop wheels, drums	153-159
Small abrasive mops	
Applications guide	160
Small abrasive and finishing mops	161-165

Non-woven products	
Applications guide	166-167
Non-woven rolls	168-169
Non-woven hand pads	169-170
Non-woven belts	170-171
Non-woven discs	172-174
Non-woven quick change discs	175-179
Non-woven mop wheels and drums	180-183
Non-woven abrasive mop discs	184
Unitised wheels, clean and strip discs, power wheels	185-189

Abrasive mop discs	
Applications guide	190
Abrasive mop discs	191-205

Cutting-off wheels	
Applications guide	206-207
Cutting-off wheels 0,8-1,2 mm	208-213
Cutting-off wheels 1,6-1,9 mm	214-216
Cutting-off wheels 2,0-3,2 mm	217-221
Large cutting-off wheels	222-226

Grinding discs	
Grinding discs	227-231
Cup grinding wheels	232-233

Diamond tools	
Applications guide	234
Diamond cutting blades	235-246 251-266
Diamond cup grinding wheels	247-250
Diamond drill bits & other diamond tools	
Diamond drill bits	267-269 272-273
Other diamond tools	270-273

Flexible abrasives	
Applications guide	274
Flexible abrasives	275-277

Carbide burrs	
Applications guide	278
Carbide burrs	279-287

Wire brushes	
Applications guide	288
Wire brushes	289-297

Saw blades	
Applications guide	298-299
Saw blades	300-319

Retail range	
Applications guide	320-323
Retail range	324-361

Service	
Conditions of Sale	362-363



You will find further information on our general terms and conditions from page 362 onwards. All products with catalogue numbers are held in stock in Germany and can be delivered within a short time.

Product guide

Coated abrasives

	Type	Properties	Backing	Grain type
Abrasive paper	PS 8 A	Waterproof	A-paper	SiC
	PS 8 C	Waterproof	C-paper	SiC
	PS 11 A	Waterproof	A-paper	SiC
	PS 11 C	Waterproof	C-paper	SiC
	PS 20 F		F-paper	Aluminium oxide
	PS 20 FW	Specially coated	F-paper	Aluminium oxide
	PS 21 F		F-paper	Zirconia alumina
	PS 22 F ACT	ANTISTATIC	F-paper	Aluminium oxide
	PS 22 N		E-paper	Aluminium oxide
	PS 24 F ACT	ANTISTATIC	F-paper	SiC
	PS 27 DW	Specially coated, ANTISTATIC	D-paper	SiC
	PS 28 F	ANTISTATIC	F-paper	Aluminium oxide
	PS 29 F ACT	ANTISTATIC	F-paper	Aluminium oxide
	PS 30 D		D-paper	Aluminium oxide
	PL 31 B		B-paper	Aluminium oxide
	PS 33 B		B-paper	Aluminium oxide
	PS 33 C		C-paper	Aluminium oxide
	PS 38 G ACT	ANTISTATIC	G-paper	SiC
	PS 514 A	Waterproof	A-Latex paper	SiC
	PS 524 E	ANTISTATIC	E-paper	SiC
	PS 61 F		F-paper	Ceramic aluminium oxide
	PS 729 F		F-paper	Aluminium oxide-agglomerate
	FP 73 W	Specially coated	Film	Aluminium oxide
	PS 73 BW	Specially coated	B-paper	Aluminium oxide
	PS 73 BWF	Specially coated	B-paper + foam core	Aluminium oxide
	PS 73 CWF	Specially coated	C-paper + foam core	Aluminium oxide
Self-fastening	PS 19 EK		E-paper	SiC
	PS 21 FK		F-paper	Zirconia alumina
	PS 22 K		E-paper	Aluminium oxide
	PS 33 BK		B-paper	Aluminium oxide
	PS 33 CK		C-paper	Aluminium oxide
	CS 411 XK		X-cotton	Zirconia alumina
	CS 920 YK	Multibond	Y-polyester	Ceramic aluminium oxide
	PS 61 FK		F-paper	Ceramic aluminium oxide
	FP 73 WK	Specially coated	Film	Aluminium oxide
	PS 73 BWK	Specially coated	B-paper	Aluminium oxide
	PS 73 CWK	Specially coated	C-paper	Aluminium oxide
	PS 77 CK T-ACT	T-ACT coating	C-paper	Aluminium oxide
	FP 77 K T-ACT	T-ACT coating	Film	Aluminium oxide

Cloth

JF	Cotton, light, highly flexible
GX	Blended cloth, light, flexible
J	Cotton, light
XF	Cotton, heavy, flexible

Cloth

X	Cotton, heavy
Y	Polyester, heavy, highly firm
Z	Polyester, heavy, highly firm, can be divided into segments

Paper

A	approx. 95 g/m ²
B	approx. 105 g/m ²
C	approx. 110 g/m ²
D	approx. 130 g/m ²

Paper

E	approx. 250 g/m ²
F	approx. 300 g/m ²
G	approx. 400 g/m ²

Bonding agent

K	Resin
L	Glue

Product guide

Coated abrasives



					Page									
Type	Coating	Bonding agent	Waterproof	Available grits	Rolls	File belts	Belts for handheld grinders	Short and long belts	Spirabands	Wide belts	Fibre discs	Strips	Sheets	Discs
PS 8 A	●	K	✓	180–2500									97	
PS 8 C	●	K	✓	60–150									97	
PS 11 A	●	K	✓	220–2000									99	
PS 11 C	●	K	✓	60–400, 600, 1000									98	119
PS 20 F	●	K		60–320, 400				38		68				
PS 20 FW	●	K		80, 120–180				38		68				
PS 21 F	●	K		40, 60–320, 400				38		69				
PS 22 F ACT	●	K		40, 60–400	12			39		69		103		
PS 22 N	○	K		24, 40, 60–240, 320, 400	13									
PS 24 F ACT	●	K		80, 120–600				39		70				
PS 27 DW	○	K		180, 240, 320, 400				39		71				
PS 28 F	○	K		40–240, 320, 400, 600				40		71				
PS 29 F ACT	○	K		40–320, 400	17			40		72				
PS 30 D	○	K		40, 60–240, 320	13							103	100	
PL 31 B	○	L		40–320, 400	14							104	100	
PS 33 B	○	K		150–320, 400–600	16								102	
PS 33 C	○	K		40, 60–120	15								101	
PS 38 G ACT	●	K		80–180						73				
PS 514 A	●	K	✓	60–2500									99	
PS 524 E	●	K		80–400, 600						70				
PS 61 F	●	K		60, 80, 120–320, 400				41		73				
PS 729 F	●	K		180, 240, 320				42		74				
FP 73 W	○	K	✓	80–180, 240, 320, 400, 600, 800, 1000				42						
PS 73 BW	○	K		150–1500									102	
PS 73 BWF	○	K		150, 180, 240, 320, 400	18									
PS 73 CWF	○	K		120	17									
PS 19 EK	●	K		24, 36, 40, 60–120, 220, 600								105		120
PS 21 FK	●	K		40, 60–180, 240, 320, 400, 600										120
PS 22 K	○	K		24, 40, 60–240, 320, 400								105		122
PS 33 BK	○	K		150–320, 400–600								107		129
PS 33 CK	○	K		40, 60–120								106		126
CS 411 XK	●	K		40, 60, 80										142
CS 920 YK	●	K		40, 60–120										142
PS 61 FK	●	K		60, 80, 120										131
FP 73 WK	○	K	✓	80–180, 240, 320, 400, 600, 800								108		132
PS 73 BWK	○	K		150–1500										134
PS 73 CWK	○	K		40, 60–120										133
PS 77 CK	○	K		60–220								109		136
FP 77 K	○	K	✓	240, 320, 400–1000, 2000				42				108		135

● = close ○ = semi-open ○ = open

Product guide

Coated abrasives

	Type	Properties	Backing	Grain type
Abrasive cloth	CS 308 Y		Y-polyester	Aluminium oxide
	LS 309 J		J-cotton	Aluminium oxide
	LS 309 JF		JF-cotton	Aluminium oxide
	LS 309 X		X-cotton	Aluminium oxide
	LS 309 XH		X-cotton	Aluminium oxide
	CS 310 X		X-cotton	Aluminium oxide
	CS 310 XF		XF-cotton	Aluminium oxide
	CS 311 Y ACT	ANTISTATIC	Y-polyester	Aluminium oxide
	LS 312 JF		JF-cotton	Aluminium oxide
	LS 313 JF	Multibond	JF-cotton	Aluminium oxide
	LS 314 JF		JF-cotton	Aluminium oxide
	LS 318 JF ACT	ANTISTATIC	JF-cotton, SUPERFLEX	Aluminium oxide
	LS 912 JF		JF-cotton	Ceramic aluminium oxide
	CS 320 Y	Waterproof	Y-polyester	SiC
	CS 321 X	Waterproof	X-cotton	SiC
	CS 322 X	Waterproof	X-cotton	Cork
	CS 325 Y	KULEX, waterproof	Y-polyester	SiC agglomerate
	CS 326 Y	KULEX, waterproof	Y-polyester	Aluminium oxide-agglomerate
	CS 329 JF	KULEX	JF-cotton	Aluminium oxide-agglomerate
	CS 329 Y	KULEX	Y-polyester	Aluminium oxide-agglomerate
	CS 330 X	Waterproof	X-cotton	SiC / Cork
	CS 333 JF		JF-cloth	SiC
	CS 333 X		X-cotton	SiC
	CS 333 XF		XF-cotton	SiC
	CS 336 Y	ANTISTATIC	Y-polyester	SiC
	CS 341 X	Waterproof	X-cotton	Aluminium oxide
	KL 361 JF		JF-cotton	Aluminium oxide
	KL 371 X		X-cotton	Aluminium oxide
	KL 385 JF		JF-cotton	Aluminium oxide
	CS 409 Y	Multibond	Y-polyester	Zirconia alumina
	CS 410 X	Multibond	X-cotton	Aluminium oxide
	CS 411 X		X-cotton	Zirconia alumina
	CS 411 Y	Waterproof	Y-polyester	Zirconia alumina
	CS 412 Y	Waterproof	Y-polyester	Aluminium oxide
	CS 416 Y	Waterproof	Y-polyester	Zirconia alumina
	CS 420 Y	Waterproof, NOPPEX	Y-polyester	Aluminium oxide
	CS 451 X	Multibond	X-cotton	Zirconia alumina
	GX 533 JF		JF-blended cloth	SiC
	CS 538 Z ACT	ANTISTATIC	Z-polyester	SiC
	CS 631 XF	Multibond	XF-cotton	Ceramic aluminium oxide
	CS 710 XF		XF-cotton	Aluminium oxide
	CS 729 X	Waterproof	X-cotton	Aluminium oxide-agglomerate
	CS 757 JF	KULEX	JF-cotton	Aluminium oxide-agglomerate
	GX 712 JF		JF-blended cloth	Aluminium oxide
	CS 811 Y ACT	Waterproof	Y-polyester	Zirconia alumina
	CS 911 X		X-cotton/polyester	Ceramic aluminium oxide
	CS 913 X	Multibond	X-cotton/polyester	Ceramic aluminium oxide
	CS 920 Y ACT	Multibond	Y-polyester	Ceramic aluminium oxide
	CS 922 Y ACT	Waterproof	Y-polyester	Ceramic aluminium oxide
	CS 931 JF	Multibond	JF-cotton	Ceramic aluminium oxide
	CS 959 JF	KULEX	JF-cotton	Ceramic agglomerate
	GX 931 JF	Multibond	JF-blended cloth	Ceramic aluminium oxide

Cloth

JF	Cotton, light, highly flexible
GX	Blended cloth, light, flexible
J	Cotton, light
XF	Cotton, heavy, flexible

Cloth

X	Cotton, heavy
Y	Polyester, heavy, highly firm
Z	Polyester, heavy, highly firm, can be divided into segments

Paper

A	approx. 95 g/m ²
B	approx. 105 g/m ²
C	approx. 110 g/m ²
D	approx. 130 g/m ²

Paper

E	approx. 250 g/m ²
F	approx. 300 g/m ²
G	approx. 400 g/m ²

Bonding agent

K	Resin
L	Glue

Product guide

Coated abrasives



					Page									
Type	Coating	Bonding agent	Waterproof	Available grits	Rolls	File belts	Belts for handheld grinders	Short and long belts	Spirabands	Wide belts	Fibre discs	Strips	Sheets	Discs
CS 308 Y	●	K		60–180, 240				43		75				
LS 309 J	●	K		60–500				44						
LS 309 JF	●	K		60–400, 600, 800	19			45						
LS 309 X	●	K		40–360	19	30		43						
LS 309 XH	●	K		40–180, 240			36							
CS 310 X	●	K		20, 24, 36–320, 400–600				45	65	75				
CS 310 XF	●	K		40–180, 240		30		46						
CS 311 Y ACT	○	K		36, 40, 60–220				47		76				
LS 312 JF	●	K		60–320, 400				47						
LS 313 JF	●	K		80–240, 320				48						
LS 314 JF	●	K		120, 320, 400				48						
LS 318 JF ACT	○	K		80–180, 240, 400				48						
LS 912 JF	●	K		60–180, 240, 320, 400				49						
CS 320 Y	●	K	✓	24, 40, 60–120, 180				49		76				
CS 321 X	●	K	✓	80–240, 320, 400, 500, 800				50		77				
CS 322 X	●	K	✓	Polishing fineness				50						
CS 325 Y	●	K	✓	80, 120, 180, 240, 320, 400				50						
CS 326 Y	●	K	✓	60, 80, 120, 180, 240, 320, 400, 600				51		77				
CS 329 JF	●	K		120, 180, 240				51						
CS 329 Y	●	K		80, 120, 180, 240, 320, 400				52		78				
CS 330 X	●	K	✓	280, 400, 600, 800				52		78				
CS 333 JF	●	K		150, 180, 240, 320				53						
CS 333 X	●	K		24, 40, 60, 80, 120, 150				53						
CS 333 XF	●	K		60, 80, 100, 240				53						
CS 336 Y	⊖	K		36, 50						79				
CS 341 X	●	K	✓	60–320, 400, 500, 600				54		79				
KL 361 JF	●	K		40–600	20							114	111	
KL 371 X	●	L		40–240, 320, 400									112	
KL 385 JF	●	K		40, 60–320, 400, 600	23								113	
CS 409 Y	●	K		36–120				54		80				
CS 410 X	●	K		40, 60, 80, 120				55						
CS 411 X	●	K		24, 36–80, 120		31		55						
CS 411 Y	●	K	✓	24, 36–120		32		56		80				
CS 412 Y	●	K	✓	24, 36, 40, 60–180, 240				57		81				
CS 416 Y	⊖	K	✓	24, 36–120				57						
CS 420 Y		K	✓	120, 180, 240, 320, 400				58						
CS 451 X	●	K		36, 40, 60, 80					66					
GX 533 JF	●	K		80–120, 180, 320, 400, 600				58						
CS 538 Z ACT	●	K		36–220						81				
CS 631 XF	⊖	K		60–120		33		59						
CS 710 XF	●	K		80–180, 240		33		59						
CS 729 X	●	K	✓	120, 240, 320, 400				60		82				
CS 757 JF	○	K		120				61						
GX 712 JF	●	K		60–320				60						
CS 811 Y ACT	●	K	✓	36–80				61						
CS 911 X	●	K		36–120		34		61		82				
CS 913 X	●	K		40, 60–120		34		62		83				
CS 920 Y ACT	●	K		24, 36–150		35		62		83				
CS 922 Y ACT	●	K	✓	36–180		35		63		84				
CS 931 JF	⊖	K		80–120, 180–320, 400				63						
CS 959 JF	⊖	K		120				64						
GX 931 JF	⊖	K		60–180, 240, 320				64						

● = close ⊖ = semi-open ○ = open

Product guide

Coated abrasives

	Type	Properties	Backing	Grain type
Fibre discs	CS 561		Fibre	Aluminium oxide
	FS 764 ACT		Fibre	Aluminium oxide
	CS 565		Fibre	Zirconia alumina
	CS 570	Multibond	Fibre	Zirconia alumina
	FS 964 ACT		Fibre	Ceramic aluminium oxide
	FS 966 ACT	Multibond	Fibre	Ceramic aluminium oxide
Non-woven web and surface conditioning material	AN 400	Waterproof, self-fastening	Abrasive screen	Aluminium oxide
	NRO 400	Waterproof	Non-woven web	Aluminium oxide
	NRO 500	Waterproof	Non-woven web	SiC
	NPA 400	Waterproof	Non-woven web	Aluminium oxide
	NPA 500	Waterproof	Non-woven web	SiC
	SV 484	Waterproof	Non-woven material with fabric lining	Aluminium oxide
	NDS 400 K	Waterproof	Non-woven material with hook and loop lamination	Aluminium oxide / SiC
	NDS 800	Waterproof	Non-woven fibres with fabric lining	Aluminium oxide
	NBF 800	Waterproof	Non-woven material with fabric lining	Aluminium oxide
	NBS 800	Waterproof	Non-woven material with fabric lining	Aluminium oxide
	FD 500	Waterproof, self-fastening	Foam core	Aluminium oxide / SiC
	SK 500	Abrasive hand block, flexible, waterproof	Sponge	Aluminium oxide
	SK 700 A	Abrasive hand block, waterproof	Sponge	Aluminium oxide
	SW 501	Abrasive sponge, waterproof	Sponge	Aluminium oxide
	SW 501 TR	Abrasive sponge, tear-resistant, waterproof	Sponge	Aluminium oxide
	SW 502	Abrasive sponge, waterproof	Sponge	SiC
	SW 510	Abrasive sponge, waterproof	Sponge	Aluminium oxide

Cloth

JF	Cotton, light, highly flexible
GX	Blended cloth, light, flexible
J	Cotton, light
XF	Cotton, heavy, flexible

Cloth

X	Cotton, heavy
Y	Polyester, heavy, highly firm
Z	Polyester, heavy, highly firm, can be divided into segments

Paper

A	approx. 95 g/m ²
B	approx. 105 g/m ²
C	approx. 110 g/m ²
D	approx. 130 g/m ²

Paper

E	approx. 250 g/m ²
F	approx. 300 g/m ²
G	approx. 400 g/m ²

Bonding agent

K	Resin
L	Glue

Product guide

Coated abrasives



					Page										
	Type	Coating	Bonding agent	Waterproof	Available grits	Rolls	File belts	Belts for handheld grinders	Short and long belts	Spirabands	Wide belts	Fibre discs	Strips	Sheets	Discs
Fibre discs	CS 561	●	K		16, 24, 36–220, 320							87			
	FS 764 ACT	●	K		24, 36, 40, 60, 80, 120							89			
	CS 565	●	K		24, 36–100							90			
	CS 570	●	K		36–120							91			
	FS 964 ACT	●	K		24, 36–80, 120							92			
	FS 966 ACT	●	K		24, 36–80, 120							93			
Non-woven web and surface conditioning material	AN 400	○	K	✓	80–800	26							109		137
	NRO 400		K	✓	medium, fine, very fine	168									
	NRO 500		K	✓	medium, ultra fine	169									
	NPA 400		K	✓	coarse, medium, fine, very fine									169	
	NPA 500		K	✓	medium, ultra fine, without grain									170	
	SV 484		K	✓	coarse, medium, very fine										172
	NDS 400 K		K	✓	very fine, ultra fine										172
	NDS 800		K	✓	coarse, medium, very fine										173
	NBF 800		K	✓	coarse, medium, very fine	170									
	NBS 800		K	✓	coarse, medium, very fine				171						
	FD 500	●	K	✓	1000, 1500, 2000, 3000										140
	SK 500	●	K	✓	60, 80, 100, 120, 180, 220, 280								115		
	SK 700 A	●	K	✓	60, 80, 100, 120								116		
	SW 501	●	K	✓	120, 220								116		
	SW 501 TR	●	K	✓	100–220								117		
	SW 502	●	K	✓	120, 220								117		
	SW 510	●	K	✓	100, 180, 220, 320								118		

● = close ● = semi-open ○ = open

Rolls

Product finder

Application / material	Machine		Form		Product		Product properties				Page
	Hand sanding	Orbital sander	Profile	Surface	Standard	Premium	Bonding agent	Grain	Coating	Backing	
Wood		●		●	<i>PS 22 N</i>		Resin	Aluminium oxide	○	E-paper	13
		●		●		<i>PS 22 F ACT</i>	Resin	Aluminium oxide	●	F-paper	12
		●		●	<i>PS 29 F ACT</i>		Resin	Aluminium oxide	○	F-paper	17
	●	●	●	●		<i>LS 309 JF</i>	Resin	Aluminium oxide	●	JF-cotton	19
	●	●	●	○	<i>PL 31 B</i>		Glue	Aluminium oxide	○	B-paper	14
	●		○	●	<i>PS 30 D</i>		Resin	Aluminium oxide	○	D-paper	13
		●		●	<i>AN 400</i>						26
Varnish, paint, plastics	●		●	○	<i>PL 31 B</i>		Glue	Aluminium oxide	○	B-paper	14
	●		○	●	<i>PS 30 D</i>		Resin	Aluminium oxide	○	D-paper	13
	●	●	●	●		<i>PS 33 B</i>	Resin	Aluminium oxide	○	B-paper	16
	●	●	●	●	<i>PS 33 C</i>		Resin	Aluminium oxide	○	C-paper	15
	●		●	○		<i>PS 73 BWF</i>	Resin	Aluminium oxide	○	B-paper + foam core	18
	●		●	○	<i>PS 73 CWF</i>		Resin	Aluminium oxide	○	C-paper + foam core	17
		●		●	<i>AN 400</i>						26
Metals	●		●	○	<i>KL 385 JF</i>		Resin	Aluminium oxide	●	JF-cotton	23
	●		●	○		<i>KL 361 JF</i>	Resin	Aluminium oxide	●	JF-cotton	20
	●	●		●	<i>LS 309 X</i>		Resin	Aluminium oxide	●	X-cotton	19
	●	●	●	●		<i>LS 309 JF</i>	Resin	Aluminium oxide	●	JF-cotton	19

Rolls

Product finder



Type	Grit range
PS 22 F ACT	40–150
PS 28 F	60–150
PS 29 F ACT	60–150
CS 308 Y	40–80, 120
LS 309 X	40–360
LS 309 J	60–320
LS 309 JF	60–400
CS 310 X	24–400
CS 310 XF	40–280
LS 312 JF	60–320, 400
CS 321 X	80–400
CS 333 X	60, 80, 120, 150
CS 341 X	50–320
KL 361 JF	40–600
KL 385 JF	40–600
CS 410 X	60–120
CS 411 X	24–120
CS 411 Y	36–80

Paper	
B	approx. 105 g/m ²
C	approx. 110 g/m ²
D	approx. 130 g/m ²
E	approx. 250 g/m ²
F	approx. 300 g/m ²

Cloth	
X	Cotton, heavy
J	Cotton, light
JF	Cotton, light, highly flexible
Y	Polyester, heavy, high strength
XF	Cotton, heavy, flexible

Minimum order quantities for made to order items

Width	Minimum order quantities
10 mm	29 pieces
15 mm	19 pieces
20 mm	14 pieces
25 mm	11 pieces

Width	Minimum order quantities
28 mm	10 pieces
30 mm	9 pieces
35 mm	8 pieces
40 mm	7 pieces

Width	Minimum order quantities
50 mm	5 pieces
60 mm	4 pieces
80 mm	3 pieces
95 mm	3 pieces

Width	Minimum order quantities
100 mm	2 pieces
120 mm	2 pieces
125 mm	2 pieces
140 mm	2 pieces

Width	Minimum order quantities
150 mm	1 piece
250 mm	1 piece
300 mm	1 piece



The standard length for production rolls is 50M.

We reserve the right to over-deliver or under-deliver made to order items.

Other sizes and grits available on request.

Rolls with paper backing

Coated abrasives

Abrasive paper

PS 22 F ACT



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close
Backing	F-paper

Applications:

Wood	●	NF metals	○
Metals	○		
Plastic	○		
Steel	○		

Advantages: High abrasive performance - Uniform, fine surface scratch pattern - Premium product for use on hardwood, varnish, filler - Long service life and minimal clogging due to ACT recipe - High edge stability

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number	Price/pc. Kč
95 x 50000	60	1	20822	3.068,59 Kč
95 x 50000	80	1	20850	2.686,98 Kč
95 x 50000	100	1	20884	2.448,48 Kč
95 x 50000	120	1	20916	2.448,48 Kč
95 x 50000	150	1	20940	2.448,48 Kč
95 x 50000	180	1	20960	2.448,48 Kč
110 x 50000	40	1	2969	4.492,06 Kč
110 x 50000	60	1	2971	3.553,10 Kč
110 x 50000	80	1	2972	3.111,24 Kč
110 x 50000	100	1	2973	2.835,08 Kč
110 x 50000	120	1	2974	2.835,08 Kč
110 x 50000	150	1	2975	2.835,08 Kč
110 x 50000	240	1	2978	2.862,70 Kč
115 x 50000	40	1	2983	4.696,24 Kč
115 x 50000	60	1	2985	3.714,61 Kč
115 x 50000	80	1	2986	3.252,66 Kč
115 x 50000	100	1	2987	2.963,95 Kč
115 x 50000	120	1	2988	2.963,95 Kč
115 x 50000	150	1	2989	2.963,95 Kč
115 x 50000	180	1	2990	2.963,95 Kč
115 x 50000	220	1	2991	2.992,82 Kč
115 x 50000	240	1	2992	2.992,82 Kč
150 x 50000	80	1	3014	4.242,60 Kč
150 x 50000	120	1	3016	3.866,02 Kč
200 x 50000	40	1	3053	8.167,37 Kč
200 x 50000	60	1	3055	6.460,19 Kč
200 x 50000	80	1	3056	5.656,81 Kč

Recommended prices.

Rolls with paper backing

Coated abrasives



Rolls

Abrasive paper

PS 22 N



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	E-paper

Applications:

Wood	●	Steel	○
Metals	○		
Paint/Varnish/Filler	○		
Plastic	○		

Advantages: Universal product for hand sanding and handheld machine sanding of virtually any material - Large grit range allows use from rough sanding to finishing

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 50000	40	1	244611	2.881,19 Kč
115 x 50000	60	1	244612	2.283,10 Kč
115 x 50000	80	1	244613	2.001,64 Kč
115 x 50000	100	1	244614	1.825,73 Kč
115 x 50000	120	1	244615	1.825,73 Kč
115 x 50000	150	1	244616	1.825,73 Kč
115 x 50000	180	1	244599	1.825,73 Kč
115 x 50000	240	1	244597	1.843,32 Kč

Abrasive paper

PS 30 D



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	D-paper

Applications:

Paint/Varnish/Filler	●
Wood	●
Metals	○

Advantages: Sharp grit and high aggressiveness for use on wood, varnish, fillers - Flexible and tear-resistant, easy folding - Product with good price-performance ratio

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 50000	40	1	174086	1.850,27 Kč
115 x 50000	60	1	174088	1.508,19 Kč
115 x 50000	80	1	174089	1.347,22 Kč
115 x 50000	100	1	174090	1.246,61 Kč
115 x 50000	120	1	174091	1.246,61 Kč

Recommended prices.



Rolls with paper backing

Coated abrasives

►► Continuation of PS 30 D, Abrasive paper

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 50000	150	1	174092	1.246,61 Kč
115 x 50000	180	1	174093	1.246,61 Kč
115 x 50000	240	1	182418	1.256,67 Kč
115 x 50000	320	1	182419	1.256,67 Kč

Finishing paper

PL 31 B



Properties

Bonding agent	Glue
Grain	Aluminium oxide
Coating	Semi-open
Backing	B-paper

Applications:

Paint/Varnish/Filler	●
Wood	●
Metals	●

Advantages: Product with optimal price-performance ratio - Optimized wear properties for hand sanding and handheld machine sanding

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number	Price/pc. Kč
95 x 50000	60	1	3281	1.279,33 Kč
95 x 50000	80	1	3282	1.140,77 Kč
95 x 50000	100	1	3191	1.054,17 Kč
95 x 50000	120	1	3192	1.054,17 Kč
95 x 50000	180	1	3194	1.054,17 Kč
95 x 50000	240	1	3196	1.062,83 Kč
110 x 50000	40	1	3287	1.822,26 Kč
110 x 50000	60	1	3289	1.481,33 Kč
110 x 50000	80	1	3290	1.320,89 Kč
110 x 50000	100	1	3213	1.220,62 Kč
110 x 50000	120	1	3214	1.220,62 Kč
110 x 50000	150	1	3215	1.220,62 Kč
110 x 50000	180	1	3216	1.220,62 Kč
110 x 50000	220	1	3217	1.230,65 Kč
110 x 50000	240	1	3218	1.230,65 Kč
110 x 50000	280	1	3219	1.230,65 Kč
110 x 50000	320	1	3220	1.230,65 Kč
110 x 50000	400	1	3222	1.230,65 Kč
115 x 50000	40	1	3291	1.905,09 Kč
115 x 50000	60	1	3293	1.548,66 Kč
115 x 50000	80	1	3294	1.380,93 Kč
115 x 50000	100	1	3224	1.276,10 Kč
115 x 50000	120	1	3225	1.276,10 Kč
115 x 50000	150	1	3226	1.276,10 Kč
115 x 50000	180	1	3227	1.276,10 Kč
115 x 50000	220	1	3228	1.286,59 Kč

Recommended prices.



Rolls with paper backing

Coated abrasives



Rolls

►► Continuation of PL 31 B, Finishing paper

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 50000	240	1	3229	1.286,59 Kč
115 x 50000	280	1	3230	1.286,59 Kč
115 x 50000	320	1	3231	1.286,59 Kč
115 x 50000	400	1	3233	1.286,59 Kč

Abrasive paper

PS 33 C



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	C-paper

Applications:

Paint/Varnish/Filler	●
Wood	●
Plastic	○

Advantages: Very high removal rate - Minimal clogging due to active abrasive substances - Longer service life - Good tear resistance and flexibility

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number	Price/pc. Kč
110 x 50000	60	1	146981	2.331,04 Kč
110 x 50000	80	1	146982	2.059,83 Kč
110 x 50000	100	1	146983	1.890,33 Kč
110 x 50000	120	1	146386	1.890,33 Kč
115 x 50000	60	1	155815	2.436,99 Kč
115 x 50000	80	1	147575	2.153,46 Kč
115 x 50000	100	1	147576	1.976,25 Kč
115 x 50000	120	1	153398	1.976,25 Kč

Recommended prices.

Rolls with paper backing

Coated abrasives

Abrasive paper

PS 33 B



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	B-paper

Applications:

Paint/Varnish/Filler	●
Wood	●
Plastic	○

Advantages: Very high removal rate - Minimal clogging due to active abrasive substances - Longer service life - Good tear resistance and flexibility

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number	Price/pc. Kč
110 x 50000	150	1	148494	1.606,89 Kč
110 x 50000	180	1	147935	1.606,89 Kč
110 x 50000	220	1	148495	1.621,30 Kč
110 x 50000	240	1	147114	1.621,30 Kč
110 x 50000	320	1	147110	1.621,30 Kč
110 x 50000	400	1	146387	1.621,30 Kč
115 x 50000	150	1	153177	1.679,93 Kč
115 x 50000	180	1	149480	1.679,93 Kč
115 x 50000	220	1	149698	1.694,99 Kč
115 x 50000	240	1	147055	1.694,99 Kč
115 x 50000	280	1	165031	1.694,99 Kč
115 x 50000	320	1	148891	1.694,99 Kč
115 x 50000	400	1	145520	1.694,99 Kč

Recommended prices.

Rolls with paper backing

Coated abrasives



Rolls

Abrasive paper, ANTISTATIC

PS 29 FACT



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Open
Backing	F-paper

Applications:

Wood	●
Paint/Varnish/Filler	○

Advantages: High aggressiveness and long service life when used on wood (especially softwood) due to ACT recipe - High edge stability - Premium product for wood in general, varnish and filler

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number	Price/pc. Kč
110 x 50000	80	1	307878	3.007,48 Kč
110 x 50000	100	1	307879	2.741,97 Kč
110 x 50000	120	1	307880	2.741,97 Kč
110 x 50000	150	1	307881	2.741,97 Kč
110 x 50000	180	1	307882	2.741,97 Kč
115 x 50000	60	1	307884	3.588,32 Kč
115 x 50000	80	1	302592	3.144,19 Kč
115 x 50000	100	1	307885	2.866,60 Kč
115 x 50000	120	1	302591	2.866,60 Kč
115 x 50000	150	1	307886	2.866,60 Kč

Abrasive paper with foam backing

PS 73 CWF



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	C-paper + foam core

Applications:

Wood	●
Paint/Varnish/Filler	●
Plastic	●

Advantages: Very good distribution of sanding pressure due to elastic and conforming foam backing, therefore preventing over sanding of thin coatings and providing a very fine finish - High flexibility and very good adaptability to contours and profiles - Reduced clogging due to additional stearate coating and semi-open coated grain - Easy handling by tearing handy pads from a pre-perforated roll out of a dispenser box - Dimensions of abrasive pads: 115 x 140 mm, approx. 180 pcs

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 25000	120	1	321755	2.634,37 Kč

Recommended prices.

Rolls with paper backing

Coated abrasives

Abrasive paper with foam backing

PS 73 BWF



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	B-paper + foam core

Applications:

Wood	●
Paint/Varnish/Filler	●
Plastic	●

Advantages: Very good distribution of sanding pressure due to elastic and conforming foam backing, therefore preventing over sanding of thin coatings and providing a very fine finish - High flexibility and very good adaptability to contours and profiles - Reduced clogging due to additional stearate coating and semi-open coated grain - Easy handling by tearing handy pads from a pre-perforated roll out of a dispenser box - Dimensions of abrasive pads: 115 x 140 mm, approx. 180 pcs

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 25000	150	1	325711	2.414,65 Kč
115 x 25000	180	1	321756	2.414,65 Kč
115 x 25000	240	1	321757	2.414,65 Kč
115 x 25000	320	1	321758	2.414,65 Kč
115 x 25000	400	1	321760	2.414,65 Kč

Recommended prices.

Rolls with cloth backing

Coated abrasives



Abrasive cloth

LS 309 X



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close
Backing	X-cotton

Applications:

Metals	●
Wood	●

Advantages: High-quality universal abrasive cloth for diverse applications in metal and woodworking - Good price-performance ratio

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Abrasive cloth

LS 309 JF



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close
Backing	JF-cotton

Applications:

Metals	●
Wood	●

Advantages: High abrasive performance - Fine surface scratch pattern - Very good adaptation to contours, tight radiuses and profiles due to highly flexible cotton cloth

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Recommended prices.

Rolls with cloth backing

Coated abrasives

Abrasive cloth

LS 309 JF slashed



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close
Backing	JF-cotton

Applications:

Metals	●
Wood	●

Advantages: Outstanding adaptation for use on turned parts - Individual applications due to different slotting variants

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Abrasive cloth, brown

KL 361 JF



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close
Backing	JF-cotton

Applications:

Stainless steel	●	Wood	●
Steel	●	Plastic	○
Metals	●		
NF metals	●		

Advantages: High-quality universal abrasive cloth - Optimal adaptation to workpiece contours - Tears off cleanly and easily from the roll

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number	Price/pc. Kč
25 x 50000	40	1	3769	1.261,66 Kč
25 x 50000	60	1	3771	1.106,41 Kč
25 x 50000	80	1	3772	1.035,00 Kč
25 x 50000	100	1	3773	991,53 Kč
25 x 50000	120	1	3774	991,53 Kč
25 x 50000	150	1	3775	991,53 Kč
25 x 50000	180	1	3776	991,53 Kč
25 x 50000	220	1	3777	994,63 Kč
25 x 50000	240	1	3778	994,63 Kč
25 x 50000	320	1	3780	994,63 Kč
25 x 50000	400	1	3782	994,63 Kč
25 x 50000	600	1	64825	994,63 Kč
30 x 50000	60	1	3787	1.327,90 Kč

Recommended prices.



Rolls with cloth backing

Coated abrasives



Rolls

►► Continuation of KL 361 JF, Abrasive cloth, brown

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number	Price/pc. Kč
30 x 50000	80	1	91286	1.243,03 Kč
30 x 50000	100	1	3789	1.189,21 Kč
30 x 50000	120	1	3790	1.189,21 Kč
30 x 50000	150	1	3791	1.189,21 Kč
30 x 50000	180	1	3792	1.189,21 Kč
30 x 50000	240	1	3794	1.197,49 Kč
30 x 50000	320	1	3796	1.197,49 Kč
30 x 50000	400	1	3798	1.197,49 Kč
40 x 25000	40	1	4201	1.023,61 Kč
40 x 25000	50	1	4202	952,20 Kč
40 x 25000	60	1	4203	893,20 Kč
40 x 25000	80	1	4204	836,28 Kč
40 x 25000	100	1	4205	799,02 Kč
40 x 25000	120	1	4206	799,02 Kč
40 x 25000	150	1	4207	799,02 Kč
40 x 25000	180	1	4208	799,02 Kč
40 x 25000	220	1	4209	807,30 Kč
40 x 25000	240	1	4210	807,30 Kč
40 x 25000	320	1	4212	807,30 Kč
40 x 25000	400	1	4214	807,30 Kč
40 x 50000	40	1	3833	1.948,90 Kč
40 x 50000	60	1	3835	1.568,02 Kč
40 x 50000	80	1	3836	1.462,45 Kč
40 x 50000	100	1	3837	1.394,14 Kč
40 x 50000	120	1	3838	1.394,14 Kč
40 x 50000	150	1	3839	1.394,14 Kč
40 x 50000	180	1	3840	1.394,14 Kč
40 x 50000	220	1	3841	1.404,49 Kč
40 x 50000	240	1	3842	1.404,49 Kč
40 x 50000	280	1	3843	1.404,49 Kč
40 x 50000	320	1	3844	1.404,49 Kč
40 x 50000	360	1	3845	1.404,49 Kč
40 x 50000	400	1	3846	1.404,49 Kč
40 x 50000	600	1	64830	1.404,49 Kč
50 x 25000	40	1	4217	1.233,72 Kč
50 x 25000	60	1	4219	1.072,26 Kč
50 x 25000	80	1	4220	1.001,88 Kč
50 x 25000	100	1	4221	960,48 Kč
50 x 25000	120	1	4222	960,48 Kč
50 x 25000	150	1	4223	960,48 Kč
50 x 25000	180	1	4224	960,48 Kč
50 x 25000	220	1	4225	883,89 Kč
50 x 25000	240	1	4226	978,07 Kč
50 x 25000	320	1	4228	978,07 Kč
50 x 25000	400	1	4230	978,07 Kč
50 x 25000	600	1	64831	978,07 Kč
50 x 50000	40	1	3849	2.240,77 Kč
50 x 50000	50	1	3850	2.095,87 Kč
50 x 50000	60	1	3851	1.955,11 Kč
50 x 50000	80	1	3852	1.825,74 Kč
50 x 50000	100	1	3853	1.741,90 Kč

Recommended prices.



Rolls with cloth backing

Coated abrasives

►► Continuation of KL 361 JF, Abrasive cloth, brown

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number	Price/pc. Kč
50 x 50000	120	1	3854	1.741,90 Kč
50 x 50000	150	1	3855	1.741,90 Kč
50 x 50000	180	1	3856	1.741,90 Kč
50 x 50000	220	1	3857	1.751,22 Kč
50 x 50000	240	1	3858	1.751,22 Kč
50 x 50000	280	1	3859	1.751,22 Kč
50 x 50000	320	1	3860	1.751,22 Kč
50 x 50000	360	1	3861	1.751,22 Kč
50 x 50000	400	1	3862	1.751,22 Kč
50 x 50000	500	1	3863	1.751,22 Kč
50 x 50000	600	1	64832	1.751,22 Kč

Abrasive cloth, brown

KL 361 JF



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close
Backing	JF-cotton

Applications:

Stainless steel	●	Wood	●
Steel	●	Plastic	○
Metals	●		
NF metals	●		

Advantages: High-quality universal abrasive cloth - Optimal adaptation to workpiece contours - Tears off cleanly and easily from the roll

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number	Price/pc. Kč
80 x 50000	80	1	3900	2.604,07 Kč
80 x 50000	120	1	3902	2.482,03 Kč
80 x 50000	150	1	3903	2.482,03 Kč
100 x 50000	40	1	3913	4.017,83 Kč
100 x 50000	60	1	3915	3.499,16 Kč
100 x 50000	80	1	3916	3.255,08 Kč
100 x 50000	100	1	3917	3.102,53 Kč
100 x 50000	120	1	3918	3.102,53 Kč
100 x 50000	150	1	3919	3.102,53 Kč
100 x 50000	180	1	3920	3.102,53 Kč
100 x 50000	220	1	3921	3.133,04 Kč
100 x 50000	240	1	3922	3.133,04 Kč
100 x 50000	320	1	3924	3.133,04 Kč
100 x 50000	400	1	3926	3.133,04 Kč
100 x 50000	600	1	64835	3.133,04 Kč
110 x 50000	40	1	3929	4.419,61 Kč
110 x 50000	60	1	3931	3.849,08 Kč
110 x 50000	80	1	3932	3.580,59 Kč
110 x 50000	100	1	3933	3.412,79 Kč

Recommended prices.



Rolls with cloth backing

Coated abrasives



Rolls

►► Continuation of KL 361 JF, Abrasive cloth, brown

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number	Price/pc. Kč
110 x 50000	120	1	3934	3.412,79 Kč
110 x 50000	180	1	3936	3.412,79 Kč
115 x 50000	40	1	3945	4.620,51 Kč
115 x 50000	60	1	3947	4.024,04 Kč
115 x 50000	80	1	3948	3.743,34 Kč
115 x 50000	100	1	3949	3.567,91 Kč
115 x 50000	120	1	3950	3.567,91 Kč
115 x 50000	150	1	3951	3.567,91 Kč
115 x 50000	180	1	3952	3.567,91 Kč
115 x 50000	240	1	3954	3.603,00 Kč
115 x 50000	320	1	3956	3.603,00 Kč
120 x 50000	60	1	3963	4.198,99 Kč
120 x 50000	80	1	3964	3.906,10 Kč
120 x 50000	100	1	3965	3.723,04 Kč
120 x 50000	120	1	3966	3.723,04 Kč
120 x 50000	180	1	3968	3.723,04 Kč
150 x 50000	40	1	3977	6.026,75 Kč
150 x 50000	60	1	3979	5.248,74 Kč
150 x 50000	80	1	3980	4.882,62 Kč
150 x 50000	100	1	3981	4.653,80 Kč
150 x 50000	120	1	3982	4.653,80 Kč
150 x 50000	150	1	3983	4.653,80 Kč

Abrasive cloth, brown

KL 385 JF



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close
Backing	JF-cotton

Applications:

Metals	●	Wood	●
NF metals	●		
Stainless steel	●		
Plastic	●		

Advantages: Attractively priced universal product for profile grinding - Optimal adaptation to workpiece contours - Tears off cleanly and easily from the roll

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number	Price/pc. Kč
40 x 25000	60	1	263707	748,31 Kč
40 x 25000	80	1	263708	698,55 Kč
40 x 25000	100	1	221375	667,44 Kč
40 x 25000	120	1	221378	667,44 Kč
40 x 25000	150	1	235281	667,44 Kč
40 x 25000	180	1	221379	667,44 Kč
40 x 25000	240	1	221381	673,66 Kč

Recommended prices.

Rolls with cloth backing

Coated abrasives

Abrasive cloth, brown

KL 385 JF



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close
Backing	JF-cotton

Applications:

Metals	●	Wood	●
NF metals	●		
Stainless steel	●		
Plastic	●		

Advantages: Attractively priced universal product for profile grinding - Optimal adaptation to workpiece contours - Tears off cleanly and easily from the roll

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number	Price/pc. Kč
25 x 50000	60	1	218196	919,08 Kč
25 x 50000	80	1	218197	853,87 Kč
25 x 50000	100	1	218198	820,75 Kč
25 x 50000	120	1	218199	820,75 Kč
40 x 50000	40	1	218077	1.577,34 Kč
40 x 50000	60	1	218079	1.384,83 Kč
40 x 50000	80	1	218080	1.295,82 Kč
40 x 50000	100	1	218081	1.233,72 Kč
40 x 50000	120	1	218082	1.233,72 Kč
40 x 50000	150	1	218083	1.233,72 Kč
40 x 50000	180	1	218084	1.233,72 Kč
40 x 50000	220	1	218085	1.250,28 Kč
40 x 50000	240	1	218086	1.250,28 Kč
40 x 50000	320	1	218088	1.290,46 Kč
40 x 50000	400	1	218090	1.290,46 Kč
50 x 50000	40	1	218094	1.972,71 Kč
50 x 50000	60	1	218096	1.729,48 Kč
50 x 50000	80	1	218097	1.612,53 Kč
50 x 50000	100	1	218098	1.547,32 Kč
50 x 50000	120	1	218099	1.547,32 Kč
50 x 50000	150	1	218100	1.547,32 Kč
50 x 50000	180	1	218101	1.547,32 Kč
50 x 50000	220	1	218102	1.558,71 Kč
50 x 50000	240	1	218103	1.558,71 Kč
50 x 50000	320	1	218105	1.558,71 Kč
50 x 50000	400	1	218107	1.558,71 Kč

Recommended prices.

Rolls with cloth backing / Roll Box

Coated abrasives



Rolls

Abrasive cloth, brown

KL 385 JF



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close
Backing	JF-cotton

Applications:

Metals	●	Wood	○
NF metals	●		
Stainless steel	○		
Plastic	○		

Advantages: Attractively priced universal product for profile grinding - Optimal adaptation to workpiece contours - Tears off cleanly and easily from the roll

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 5000	60	1	278789	496,72 Kč
115 x 5000	80	1	278790	462,81 Kč
115 x 5000	120	1	278791	441,62 Kč
115 x 5000	320	1	278792	445,86 Kč
115 x 50000	40	1	224650	4.587,91 Kč
115 x 50000	60	1	228151	4.008,83 Kč
115 x 50000	80	1	228363	3.736,33 Kč
115 x 50000	100	1	228364	3.566,01 Kč
115 x 50000	120	1	228365	3.566,01 Kč
115 x 50000	150	1	228370	3.566,01 Kč
115 x 50000	180	1	228366	3.566,01 Kč
115 x 50000	240	1	228367	3.600,07 Kč
115 x 50000	320	1	228368	3.600,07 Kč
115 x 50000	400	1	228369	3.600,07 Kč

ROLL-BOX

ROLL-BOX



Advantages: Handy and saves storage of economy rolls - Abrasive tears off cleanly and easily - Quick and simple replacement of rolls - For 5 rolls with a width of 50 mm each - For set-up or attachment to the wall

Abrasives not included

Width x Length x Height in mm	Packing unit/pcs.	Cat. number	Price/pc. Kč
300 x 340 x 230	1	76403	4.030,29 Kč

Recommended prices.

Abrasive screen / Graphite coated canvas

Abrasive screen, self-fastening, waterproof

AN 400



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Backing	Polyester screen

Applications:

Paint/Varnish/Filler	●	Composite materials	●
Gel coats	●	Wood	●
Plaster	●	Wood-based materials	●
Plasterboard walls	●		

Advantages: Effective and full-surface dust extraction thanks to open grid structure - Dust-free grinding extends the service life of the abrasive - At the same time, improved health and safety thanks to reduced dust formation at the work station - Independent of existing extraction hole patterns - Waterproof


Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 10000	80	1	348458	2.046,19 Kč
115 x 10000	100	1	353063	2.019,28 Kč
115 x 10000	120	1	348418	2.019,28 Kč
115 x 10000	180	1	353062	1.783,30 Kč
115 x 10000	240	1	349058	1.783,30 Kč
115 x 10000	400	1	353060	1.783,30 Kč

Graphite coated canvas

CS 395 X



Properties

Grain	Graphite
Coating	Lamellar
Backing	X-cloth
Thickness	1,5 mm

Advantages: Reduces friction between the back side of the belt and the contact element - Reduces heat generation during the grinding process - Enables a smooth and constant grinding - **No self-fastening support**

All sizes and minimum purchasing quantities available on request

Recommended prices.

Self-fastening support

CS 396 Y



Properties

Engaging elements	Mushroom heads
Thickness	1,5 mm
Temperature range	-30° to +80°

Advantages: Can be cut to size easily - Simple and safe fixing on smooth and even surfaces - Allows a quick change of the abrasive

All sizes and minimum purchasing quantities available on request

Abrasive belts

Application	Type	Grain	Backing	Coating	Page
Steel	LS 309 J	Aluminium oxide	J-cotton	●	44
	LS 309 JF	Aluminium oxide	JF-cotton	●	45
	LS 309 X	Aluminium oxide	X-cotton	●	30,43
	LS 309 XH	Aluminium oxide	X-cotton	●	36
	CS 310 X	Aluminium oxide	X-cotton	●	45,65,75
	CS 341 X	Aluminium oxide	X-cotton waterproof	●	54,79
	CS 308 Y	Aluminium oxide	Y-polyester	●	43,75
Stainless steel	PS 61 F	Ceramic aluminium oxide	F-paper	●	41,73
	PS 524 E	SiC	E-paper	●	70
	LS 312 JF	Aluminium oxide	JF-cotton	●	47
	LS 313 JF	Aluminium oxide	JF-cotton	●	48
	LS 912 JF	Ceramic aluminium oxide	JF-cotton	●	49
	CS 931 JF	Ceramic aluminium oxide	JF-cotton	○	63
	GX 931 JF	Ceramic aluminium oxide	JF-blended cloth	○	64
	GX 712 JF	Aluminium oxide	JF-blended cloth	●	60
	CS 631 XF	Ceramic aluminium oxide	XF-cotton	○	33, 59
	CS 410 X	Aluminium oxide	X-cotton	●	55
	CS 411 X	Zirconia alumina	X-cotton	●	31, 55
	CS 411 Y	Zirconia alumina	Y-polyester	●	32,56,80
	CS 416 Y	Zirconia alumina	Y-polyester	○	57
	CS 409 Y	Zirconia alumina	Y-polyester	●	54,80
	CS 922 Y ACT	Ceramic aluminium oxide	Y-polyester	●	35,63,84
	CS 920 Y ACT	Ceramic aluminium oxide	Y-polyester	●	35,62,83
	CS 330 X	SiC / cork	X-cotton waterproof	●	52,78
	CS 326 Y	Aluminium oxide agglomerate	Y-polyester	●	51,77
	CS 329 JF	Aluminium oxide agglomerate	JF-cotton	●	51
	CS 329 Y	Aluminium oxide agglomerate	Y-polyester	●	52,78
	CS 420 Y	Aluminium oxide agglomerate	Y-polyester	●	58
	CS 325 Y	SiC agglomerate	Y-polyester	●	50
	CS 451 X	Zirconia alumina	X-cotton	●	66
Steel / Stainless steel	PS 20 F	Aluminium oxide	F-paper	●	38,68
	PS 21 F	Zirconia alumina	F-paper	●	38,69
	PS 729 F	Aluminium oxide agglomerate	F-paper	●	42,74
	CS 412 Y	Aluminium oxide	Y-polyester	●	57,81
	CS 310 XF	Aluminium oxide	XF-cotton	●	30,46
	CS 411 X	Zirconia alumina	X-cotton	●	31, 55
	CS 411 Y	Zirconia alumina	Y-polyester	●	32,56,80
	CS 416 Y	Zirconia alumina	Y-polyester	○	57
	CS 330 X	SiC / cork	X-cotton waterproof	●	52,78
	CS 710 XF	Aluminium oxide	XF-cotton	●	33,59
	CS 729 X	Aluminium oxide agglomerate	X-cotton	●	60,82
	CS 757 JF	Aluminium oxide agglomerate	JF-cotton	○	61
	CS 811 Y ACT	Zirconia alumina	Y-polyester	●	61
	CS 911 X	Ceramic aluminium oxide	X-cotton/polyester	●	34,61,82
	CS 913 X	Ceramic aluminium oxide	X-cotton/polyester	●	34,62,83
	CS 959 JF	Ceramic agglomerate	JF-cotton	○	64

● = close ○ = semi-open ○ = open



Application	Type	Grain	Backing	Coating	Page
NF metals	CS 333 JF	SiC	JF-cotton	●	53
	CS 333 XF	SiC	XF-cotton	●	53
	GX 533 JF	SiC	JF-blended cloth	●	58
	GX 712 JF	Aluminium oxide	JF-blended cloth	●	60
	LS 314 JF	Aluminium oxide	JF-cotton	●	48
	PS 20 FW	Aluminium oxide	F-paper	●	38,68
Wood	PS 22 F ACT	Aluminium oxide	F-paper	●	39,69
	PS 28 F	Aluminium oxide	F-paper	○	40,71
	PS 29 F ACT	Aluminium oxide	F-paper	○	40,72
	PS 38 G ACT	SiC	G-paper	●	73
	LS 309 X	Aluminium oxide	X-cloth	●	30,43
	LS 309 XH	Aluminium oxide	X-cloth	●	36
	CS 311 Y ACT	Aluminium oxide	Y-polyester	○	47,76
	CS 308 Y	Aluminium oxide	Y-polyester	●	43,75
	LS 318 JF ACT	Aluminium oxide	JF-cloth	○	48
	CS 538 Z ACT	SiC	Z-polyester (can be segmented)	●	81
Paint / Varnish / Filler	PS 24 F ACT	SiC	F-paper	●	39,70
	PS 27 DW	SiC	D-paper	○	39,71
	FP 73 W	Aluminium oxide	Film	●	42
	FP 77 K	Aluminium oxide	Film	●	42
Plastic	GX 533 JF	SiC	JF-blended cloth	●	58
Glass	CS 322 X	(Cork)	X-cloth waterproof		50
Plastic / Glass	CS 333 X	SiC	X-cloth	●	53
	CS 320 Y	SiC	Y-polyester	●	49,76
	CS 321 X	SiC	X-cloth	●	50,77

● = close ● = semi-open ○ = open

Minimum order quantities for made to order items

Width	Minimum order quantities
3 – 50 mm	40 pieces
51 – 60 mm	35 pieces
61 – 75 mm	30 pieces
76 – 100 mm	20 pieces
101 – 150 mm	15 pieces
151 – 300 mm	15 pieces
301 – 400 mm	30 pieces
401 mm and wider	10 pieces



We reserve the right to over-deliver or under-deliver made to order items.

The minimum length of production belts is 281 mm (cloth and paper backing)

Other sizes and grits available on request.

File belts

Coated abrasives

Abrasive cloth

LS 309 X



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close
Backing	X-cotton

Applications:

Metals	●
NF metals	●
Wood	●

Advantages: Universal belt for metalworking and woodworking - Excellent price-performance ratio

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Belt joint	Packing unit/pcs.	Cat. number	Price/pc. Kč
28 x 533	40	F4G	20	36755	53,96 Kč
28 x 533	60	F4G	20	37945	48,64 Kč
28 x 533	80	F4G	20	39236	48,64 Kč
28 x 533	100	F4G	20	40702	48,64 Kč
28 x 533	120	F4G	20	41900	48,64 Kč

File belt, abrasive cloth

CS 310 XF



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close
Backing	XF-cotton

Applications:

Stainless steel	●
Metals	●
NF metals	●
Steel	●

Advantages: Universal type for working on radiuses and contours with belt files in all areas of metalworking

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Belt joint	Packing unit/pcs.	Cat. number	Price/pc. Kč
6 x 610	40	F4G	25	4644	30,01 Kč
6 x 610	60	F4G	25	4645	30,01 Kč
6 x 610	80	F4G	25	4646	28,98 Kč
9 x 533	40	F4G	25	286879	34,15 Kč
9 x 533	60	F4G	25	156968	34,15 Kč
9 x 533	80	F4G	25	286880	31,05 Kč
9 x 533	120	F4G	25	286881	31,05 Kč
10 x 330	40	F4G	25	86104	26,91 Kč
10 x 330	60	F4G	25	71110	26,91 Kč
10 x 330	80	F4G	25	71111	27,94 Kč
10 x 330	100	F4G	25	71112	24,22 Kč
10 x 330	120	F4G	25	71957	25,87 Kč
12 x 520	40	F4G	25	160139	30,01 Kč

Recommended prices.



►► Continuation of CS 310 XF, Abrasive cloth

Width x Length in mm	Grit	Belt joint	Packing unit/pcs.	Cat. number	Price/pc. Kč
12 x 520	60	F4G	25	160201	28,98 Kč
12 x 520	80	F4G	25	159040	28,98 Kč
12 x 520	120	F4G	25	160140	26,91 Kč
13 x 450	40	F4G	25	90914	28,98 Kč
13 x 450	60	F4G	25	75505	28,98 Kč
13 x 450	80	F4G	25	97081	26,91 Kč
13 x 450	120	F4G	25	105794	26,91 Kč
13 x 455	40	F4G	25	72895	28,98 Kč
13 x 455	60	F4G	25	73099	28,98 Kč
13 x 455	80	F4G	25	149565	26,91 Kč
13 x 455	100	F4G	25	73176	26,91 Kč
13 x 455	120	F4G	25	74086	26,91 Kč
13 x 533	40	F4G	25	344472	34,15 Kč
13 x 533	80	F4G	25	363901	32,77 Kč
13 x 533	120	F4G	25	344473	32,39 Kč
13 x 610	40	F4G	25	4652	30,01 Kč
13 x 610	60	F4G	25	4653	30,01 Kč
13 x 610	80	F4G	25	4654	30,01 Kč
13 x 610	120	F4G	25	70591	28,98 Kč
13 x 610	240	F4G	25	99182	28,98 Kč
20 x 520	40	F4G	25	71959	34,15 Kč
20 x 520	60	F4G	25	71960	31,05 Kč
20 x 520	80	F4G	25	71961	30,01 Kč
20 x 520	120	F4G	25	71963	30,01 Kč
40 x 303	60	F4G	10	184719	40,36 Kč
40 x 303	80	F4G	10	188885	40,36 Kč

Abrasive cloth

CS 411 X



Properties

Bonding agent	Resin
Grain	Zirconia alumina
Coating	Close
Backing	X-cotton

Applications:

Stainless steel	●
Steel	●
Metals	●

NEW !

Advantages: High aggressiveness and excellent abrasive performance for rough grinding of steel and stainless steel - Very versatile in all areas of metalworking

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

Width x Length in mm	Grit	Belt joint	Packing unit/pcs.	Cat. number	Price/pc. Kč
13 x 533	40	F4G	25	344390	39,42 Kč
13 x 533	60	F4G	25	344468	37,68 Kč
30 x 533	60	F4G	25	327606	65,57 Kč
30 x 533	80	F4G	25	327607	63,67 Kč

Recommended prices.

File belts

Coated abrasives

Abrasive cloth, waterproof

CS 411 Y



Properties

Bonding agent	Resin
Grain	Zirconia alumina
Coating	Close
Backing	Y-polyester

Applications:

Stainless steel	●
Steel	●
Metals	●

Advantages: Tear-resistant product for use on belt files - Especially high aggressiveness and abrasive performance due to active abrasive substances - Especially for stainless steel, but also for steel and metal in general

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Belt joint	Packing unit/pcs.	Cat. number	Price/pc. Kč
9 x 533	40	F4G	25	286886	44,50 Kč
9 x 533	60	F4G	25	286887	37,26 Kč
9 x 533	80	F4G	25	286888	37,18 Kč
10 x 330	40	F4G	25	325250	38,63 Kč
10 x 330	60	F4G	25	302797	35,19 Kč
10 x 330	80	F4G	25	302798	35,19 Kč
13 x 610	40	F4G	25	322530	47,84 Kč
13 x 610	60	F4G	25	302784	41,39 Kč
13 x 610	80	F4G	25	302785	40,38 Kč
20 x 520	36	F4G	25	322531	56,39 Kč
20 x 520	40	F4G	25	322532	53,29 Kč
20 x 520	60	F4G	25	302791	45,68 Kč
20 x 520	80	F4G	25	302792	44,36 Kč

Recommended prices.

Abrasive cloth, multibond

CS 631 XF CEVOLUTION



Properties

Bonding agent	Resin
Grain	Ceramic Al. oxide
Coating	Semi-open
Backing	XF-cotton

Applications:

Stainless steel	●
Titanium/Alloy	●

Advantages: Continuously aggressive abrasive performance, with long service life due to ceramic grit - Good adaptation to radiuses and contours - Prevents heat tinting on stainless steel due to multibond multibond - The CS 631 XF includes the new CEVOLUTION technology. CEVOLUTION stands for holistically optimized, ceramic abrasives. Klingspor products with CEVOLUTION technology contain, among others, an optimized grit mix, grit sizes and formulation in order to offer the maximum performance in every application.

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Belt joint	Packing unit/pcs.	Cat. number	Price/pc. Kč
6 x 610	60	F4G	25	383423	53,56 Kč
6 x 610	80	F4G	25	379738	44,50 Kč
10 x 330	60	F4G	25	379541	48,74 Kč
10 x 330	120	F4G	25	379922	40,15 Kč
20 x 520	80	F4G	25	379448	54,43 Kč
20 x 520	120	F4G	25	369948	53,34 Kč

Abrasive cloth

CS 710 XF



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close
Backing	XF-cotton

Applications:

Steel	●
Stainless steel	●
NF metals	●

Advantages: Machine grinding of molded parts and weld seams in trade and industry - Flexible, yet tear-resistant backing - Abrasive belt with hardened and tempered aluminium oxide

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Belt joint	Packing unit/pcs.	Cat. number	Price/pc. Kč
9 x 533	80	F4G	25	342297	32,96 Kč
9 x 533	120	F4G	25	342296	32,66 Kč
10 x 330	80	F4G	25	342302	31,05 Kč
10 x 330	120	F4G	25	342303	31,05 Kč
13 x 455	80	F4G	25	342298	32,71 Kč
13 x 455	120	F4G	25	342299	32,34 Kč


Recommended prices.

File belts

Coated abrasives

Abrasive cloth

CS 911 X



Properties

Bonding agent	Resin
Grain	Ceramic Al. oxide
Coating	Close
Backing	Cotton/polyester

Applications:

Stainless steel	●
Steel	●
Hardwood	●
NF metals	●

Advantages: Self-sharpening ceramic grit for coarse and intermediate grinding in the steel and stainless steel processing industry and for parquet sanding

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

All sizes and minimum purchasing quantities available on request

Abrasive cloth, multibond

CS 913 X



Properties

Bonding agent	Resin
Grain	Ceramic Al. oxide
Coating	Close
Backing	Cotton/polyester

Applications:

Stainless steel	●
High alloy steel	●
NF metals	●

Advantages: Continuously aggressive grinding behaviour - Long service life due to self-sharpening ceramic grit - The additional multibond provides a "cool grinding" in the processing of stainless steel and thus tempering colours are avoided - No premature clogging on aluminium

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

All sizes and minimum purchasing quantities available on request

Recommended prices.

Abrasive cloth, multibond

CS 920 Y ACT CEVOLUTION



Properties

Bonding agent	Resin
Grain	Ceramic Al. oxide
Coating	Close
Backing	Y-polyester

Applications:

Stainless steel	●
High alloy steel	●

Advantages: Special product with Advanced Coating Technology (ACT) - Excellent grit adhesion - Highly tear-resistant polyester backing and self-sharpening ceramic grain for rough and intermediate grinding of stainless steel and high alloyed steel at high loads - Higher service life and cool grinding due to special coating with active multibond - The CS 920 Y file belt includes the new CEVOLUTION technology. CEVOLUTION stands for holistically optimized, ceramic abrasives. Klingspor products with CEVOLUTION technology contain, among others, an optimized grit mix, grit sizes and formulation in order to offer the maximum performance in every application.

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Belt joint	Packing unit/pcs.	Cat. number	Price/pc. Kč
20 x 520	80	F4G	25	659489	58,40 Kč

Abrasive cloth, waterproof

CS 922 Y ACT CEVOLUTION



Properties

Bonding agent	Resin
Grain	Ceramic Al. oxide
Coating	Close
Backing	Y-polyester

Applications:

Stainless steel	●
Steel	●

Advantages: Continuously aggressive grinding behaviour - Long service life due to self-sharpening ceramic grit - Very high grain adhesion thanks to Advanced Coating Technology and highly tear-resistant polyester backing - The CS 922 Y file belt includes the new CEVOLUTION technology. CEVOLUTION stands for holistically optimized, ceramic abrasives. Klingspor products with CEVOLUTION technology contain, among others, an optimized grit mix, grit sizes and formulation in order to offer the maximum performance in every application.

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Belt joint	Packing unit/pcs.	Cat. number	Price/pc. Kč
10 x 330	40	F4G	10	366762	45,61 Kč
10 x 330	60	F4G	10	366522	44,18 Kč
10 x 330	80	F4G	25	366761	43,47 Kč
13 x 610	40	F4G	25	659480	57,60 Kč
20 x 520	40	F4G	10	367544	64,61 Kč
20 x 520	60	F4G	10	365303	60,10 Kč
20 x 520	80	F4G	25	365304	57,85 Kč
20 x 520	120	F4G	25	365355	56,72 Kč

Recommended prices.

Short belts for hand held machines

Coated abrasives

Abrasive cloth

LS 309 XH



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close
Backing	X-cotton

Applications:

Wood	●
Metals	●
NF metals	●
Paint/Varnish/Filler	●



Advantages: Special type for portable belt sanders - For universal use on wood, metal, paint and varnish - Large product mix of belts for all standard machines

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Belt joint	Packing unit/pcs.	Cat. number	Price/pc. Kč
60 x 400	60	F5	10	4100	49,12 Kč
60 x 400	80	F5	10	4104	47,86 Kč
60 x 400	120	F5	10	4097	47,06 Kč
65 x 410	40	F5	10	4106	49,68 Kč
65 x 410	60	F5	10	4114	48,64 Kč
65 x 410	80	F5	10	4120	47,61 Kč
65 x 410	100	F5	10	4124	46,57 Kč
65 x 410	120	F5	10	4128	46,57 Kč
75 x 457	40	F5	10	37269	56,92 Kč
75 x 457	60	F5	10	38825	56,92 Kč
75 x 457	80	F5	10	40345	50,71 Kč
75 x 457	100	F5	10	41560	49,68 Kč
75 x 457	120	F5	10	42627	49,68 Kč
75 x 457	150	F5	10	43020	49,68 Kč
75 x 480	40	F5	10	4098	62,10 Kč
75 x 480	60	F5	10	4107	52,78 Kč
75 x 480	80	F5	10	4115	50,71 Kč
75 x 480	100	F5	10	4121	50,71 Kč
75 x 480	120	F5	10	4125	50,71 Kč
75 x 508	40	F5	10	4099	63,62 Kč
75 x 508	60	F5	10	4103	56,92 Kč
75 x 508	80	F5	10	4117	52,78 Kč
75 x 508	100	F5	10	4118	50,71 Kč
75 x 533	40	F5	10	4137	62,10 Kč
75 x 533	60	F5	10	4139	60,71 Kč
75 x 533	80	F5	10	4140	57,96 Kč
75 x 533	100	F5	10	4141	52,78 Kč
75 x 533	120	F5	10	4142	52,78 Kč
75 x 533	150	F5	10	4143	52,78 Kč
75 x 533	180	F5	10	4144	52,78 Kč
75 x 533	240	F5	10	43614	52,78 Kč
75 x 610	40	F5	10	37285	70,02 Kč
75 x 610	60	F5	10	38842	64,89 Kč
75 x 610	80	F5	10	40365	62,47 Kč
75 x 610	100	F5	10	41576	60,96 Kč
75 x 610	120	F5	10	42642	60,96 Kč
100 x 560	40	F5	10	4151	76,59 Kč

Recommended prices.



Short belts for hand held machines

Coated abrasives



►► Continuation of LS 309 XH, Abrasive cloth

Width x Length in mm	Grit	Belt joint	Packing unit/pcs.	Cat. number	Price/pc. Kč
100 x 560	60	F5	10	4473	71,41 Kč
100 x 560	80	F5	10	4474	69,34 Kč
100 x 560	100	F5	10	4475	67,27 Kč
100 x 560	120	F5	10	4476	67,27 Kč
100 x 560	150	F5	10	4477	67,27 Kč
100 x 610	40	F5	10	4478	79,69 Kč
100 x 610	60	F5	10	4480	78,66 Kč
100 x 610	80	F5	10	4481	75,55 Kč
100 x 610	100	F5	10	4482	73,48 Kč
100 x 610	120	F5	10	4483	73,48 Kč
100 x 610	150	F5	10	4484	73,48 Kč
100 x 610	180	F5	10	43302	73,48 Kč
100 x 620	40	F5	10	6272	79,69 Kč
100 x 620	60	F5	10	6278	74,52 Kč
100 x 620	80	F5	10	6283	71,41 Kč
100 x 620	100	F5	10	6284	70,38 Kč
100 x 620	120	F5	10	6286	70,38 Kč
100 x 620	150	F5	10	6288	70,38 Kč
105 x 620	40	F5	10	4485	81,76 Kč
105 x 620	60	F5	10	4487	78,66 Kč
105 x 620	80	F5	10	4489	76,59 Kč
105 x 620	100	F5	10	4490	74,52 Kč
105 x 620	120	F5	10	4491	74,52 Kč
105 x 620	150	F5	10	4492	74,52 Kč
110 x 620	40	F5	10	6290	85,90 Kč
110 x 620	60	F5	10	6292	79,69 Kč
110 x 620	80	F5	10	6294	77,62 Kč
110 x 620	100	F5	10	6295	76,59 Kč
110 x 620	120	F5	10	6296	76,59 Kč

Recommended prices.

Belts with paper backing

Coated abrasives

Abrasive paper

PS 20 F



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close
Backing	F-paper

Applications:

Metals	●
NF metals	●
Stainless steel	●
Steel	●

Advantages: Universal type for finish grinding of steel, stainless steel and other metals - High stock removal rate

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Abrasive paper, actively coated

PS 20 FW



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close
Backing	F-paper

Applications:

Aluminium	●
NF metals	●
Composite materials	●

Advantages: Special product with improved clogging behaviour and significantly increased service life due to additional stearate coating - Specially for grinding aluminium and non-ferrous metals

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Abrasive paper

PS 21 F



Properties

Bonding agent	Resin
Grain	Zirconia alumina
Coating	Close
Backing	F-paper

Applications:

Stainless steel	●
Metals	●
Steel	●

Advantages: High aggressiveness and long service life due to self-sharpening zirconia alumina - Specially developed for rough grinding through finish grinding of stainless steel surfaces

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Recommended prices.


Belts with paper backing

Coated abrasives



Abrasive paper, ANTISTATIC

PS 22 F ACT



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close
Backing	F-paper

Applications:

Wood	●	Plastic	○
Metals	○		
NF metals	○		
Paint/Varnish/Filler	○		

Advantages: High removal rate, fine surface scratch pattern - Specially developed for finish grinding of hardwood - Reduced clogging and longer service life due to ACT recipe and antistatic properties


Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Abrasive paper, ANTISTATIC

PS 24 F ACT



Properties

Bonding agent	Resin
Grain	SiC
Coating	Close
Backing	F-paper

Applications:

Paint/Varnish/Filler	●
Plastic	●
Wood	○

Advantages: For hard and tough surfaces - Finely sanded and varnish surfaces in the wood and furniture industry - Long service life due to ACT recipe and antistatic properties

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Abrasive paper, ANTISTATIC

PS 27 DW



Properties

Bonding agent	Resin
Grain	SiC
Coating	Open
Backing	D-paper

Applications:

Paint/Varnish/Filler	●
Aluminium	●
Plastic	○

Advantages: Special product for high-quality varnish surfaces, especially UV finishes - Substantially reduced clogging and longer service life due to additional special coating - Very fine surface scratch pattern

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request


Recommended prices.

Belts with paper backing

Coated abrasives

Abrasive paper, ANTISTATIC

PS 28 F



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Open
Backing	F-paper

Applications:

Wood	●
------	---

Advantages: Universal belt for general woodworking, especially softwood - Excellent price-performance ratio


Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

All sizes and minimum purchasing quantities available on request

Abrasive paper, ANTISTATIC

PS 29 F ACT



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Open
Backing	F-paper

Applications:

Wood	●
------	---

Advantages: High-quality universal belt for general woodworking, especially softwood - Reduced clogging and longer service life due to ACT recipe and antistatic properties

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Belt joint	Packing unit/pcs.	Cat. number	Price/pc. Kč
150 x 2000	80	F5	10	307797	269,31 Kč
150 x 2000	100	F5	10	307798	253,49 Kč
150 x 2000	120	F5	10	307799	253,49 Kč
150 x 2170	80	F5	10	307800	317,64 Kč
150 x 2170	120	F5	10	307801	300,48 Kč
150 x 2250	60	F5	10	307802	352,73 Kč
150 x 2250	80	F5	10	307803	324,25 Kč
150 x 2250	100	F5	10	307804	306,45 Kč
150 x 2250	120	F5	10	307805	306,45 Kč
150 x 2250	150	F5	10	307806	306,45 Kč
150 x 2280	80	F5	10	307807	326,73 Kč
150 x 2280	100	F5	10	307808	308,69 Kč
150 x 2280	120	F5	10	307809	308,69 Kč
150 x 2600	80	F5	10	307811	356,96 Kč
150 x 2600	100	F5	10	307812	336,39 Kč
150 x 2600	120	F5	10	307813	336,39 Kč
150 x 3000	80	F5	10	307814	389,99 Kč
150 x 3000	100	F5	10	307815	366,25 Kč

Recommended prices.



Belts with paper backing

Coated abrasives



Belts

►► Continuation of PS 29 F ACT, Abrasive paper, ANTISTATIC

Width x Length in mm	Grit	Belt joint	Packing unit/pcs.	Cat. number	Price/pc. Kč
150 x 3000	120	F5	10	307816	366,25 Kč
150 x 6800	80	F2	10	307821	735,51 Kč
150 x 6800	100	F2	10	307822	681,71 Kč
150 x 6800	120	F2	10	307823	681,71 Kč
150 x 6880	80	F2	10	307824	742,11 Kč
150 x 6880	100	F2	10	307825	687,68 Kč
150 x 6880	120	F2	10	307826	687,68 Kč
150 x 7100	80	F2	10	307829	760,28 Kč
150 x 7100	100	F2	10	307830	704,11 Kč
150 x 7100	120	F2	10	307831	704,11 Kč
150 x 7100	150	F2	10	307832	704,11 Kč
150 x 7200	80	F2	10	307833	768,53 Kč
150 x 7500	80	F2	10	307837	793,30 Kč
150 x 7800	80	F2	10	307840	818,07 Kč
150 x 7800	100	F2	10	307841	756,37 Kč
150 x 7800	120	F2	10	307842	756,37 Kč
200 x 1600	80	F5	10	307844	290,48 Kč
200 x 2000	80	F5	10	355275	334,52 Kč
200 x 2000	100	F5	10	354287	313,42 Kč
200 x 2000	120	F5	10	354284	313,42 Kč
200 x 3000	80	F5	10	307847	519,56 Kč
200 x 3000	100	F5	10	307848	487,92 Kč
200 x 3000	120	F5	10	307849	487,92 Kč

CEVOLUTION

Abrasive paper

PS 61 F
CEVOLUTION



Properties

Bonding agent	Resin
Grain	Ceramic Al. oxide
Coating	Close
Backing	F-paper

Applications:

Stainless steel	●
Steel	●
Wood	⓪

Advantages: Continuously aggressive abrasive behaviour due to micro-crystalline and self-sharpening ceramic grit - High-performance abrasive belt for stainless steel finish grinding - The PS 61 F belt includes the new CEVOLUTION technology. CEVOLUTION stands for holistically optimized, ceramic abrasives. Klingspor products with CEVOLUTION technology contain, among others, an optimized grit mix, grit sizes and formulation in order to offer the maximum performance in every application.

Available grits:

16 24 30 36 40 50 **60** 80 100 120 150 180 220 240 280 320 360 **400** 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request


Recommended prices.

Belts with paper / film backing

Coated abrasives

Abrasive paper, KULEX

PS 729 F



Properties

Bonding agent	Resin
Grain	Al. oxide agglom.
Coating	Close
Backing	F-paper

Applications:

Stainless steel	●
Steel	●

Advantages: Long life belt for dry grinding applications - Extremely high service life - Constant surface quality for pre-grinding until finishing - Especially developed for grinding with intermediate contact pressure

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Abrasive film, active coated, waterproof

FP 73 W



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	Foil

Applications:

Paint/Varnish/Filler	●
Plastic	●

Advantages: Special product for processing varnish, plastic and composites - Highly tear-resistant film backing - Abrasive belt with extremely good adaptation, smooth surface and excellent grit adhesion - Substantially reduced clogging and significantly longer service life

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Abrasive film with velour backing, waterproof

FP 77 K T-ACT



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	Foil

Applications:

Paint/Varnish/Filler	●	Composite materials	●
Primer	●	Plastic	○
Filler	●		
Gel coats	●		

Advantages: New high-performance product with optimized clogging behaviour - Increased service life due to the new coating, which prevents the adhesion of paint and dust particles - For fine sanding in the fine grit range 240 - 2000, a highly flexible and completely flat foil backing is used for highest surface quality - Soft sanding thanks to the cushioning-effect from the velour backing

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Recommended prices.


Belts with cloth backing

Coated abrasives



Abrasive cloth

CS 308 Y



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close
Backing	Y-polyester

Applications:

Stainless steel	●	Plastic	●
Wood	●		
Steel	●		
NF metals	●		

Advantages: Tear-resistant universal abrasive cloth for metalworking and for hardwood finish grinding - Excellent removal rate under high stress

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Abrasive cloth

LS 309 X



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close
Backing	X-cotton

Applications:

Metals	●
NF metals	●
Wood	●

Advantages: Universal belt for metalworking and woodworking - Excellent price-performance ratio

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

Width x Length in mm	Grit	Belt joint	Packing unit/pcs.	Cat. number	Price/pc. Kč
50 x 1020	40	F5	10	36837	101,56 Kč
50 x 1020	60	F5	25	38075	93,27 Kč
50 x 1020	80	F5	25	39401	84,87 Kč
50 x 1020	100	F5	25	40832	81,76 Kč
50 x 1020	120	F5	25	42020	81,76 Kč
50 x 2000	60	F4G	25	4531	141,79 Kč
50 x 2000	80	F4G	25	4548	130,41 Kč
75 x 2000	40	F4G	10	36923	227,70 Kč
75 x 2000	60	F4G	10	38198	212,02 Kč
75 x 2000	80	F4G	10	39556	195,61 Kč
100 x 800	60	F5	10	38286	126,81 Kč
100 x 800	80	F5	10	39659	120,69 Kč
100 x 800	120	F5	10	137024	116,87 Kč
100 x 860	60	F5	10	38895	133,08 Kč
100 x 860	80	F5	10	40425	126,51 Kč
100 x 860	100	F5	10	41621	122,40 Kč
100 x 860	120	F5	10	42678	122,40 Kč
100 x 900	60	F5	10	38898	137,27 Kč

Recommended prices.



Belts with cloth backing

Coated abrasives

► Continuation of LS 309 X, Abrasive cloth

Width x Length in mm	Grit	Belt joint	Packing unit/pcs.	Cat. number	Price/pc. Kč
100 x 900	80	F5	10	40428	125,23 Kč
100 x 900	100	F5	10	41623	126,09 Kč
100 x 900	120	F5	10	42679	126,09 Kč
100 x 915	40	F5	10	37324	146,97 Kč
100 x 915	60	F5	10	38900	138,84 Kč
100 x 915	80	F5	10	40430	131,85 Kč
100 x 915	100	F5	10	41625	127,48 Kč
100 x 915	120	F5	10	42681	127,48 Kč
100 x 915	150	F5	10	43054	127,48 Kč
100 x 915	180	F5	10	43308	127,48 Kč
100 x 915	240	F5	10	128755	125,23 Kč
100 x 950	60	F5	10	38904	136,62 Kč
100 x 950	80	F5	10	40435	130,41 Kč
100 x 950	100	F5	10	41627	125,23 Kč
100 x 950	120	F5	10	42684	125,23 Kč
100 x 1000	40	F5	10	36999	157,32 Kč
100 x 1000	60	F5	10	38304	141,79 Kč
100 x 1000	80	F5	10	39679	136,62 Kč
100 x 1000	100	F5	10	41019	130,41 Kč
100 x 1000	120	F5	10	42199	130,41 Kč
100 x 1220	60	F4G	10	375844	185,92 Kč
150 x 1220	60	F5	10	38428	251,50 Kč
150 x 1220	80	F5	10	39852	232,87 Kč
150 x 2000	40	F4G	10	37071	412,96 Kč
150 x 2000	60	F4G	10	38460	379,32 Kč
150 x 2000	80	F4G	10	39884	341,55 Kč

Abrasive cloth

LS 309 J



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close
Backing	J-cotton

Applications:

Metals	●
NF metals	●
Wood	●

Advantages: Good abrasive performance for working on slight contours on metal and wood

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

All sizes and minimum purchasing quantities available on request

Recommended prices.


Belts with cloth backing

Coated abrasives



Abrasive cloth

LS 309 JF



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close
Backing	JF-cotton

Applications:

Metals	●
NF metals	●
Wood	●

Advantages: High removal rate in metalworking and woodworking - Very good adaptation to radiuses and contours due to highly flexible cotton backing


Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Belt joint	Packing unit/pcs.	Cat. number	Price/pc. Kč
100 x 3500	400	F4G	25	372580	393,94 Kč
300 x 3500	150	F4G	10	375382	1.111,63 Kč

Abrasive cloth

CS 310 X



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close
Backing	X-cotton

Applications:

Stainless steel	●	Plastic	○
Wood	●		
Steel	●		
NF metals	●		

Advantages: High-quality universal type for metalworking and woodworking - Good removal rate under high stress

Available grits:

16	20	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Belt joint	Packing unit/pcs.	Cat. number	Price/pc. Kč
25 x 1065	60	F4G	10	244635	69,31 Kč
25 x 1065	80	F4G	10	244634	67,00 Kč
40 x 760	120	F4G	25	358562	69,50 Kč
50 x 1020	40	F5	10	47753	111,81 Kč
50 x 1020	60	F5	25	48549	102,41 Kč
50 x 1020	80	F5	25	49300	97,99 Kč
50 x 2000	40	F4G	10	4587	166,63 Kč
50 x 2000	60	F4G	25	4590	148,00 Kč
50 x 2000	80	F4G	25	4591	142,83 Kč
50 x 2000	120	F4G	25	4593	138,69 Kč
75 x 2000	36	F4G	10	4594	258,75 Kč
75 x 2000	40	F4G	10	4595	249,43 Kč
75 x 2000	60	F4G	25	4596	222,52 Kč
75 x 2000	80	F4G	25	49399	212,17 Kč
75 x 2000	120	F4G	25	50652	196,65 Kč
75 x 2000	240	F4G	25	51470	203,89 Kč

Recommended prices.



Belts with cloth backing


Coated abrasives

►► Continuation of CS 310 X, Abrasive cloth

Width x Length in mm	Grit	Belt joint	Packing unit/pcs.	Cat. number	Price/pc. Kč
100 x 920	60	F5	10	48717	142,83 Kč
100 x 920	80	F5	10	49454	138,69 Kč
100 x 920	100	F5	10	50136	132,48 Kč
150 x 2000	40	F4G	10	47921	444,01 Kč
150 x 2000	60	F4G	10	48821	397,44 Kč
150 x 2000	80	F4G	10	49581	375,70 Kč
150 x 2000	120	F4G	10	50767	355,00 Kč
200 x 550	40	F7G	10	97832	190,44 Kč
200 x 750	24	F7G	10	47101	285,66 Kč
200 x 750	36	F7G	10	47561	249,43 Kč
200 x 750	40	F7G	10	48028	227,70 Kč
200 x 750	60	F7G	10	48970	199,75 Kč
200 x 750	80	F7G	10	49764	191,47 Kč
200 x 750	100	F7G	10	50340	190,44 Kč
200 x 750	120	F7G	10	50872	187,33 Kč
200 x 1500	60	F4G	10	48858	431,31 Kč
200 x 1500	80	F4G	10	49634	405,29 Kč

Abrasive cloth

CS 310 XF



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close
Backing	XF-cotton

Applications:

Steel	●	Plastic	○
Stainless steel	●		
NF metals	●		
Wood	●		

Advantages: Flexible, tear-resistant universal product for processing lightly profiled or shaped metal parts

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

All sizes and minimum purchasing quantities available on request

Recommended prices.

Belts with cloth backing

Coated abrasives



Abrasive cloth ANTISTATIC

CS 311 Y ACT



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Open
Backing	Y-polyester

Applications:

Wood	●
Metals	○

Advantages: Good removal rate for working on wood under high stress - Minimal clogging and long service life due to ACT recipe and antistatic properties


Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

All sizes and minimum purchasing quantities available on request

Abrasive cloth

LS 312 JF



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close
Backing	JF-cotton

Applications:

Stainless steel	●	Wood	○
Metals	●		
NF metals	●		
Steel	●		

Advantages: Outstanding removal rate and service life due to active abrasive substances - Very good adaptation to radiuses and contours due to highly flexible cotton backing

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Belt joint	Packing unit/pcs.	Cat. number	Price/pc. Kč
40 x 760	80	F4G	10	660275	68,14 Kč
40 x 760	120	F4G	10	660274	66,55 Kč
40 x 760	240	F4G	10	660273	66,87 Kč
40 x 815	80	F4G	10	660269	70,47 Kč
40 x 815	120	F4G	10	660280	68,76 Kč
300 x 3500	280	F1	10	79850	1.208,88 Kč


Recommended prices.

Belts with cloth backing

Coated abrasives

Abrasive cloth, multibond

LS 313 JF



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close
Backing	JF-cotton

Applications:

Stainless steel	●
Aluminium	●
NF metals	●

Advantages: Top product for working on temperature-sensitive molded parts - Very good adaptation to radiuses and contours due to highly flexible cotton backing - Cool grinding due to additional multibond

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Abrasive cloth

LS 314 JF



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close
Backing	JF-cotton

Applications:

Metals	●
Plastic	●
NF metals	●
Aluminium	●

Advantages: Specialized product with stearate coating to reduce clogging during work on lightly and heavily profiled parts made of brass, aluminum and composite materials (plastic/stainless steel or wood/stainless steel)

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Abrasive cloth ANTISTATIC, SUPERFLEX

LS 318 JF ACT



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Open
Backing	JF-cotton

Applications:

Wood	●
------	---

Advantages: Top product for working on profiles and contours, especially in woodworking - Outstanding adaptation, also to tight radiuses, due to highly flexible cotton backing - Reduced clogging and long service life due to the ACT recipe

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Recommended prices.

Belts with cloth backing


Coated abrasives



CEVOLUTION

Abrasive cloth

LS 912 JF CEVOLUTION



Properties

Bonding agent	Resin
Grain	Ceramic Al. oxide
Coating	Close
Backing	JF-cotton

Applications:

Stainless steel	●
NF metals	●
Metals	●

Advantages: Special product with highly flexible cotton backing for processing non-ferrous metals, stainless steel and steel - Continuously aggressive grinding behaviour due to self-sharpening ceramic grain and grinding-active additives - Grinding of heavily profiled workpieces in the metal industry - The LS 912 JF belt includes the new CEVOLUTION technology. CEVOLUTION stands for holistically optimized, ceramic abrasives. Klingspor products with CEVOLUTION technology contain, among others, an optimized grit mix, grit sizes and formulation in order to offer the maximum performance in every application.

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Belt joint	Packing unit/pcs.	Cat. number	Price/pc. Kč
40 x 760	120	F4G	10	664371	94,88 Kč
40 x 760	240	F4G	10	664372	95,38 Kč
40 x 815	240	F4G	10	664370	98,86 Kč

Abrasive cloth, waterproof

CS 320 Y



Properties

Bonding agent	Resin
Grain	SiC
Coating	Close
Backing	Y-polyester

Applications:

Glass/Stone	●
Mineral based materials	●
Plastic	●

Advantages: Outstanding abrasive performance on hard and difficult-to-machine materials - Ideal for high stress - Can be used wet or dry

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

All sizes and minimum purchasing quantities available on request


Recommended prices.

Belts with cloth backing

Coated abrasives

Abrasive cloth, waterproof

CS 321 X



Properties

Bonding agent	Resin
Grain	SiC
Coating	Close
Backing	X-cotton

Applications:

Glass/Stone	●
Mineral based materials	●
Plastic	●

Advantages: Outstanding abrasive performance on hard and difficult-to-machine materials - Ideal for wet grinding, but also suitable for dry grinding


Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Abrasive cloth, waterproof

CS 322 X



Properties

Bonding agent	Resin
Grain	Cork
Backing	X-cotton

Applications:


Glass/Stone	●
-------------	---

Advantages: Special product for polishing glass with high quality cork/resin coating - Long life with consistent polishing effect - Waterproof

All sizes and minimum purchasing quantities available on request

Abrasive cloth, KULEX

CS 325 Y



Properties

Bonding agent	Resin
Grain	SiC agglom.
Coating	Close
Backing	Y-polyester

Applications:

Stainless steel	●
Glass/Stone	●
Metals	●

Advantages: Long-life abrasive belt for a brilliant, glossy finish, under medium to high grinding pressure - Extremely long life, with consistent surface roughness and finish - Suitable for dry and wet grinding

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Recommended prices.


Belts with cloth backing

Coated abrasives



Abrasive cloth, KULEX

CS 326 Y



Properties

Bonding agent	Resin
Grain	Al. oxide agglom.
Coating	Close
Backing	Y-polyester

Applications:

Stainless steel	●
Steel	●

Advantages: Long-life abrasive belt for a satin surface scratch pattern, under medium to high grinding pressure - Extremely long life, with consistent surface roughness and finish - Suitable for wet grinding


Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Belt joint	Packing unit/pcs.	Cat. number	Price/pc. Kč
150 x 2500	80	F4G	10	316029	971,12 Kč
150 x 2500	240	F4G	10	316032	920,10 Kč
150 x 3500	240	F4G	10	110506	1.245,75 Kč

Abrasive cloth, KULEX

CS 329 JF



Properties

Bonding agent	Resin
Grain	Al. oxide agglom.
Coating	Close
Backing	JF-cotton

Applications:

Stainless steel	●
Steel	●

Advantages: Long-life abrasive belt for a satin surface scratch pattern, under low to medium grinding pressure - Very suitable for strongly profiled workpieces - Especially suitable for dry grinding

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

All sizes and minimum purchasing quantities available on request

Recommended prices.

Belts with cloth backing

Coated abrasives

Abrasive cloth, KULEX

CS 329 Y



Properties

Bonding agent	Resin
Grain	Al. oxide agglom.
Coating	Close
Backing	Y-polyester

Applications:

Stainless steel	●
Steel	●

Advantages: Long-life abrasive belt for a satin surface scratch pattern, under low to medium grinding pressure - Especially suitable for dry grinding


Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Belt joint	Packing unit/pcs.	Cat. number	Price/pc. Kč
70 x 4123	80	F4G	5	343744	786,64 Kč

Abrasive cloth, waterproof

CS 330 X



Properties

Bonding agent	Resin
Grain	SiC/Cork
Coating	Close
Backing	X-cotton

Applications:

Stainless steel	●
Steel	●

Advantages: Soft, very fine grinding with low surface roughness, polishable - Special belt for satin final finishing of stainless steel and steel surfaces with cork granulate with SiC/resin coating

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

All sizes and minimum purchasing quantities available on request

Recommended prices.


Belts with cloth backing

Coated abrasives



Abrasive cloth

CS 333 X



Properties

Bonding agent	Resin
Grain	SiC
Coating	Close
Backing	X-cotton

Applications:

Glass/Stone	●
Plastic	●
Metals	●

Advantages: Ideal for dry grinding of very hard or difficult-to-machine materials (castings, scales, ceramic, rubber, plastic)


Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Abrasive cloth

CS 333 XF



Properties

Bonding agent	Resin
Grain	SiC
Coating	Close
Backing	XF-cotton

Applications:

Metals	●
NF metals	●
Plastic	●

Advantages: Long service life and high abrasive performance - Top product for robot grinding of brass fittings - Optimal combination of flexibility and tear resistance


Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Abrasive cloth

CS 333 JF



Properties

Bonding agent	Resin
Grain	SiC
Coating	Close
Backing	JF-cotton

Applications:

NF metals	●
Metals	●
Plastic	●

Advantages: Long service life and high abrasive performance - Very good adaptation to radiuses and contours due to highly flexible cotton backing - Ideal for hand grinding of brass fittings and other molded parts

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request


Recommended prices.

Belts with cloth backing

Coated abrasives

Abrasive cloth, waterproof

CS 341 X



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close
Backing	X-cotton

Applications:

Metals	●
Stainless steel	●
Steel	●
NF metals	●

Advantages: High-quality universal type for wet grinding - Good service life and fine finish - Especially for rough through fine grinding in centreless and surface grinding applications

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
Width x Length in mm						Grit		Belt joint				Packing unit/pcs.				Cat. number		Price/pc. Kč								
50 x 800						240		F4G				25				372791		94,57 Kč								

Abrasive cloth, multibond

CS 409 Y



Properties

Bonding agent	Resin
Grain	Zirconia alumina
Coating	Close
Backing	Y-polyester

Applications:

Stainless steel	●
NF metals	●

Advantages: Aggressive abrasive behaviour - Cool grinding and increased grinding performance on stainless steel and high-alloy steels due to additional multibond - Very long service life also when used for grinding of non-ferrous metals

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
Width x Length in mm				Grit		Belt joint		Packing unit/pcs.				Cat. number		Price/pc. Kč												
75 x 2000				120		F4G		20				260772		326,39 Kč												

Recommended prices.


Belts with cloth backing

Coated abrasives



Abrasive cloth, multibond

CS 410 X



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close
Backing	X-cotton

Applications:

Stainless steel	●
NF metals	○

Advantages: Cool grinding and no heat tinting due to additional multibond - Increased abrasive performance for use on stainless steel


Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Belt joint	Packing unit/pcs.	Cat. number	Price/pc. Kč
50 x 450	60	F4G	25	53108	71,63 Kč
50 x 450	80	F4G	25	53267	69,12 Kč
50 x 450	120	F4G	25	53538	67,55 Kč

Abrasive cloth

CS 411 X



Properties

Bonding agent	Resin
Grain	Zirconia alumina
Coating	Close
Backing	X-cotton

Applications:

Stainless steel	●
Steel	●
Metals	●

Advantages: High aggressiveness and abrasive performance in rough grinding of steel and stainless steel - Very versatile in all areas of metalworking

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Belt joint	Packing unit/pcs.	Cat. number	Price/pc. Kč
40 x 760	80	F4G	25	343693	85,27 Kč
50 x 2000	40	F4G	10	26593	196,65 Kč
50 x 2000	60	F4G	25	72251	178,02 Kč
50 x 2000	80	F4G	25	26943	166,63 Kč
50 x 2000	120	F4G	25	103997	158,35 Kč
75 x 2000	36	F4G	10	4619	350,86 Kč
75 x 2000	40	F4G	10	4620	292,90 Kč
75 x 2000	60	F4G	10	4622	258,75 Kč
75 x 2000	80	F4G	10	26969	241,15 Kč
75 x 2000	120	F4G	10	113664	229,77 Kč
90 x 395	80	F4G	10	372956	100,94 Kč
100 x 283	40	F4G	10	363188	100,56 Kč
100 x 283	60	F4G	10	373299	93,42 Kč
100 x 1220	60	F4G	25	343640	261,80 Kč
100 x 2000	36	F4G	10	26463	455,40 Kč

Recommended prices.



Belts with cloth backing

Coated abrasives

►► Continuation of CS 411 X, Abrasive cloth

Width x Length in mm	Grit	Belt joint	Packing unit/pcs.	Cat. number	Price/pc. Kč
150 x 2000	36	F4G	10	26488	660,33 Kč
150 x 2000	40	F4G	10	26668	537,16 Kč
150 x 2000	60	F4G	10	72775	472,99 Kč
150 x 2000	80	F4G	10	27030	440,91 Kč
150 x 2000	120	F4G	10	101308	421,24 Kč

Abrasive cloth, waterproof

CS 411 Y



Properties

Bonding agent	Resin
Grain	Zirconia alumina
Coating	Close
Backing	Y-polyester

Applications:

Stainless steel	●
Steel	●
Metals	●

Advantages: Tear-resistant high-performance belt - Especially high aggressiveness and abrasive performance due to active abrasive substances - Especially for stainless steel, but also for steel and metal in general

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Belt joint	Packing unit/pcs.	Cat. number	Price/pc. Kč
75 x 2000	36	F4G	10	62150	445,51 Kč
75 x 2000	40	F4G	10	62509	392,26 Kč
75 x 2000	60	F4G	10	62938	287,73 Kč
75 x 2000	80	F4G	10	63068	265,99 Kč
75 x 2000	120	F4G	10	20598	258,75 Kč
100 x 283	60	F4G	10	374237	98,88 Kč
150 x 2000	36	F4G	10	62176	834,40 Kč
150 x 2000	40	F4G	10	62537	745,10 Kč
150 x 2000	60	F4G	10	62971	521,64 Kč
150 x 2000	80	F4G	10	63102	489,55 Kč
150 x 2000	120	F4G	10	278219	466,78 Kč

Recommended prices.

Belts with cloth backing


Coated abrasives



Belts

Abrasive cloth, waterproof

CS 412 Y



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close
Backing	Y-polyester

Applications:

Metals	●	Wood	●
NF metals	●		
Stainless steel	●		
Steel	●		

Advantages: High-quality universal type for wet and dry grinding of stainless steel, steel and other metal surfaces


Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

All sizes and minimum purchasing quantities available on request

Abrasive cloth, waterproof

CS 416 Y



Properties

Bonding agent	Resin
Grain	Zirconia alumina
Coating	Semi-open
Backing	Y-polyester

Applications:

Stainless steel	●
Plastic	●
NF metals	●

Advantages: Very high aggressiveness and abrasive performance - Long service life also when used on materials that cause clogging

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Belt joint	Packing unit/pcs.	Cat. number	Price/pc. Kč
75 x 2000	40	F4G	10	205377	341,55 Kč
75 x 2000	60	F4G	10	207651	274,27 Kč
75 x 2000	80	F4G	10	220805	258,75 Kč
150 x 2000	40	F4G	10	205474	635,49 Kč
150 x 2000	60	F4G	10	204213	500,94 Kč
150 x 2000	80	F4G	10	205130	472,99 Kč

Recommended prices.

Belts with cloth backing

Coated abrasives

Abrasive cloth, NOPPEX

CS 420 Y





Properties	
Bonding agent	Resin
Grain	Aluminium oxide
Backing	Y-polyester

Applications:	
Stainless steel	●
Steel	●

Advantages: Long-life abrasive belt with knob structure for a satin surface scratch pattern, under high to medium grinding pressure - Very suitable for centreless circular and surface grinding - Suitable for dry and wet grinding

Available grits:


1624303640506080100120150180220240280320360400500600800100012001500200025003000

All sizes and minimum purchasing quantities available on request

Abrasive cloth

GX 533 JF





Properties	
Bonding agent	Resin
Grain	SiC
Coating	Close
Backing	JF-blended cloth

Applications:	
NF metals	●
Plastic	●
Metals	●
Titanium/Alloy	●

Mineral based materials	●
-------------------------	---

Advantages: Special product for use on brass (sanitary fittings) and titanium (surgical instruments) - Good adaptation to radiuses and contours - High process reliability in robot applications or working with unsupported belts due to highly tear resistant blended fabric backing

Available grits:

1624303640506080100120150180220240280320360400500600800100012001500200025003000

All sizes and minimum purchasing quantities available on request

Recommended prices.

Belts with cloth backing

Coated abrasives



CEVOLUTION

Abrasive cloth, multibond

CS 631 XF CEVOLUTION



Properties

Bonding agent	Resin
Grain	Ceramic Al. oxide
Coating	Semi-open
Backing	XF-cotton

Applications:

Stainless steel	●
Titanium/Alloy	●

Advantages: Continuously aggressive abrasive performance, with long service life due to ceramic grit - Good adaptation to radiuses and contours - Prevents heat tinting on stainless steel due to multibond - The CS 631 XF includes the new CEVOLUTION technology. CEVOLUTION stands for holistically optimized, ceramic abrasives. Klingspor products with CEVOLUTION technology contain, among others, an optimized grit mix, grit sizes and formulation in order to offer the maximum performance in every application.

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Abrasive cloth

CS 710 XF



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close
Backing	XF-cotton

Applications:

Steel	●
Stainless steel	●
NF metals	●

Advantages: Machine grinding of surfaces or molded parts in trade and industry - Flexible, yet tear-resistant backing

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request


Recommended prices.

Belts with cloth backing

Coated abrasives

Abrasive cloth

GX 712 JF



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close
Backing	JF-blended cloth

Applications:

NF metals	●
Stainless steel	●
Steel	●
Metals	●

Advantages: Active abrasive substances ensure outstanding abrasive performance - Special product for tough/hard and heat-sensitive materials - Good adaptation to radiuses and contours - High process reliability in robot applications or working with unsupported belts due to highly tear resistant blended fabric backing


Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

All sizes and minimum purchasing quantities available on request

Abrasive cloth, KULEX, waterproof

CS 729 X



Properties

Bonding agent	Resin
Grain	Al. oxide agglom.
Coating	Close
Backing	X-cotton

Applications:

Stainless steel	●
Steel	●

Advantages: Long life abrasive belt for wet and dry sanding with exceptionally long service life - For a satin surface scratch pattern with uniform surface quality - Specially developed for surface grinding at medium contact pressure - Optimum workpiece adaptation due to semi-flexible and tear-resistant cotton backing

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

All sizes and minimum purchasing quantities available on request

Recommended prices.


Belts with cloth backing

Coated abrasives



Abrasive cloth, KULEX

CS 757 JF



Properties

Bonding agent	Resin
Grain	Al. oxide agglom.
Coating	Open
Backing	JF-cotton

Applications:

Stainless steel	●
Steel	●

Advantages: Long life abrasive belt for dry sanding with particularly long service life and consistent surface quality - The open coating ensures very aggressive sanding behavior until the end of the service life - The highly flexible cotton backing makes it very suitable for sanding heavily profiled workpieces

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Abrasive cloth, waterproof

CS 811 Y ACT



Properties

Bonding agent	Resin
Grain	Zirconia alumina
Coating	Close
Backing	Y-polyester

Applications:

Die-cast aluminium	●
Stainless steel	●
Steel	●

Advantages: High aggressiveness and abrasive performance - Developed for applications under high stress - Especially good grain adhesion and service life due to ACT recipe

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Abrasive cloth

CS 911 X



Properties

Bonding agent	Resin
Grain	Ceramic Al. oxide
Coating	Close
Backing	Cotton/polyester

Applications:

Stainless steel	●
Steel	●
Hardwood	●
NF metals	ⓘ

Advantages: Self-sharpening ceramic grit for coarse and intermediate grinding in the steel and stainless steel processing industry and for parquet sanding

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request


Recommended prices.

Belts with cloth backing

Coated abrasives

Abrasive cloth, multibond

CS 913 X



Properties

Bonding agent	Resin
Grain	Ceramic Al. oxide
Coating	Close
Backing	Cotton/polyester

Applications:

Stainless steel	●
High alloy steel	●
NF metals	●

Advantages: Continuously aggressive grinding behaviour - Long service life due to self-sharpening ceramic grit - The additional multibond provides a "cool grinding" in the processing of stainless steel and thus tempering colours are avoided - No premature clogging on aluminium

Available grits:


16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

CEVOLUTION

Abrasive cloth, multibond

CS 920 Y ACT CEVOLUTION



Properties

Bonding agent	Resin
Grain	Ceramic Al. oxide
Coating	Close
Backing	Y-polyester

Applications:

Stainless steel	●
High alloy steel	●

Advantages: Special product with Advanced Coating Technology (ACT) - Excellent grit adhesion - Highly tear-resistant polyester backing and self sharpening ceramic grain for rough and intermediate grinding of stainless steel and high alloyed steel at high loads - Higher service life and cool grinding due to special coating with active multibond - The CS 920 Y belt includes the new CEVOLUTION technology. CEVOLUTION stands for holistically optimized, ceramic abrasives. Klingspor products with CEVOLUTION technology contain, among others, an optimized grit mix, grit sizes and formulation in order to offer the maximum performance in every application.

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

Width x Length in mm	Grit	Belt joint	Packing unit/pcs.	Cat. number	Price/pc. Kč
75 x 2000	40	F4G	10	365526	542,42 Kč
75 x 2000	60	F4G	10	365498	471,30 Kč
75 x 2000	80	F4G	10	365487	435,75 Kč
75 x 2500	80	F4G	10	365519	544,40 Kč

Recommended prices.

Belts with cloth backing


Coated abrasives



CEVOLUTION

Abrasive cloth, waterproof

CS 922 Y ACT CEVOLUTION



Properties

Bonding agent	Resin
Grain	Ceramic Al. oxide
Coating	Close
Backing	Y-polyester

Applications:

Stainless steel	●
Steel	●

Advantages: Continuously aggressive grinding behaviour - Long service life due to self-sharpening ceramic grit - Very high grain adhesion thanks to Advanced Coating Technology and highly tear-resistant polyester backing - The CS 922 Y belt includes the new CEVOLUTION technology. CEVOLUTION stands for holistically optimized, ceramic abrasives. Klingspor products with CEVOLUTION technology contain, among others, an optimized grit mix, grit sizes and formulation in order to offer the maximum performance in every application.

Available grits:


16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

Width x Length in mm	Grit	Belt joint	Packing unit/pcs.	Cat. number	Price/pc. Kč
40 x 760	80	F4G	10	370644	119,18 Kč
40 x 760	120	F4G	10	370269	115,88 Kč
40 x 815	120	F4G	10	659700	120,46 Kč
75 x 2000	36	F4G	10	365302	545,81 Kč
75 x 2000	40	F4G	10	365344	506,77 Kč
75 x 2000	60	F4G	10	370699	441,70 Kč
75 x 2000	80	F4G	10	370700	409,17 Kč
75 x 2000	120	F4G	10	370702	392,90 Kč
100 x 283	80	F4G	10	366769	125,10 Kč
100 x 283	120	F4G	10	367461	122,03 Kč

CEVOLUTION

Abrasive cloth, multibond

CS 931 JF CEVOLUTION



Properties

Bonding agent	Resin
Grain	Ceramic Al. oxide
Coating	Semi-open
Backing	JF-cotton

Applications:

Stainless steel	●
Titanium/Alloy	●

Advantages: Special product with high flexible backing for the processing of stainless steel and high-alloyed steel - Continuously aggressive grinding properties with high lifetime due to semiopen coated self-sharpening ceramic grain - Very good adaptability to radiuses and edges through high flexible backing - The additional multibond provides a "cool grinding" in the processing of stainless steel and thus tempering colours are avoided - The CS 931 JF includes the new CEVOLUTION technology. CEVOLUTION stands for holistically optimized, ceramic abrasives. Klingspor products with CEVOLUTION technology contain, among others, an optimized grit mix, grit sizes and formulation in order to offer the maximum performance in every application.

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

Width x Length in mm	Grit	Belt joint	Packing unit/pcs.	Cat. number	Price/pc. Kč
300 x 3500	180	F4G	10	377239	2.244,22 Kč

Recommended prices.


Belts with cloth backing

Coated abrasives

CEVOLUTION

Abrasive cloth, multibond

GX 931 JF
CEVOLUTION



Properties

Bonding agent	Resin
Grain	Ceramic Al. oxide
Coating	Semi-open
Backing	JF-blended cloth

Applications:

Stainless steel	●
Titanium/Alloy	●

Advantages: Special product with flexible and tear resistant backing for the processing of stainless steel and high-alloyed steel - Continuously aggressive grinding properties with high lifetime due to semi-open coated self-sharpening ceramic grain - Good adaptability on radiuses and edges through flexible backing - High process reliability in robot applications or grinding slack of the belt because of extremely tear resistant polycotton backing - The additional multibond provides a cool grinding in the processing of stainless steel and avoids tempering colours - The GX 931 JF includes the new CEVOLUTION technology. CEVOLUTION stands for holistically optimized, ceramic abrasives. Klingspor products with CEVOLUTION technology contain, among others, an optimized grit mix, grit sizes and formulation in order to offer the maximum performance in every application.


Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Abrasive cloth, KULEX

CS 959 JF



Properties

Bonding agent	Resin
Grain	Ceramic agglomerate
Coating	Semi-open
Backing	JF-cotton

Applications:

Stainless steel	●
Steel	●

Advantages: Long life abrasive belt for dry sanding with particularly long service life and consistent surface quality - With newly developed ceramic agglomerates for even more aggressive sanding behaviour - Perfectly suited for sanding heavily profiled workpieces thanks to the highly flexible cotton backing

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Recommended prices.


Abrasive sleeves

Coated abrasives



Abrasive cloth

CS 310 X



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close
Backing	X-cotton

Applications:

Metals	●
Plastic	○

Advantages: Tear-resistant cloth with reinforced backing - Spiral shaped joint, cylindrical form - Universal applications in metalworking - High aggressiveness when used with rubber drum GK 555

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter x Width in mm	Grit	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
10 x 20	80	50	11555	2.421,90 Kč
10 x 20	150	50	11554	2.421,90 Kč
13 x 25	50	50	28188	2.541,96 Kč
13 x 25	80	50	11558	2.541,96 Kč
15 x 30	50	50	11568	2.501,59 Kč
15 x 30	80	50	11567	2.501,59 Kč
15 x 30	150	50	11566	2.501,59 Kč
22 x 20	50	50	11571	1.916,82 Kč
22 x 20	80	50	11570	1.916,82 Kč
22 x 20	150	50	11569	1.916,82 Kč
30 x 20	50	50	11574	2.161,08 Kč
30 x 20	80	50	11573	2.161,08 Kč
30 x 30	50	50	11577	3.133,98 Kč
30 x 30	80	50	11576	3.133,98 Kč
30 x 30	150	50	11575	3.133,98 Kč
45 x 30	50	50	11580	3.635,95 Kč
45 x 30	80	50	11579	3.635,95 Kč
45 x 30	150	50	11578	3.635,95 Kč
60 x 30	50	25	11583	5.147,05 Kč
60 x 30	80	25	11582	5.147,05 Kč
60 x 30	150	25	11581	5.147,05 Kč
75 x 30	50	25	11586	6.148,93 Kč
75 x 30	80	25	11585	6.148,93 Kč


Recommended prices.

Abrasive sleeves

Coated abrasives

Abrasive cloth

CS 310 X



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close
Backing	X-cotton

Applications:

Metals	●
Plastic	○

Advantages: Tear-resistant cloth with reinforced backing - Spiral shaped joint, conical form - Universal applications in metalworking - High aggressiveness when used with rubber drum GK 555 A


Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter 1 x Diameter 2 x Width in mm	Grit	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
22 x 29 x 30	50	50	11592	6.256,57 Kč
22 x 29 x 30	80	50	11591	6.256,57 Kč
22 x 36 x 60	50	50	11595	7.999,51 Kč
22 x 36 x 60	80	50	11594	7.999,51 Kč
22 x 36 x 60	150	50	11593	7.999,51 Kč

Abrasive cloth, multibond

CS 451 X



Properties

Bonding agent	Resin
Grain	Zirconia alumina
Coating	Close
Backing	X-cotton

Applications:

Stainless steel	●
-----------------	---

Advantages: Tear-resistant cloth with reinforced backing - Spiral shaped joint, cylindrical form - High-quality zirconia alumina with multibond especially suited for working on stainless steel - High aggressiveness when used with rubber drum GK 555

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter x Width in mm	Grit	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
30 x 20	40	50	334246	3.212,64 Kč
30 x 20	60	50	255475	3.307,86 Kč
45 x 30	40	50	334247	4.813,78 Kč
45 x 30	60	50	255476	4.958,68 Kč
60 x 30	40	25	334248	6.244,15 Kč
60 x 30	60	25	255626	6.428,38 Kč

Recommended prices.

Rubber drums

GK 555



Advantages: Reusable rubber drum for cylindrical abrasive sleeves CS 310 X and CS 451 X - Mounting and dismounting by a light turn

Diameter x Width x Shaft in mm	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
10 x 20 x 6	30 m/s	44000 rpm	1	14843	755,00 Kč
13 x 25 x 6	30 m/s	44000 rpm	1	14845	755,00 Kč
15 x 30 x 6	30 m/s	36000 rpm	1	14847	782,00 Kč
22 x 20 x 6	30 m/s	26000 rpm	1	14848	640,00 Kč
30 x 20 x 6	30 m/s	19100 rpm	1	14849	703,00 Kč
30 x 30 x 6	30 m/s	19100 rpm	1	14850	773,00 Kč
45 x 30 x 6	30 m/s	12700 rpm	1	14851	893,00 Kč
60 x 30 x 6	30 m/s	9500 rpm	1	14852	1.146,00 Kč
75 x 30 x 8	30 m/s	7600 rpm	1	14853	1.284,00 Kč

Rubber drums

GK 555 A



Advantages: Reusable rubber drum for cone-shaped abrasive sleeves CS 310 X - Mounting and dismounting by a light turn

Diameter 1 x Diameter 2 x Height x Shaft in mm	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
22 x 29 x 30 x 6	30 m/s	26000 rpm	1	14855	668,00 Kč
22 x 36 x 60 x 6	30 m/s	26000 rpm	1	14856	1.046,00 Kč

Recommended prices.

Wide belts with paper backing

Coated abrasives

Abrasive paper

PS 20 F



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close
Backing	F-paper

Applications:

Stainless steel	●
Metals	●
NF metals	●
Steel	●

Advantages: Universal product for stainless steel finish grinding - High cutting rate

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Abrasive paper, actively coated

PS 20 FW



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close
Backing	F-paper

Applications:

Aluminium	●
NF metals	●
Composite materials	●

Advantages: Special product with improved clogging behaviour and significantly increased service life due to additional stearate coating - Specially for grinding aluminium and non-ferrous metals

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Recommended prices.

Wide belts with paper backing

Coated abrasives



Abrasive paper

PS 21 F



Properties

Bonding agent	Resin
Grain	Zirconia alumina
Coating	Close
Backing	F-paper

Applications:

Stainless steel	●
Metals	●
Steel	●

Advantages: Aggressive abrasive behaviour due to self-sharpening zirconia alumina - Optimal recipe for rough grinding and finish grinding of stainless steel

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Abrasive paper, ANTISTATIC

PS 22 F ACT



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close
Backing	F-paper

Applications:

Wood	●	Plastic	●
Metals	●		
NF metals	●		
Paint/Varnish/Filler	●		

Advantages: High removal rate, fine surface scratch pattern, especially suitable for hardwood, HPL panels and melamine and primer foil coatings - Reduced clogging and longer service life due to ACT recipe and antistatic properties

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Recommended prices.

Wide belts with paper backing

Coated abrasives

Abrasive paper, ANTISTATIC

PS 524 E



Properties

Bonding agent	Resin
Grain	SiC
Coating	Close
Backing	E-paper

Applications:

Stainless steel	●
Paint/Varnish/Filler	●
Plastic	●
Wood	◐

Advantages: Universal belt for hard and tough workpiece surfaces - Produces a brilliant finish on stainless steel surfaces - Fine sanding pattern in the wood and furniture industry - Long service life due to antistatic equipment - Very good price-performance ratio



Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Abrasive paper, ANTISTATIC

PS 24 F ACT



Properties

Bonding agent	Resin
Grain	SiC
Coating	Close
Backing	F-paper

Applications:

Stainless steel	●
Paint/Varnish/Filler	●
Plastic	●
Wood	◐

Advantages: For hard and tough surfaces - Produces a brilliant, high gloss finish on stainless steel surfaces due to the very hard and sharp-edged silicon carbide grit - Long service life on varnish surfaces in the wood and furniture industry due to ACT recipe and antistatic properties



Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Recommended prices.

Wide belts with paper backing

Coated abrasives



Abrasive paper, ANTISTATIC

PS 27 DW



Properties

Bonding agent	Resin
Grain	SiC
Coating	Open
Backing	D-paper

Applications:

Paint/Varnish/Filler	●
Aluminium	●
Plastic	○

Advantages: Special product for high-quality varnish surfaces, especially UV finishes - Substantially reduced clogging and significantly longer service life due to additional stearate coating and antistatic properties

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

All sizes and minimum purchasing quantities available on request

Abrasive paper, ANTISTATIC

PS 28 F



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Open
Backing	F-paper

Applications:

Wood	●
Leather	●

Advantages: Universal type for use on wood, especially softwood - For wide belts up to 1350 mm

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Belt joint	Packing unit/pcs.	Cat. number	Price/pc. Kč
1120 x 1900	80	F1	10	321843	1.428,23 Kč
1120 x 1900	120	F1	10	321845	1.350,85 Kč

Recommended prices.

Wide belts with paper backing

Coated abrasives

Abrasive paper, ANTISTATIC

PS 29 F ACT



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Open
Backing	F-paper

Applications:

Wood	●
------	---



Advantages: High-quality universal type for general woodworking - Large product mix - Reduced clogging and longer service life due to ACT recipe and antistatic properties

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Belt joint	Packing unit/pcs.	Cat. number	Price/pc. Kč
930 x 1525	80	F1	10	307852	1.001,56 Kč
970 x 1525	80	F1	10	380682	1.085,48 Kč
1100 x 1900	80	F1	10	307857	1.310,30 Kč
1100 x 1900	120	F1	10	307859	1.236,48 Kč
1115 x 1900	80	F1	10	380973	1.320,80 Kč
1120 x 1900	80	F1	10	292904	1.324,29 Kč
1120 x 1900	100	F1	10	292935	1.249,12 Kč
1120 x 1900	120	F1	10	292936	1.249,12 Kč
1120 x 1900	150	F1	10	292937	1.249,12 Kč
1120 x 2000	80	F1	10	380717	1.365,52 Kč
1120 x 2000	100	F1	10	380890	1.286,40 Kč
1120 x 2000	120	F1	10	380718	1.286,40 Kč
1120 x 2150	80	F1	10	307863	1.427,36 Kč
1120 x 2150	120	F1	10	307865	1.342,30 Kč
1130 x 2200	120	F1	10	364040	1.368,26 Kč
1350 x 2000	150	F1	10	380975	1.529,64 Kč
1350 x 2620	60	F1	10	292938	2.133,02 Kč

Recommended prices.

Wide belts with paper backing

Coated abrasives



Abrasive paper, ANTISTATIC

PS 38 G ACT



Properties

Bonding agent	Resin
Grain	SiC
Coating	Close
Backing	G-paper

Applications:

Wood-based materials	●
Wood	●
Composite materials	●
Mineral based materials	●

Advantages: High removal rate and fine surface scratch pattern - Developed for fine sanding of wood based materials with wide belts and segmented belts - Outstanding grit adhesion, very long service life due to perfect antistatic properties and ACT recipe

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

CEVOLUTION

Abrasive paper

PS 61 F CEVOLUTION



Properties

Bonding agent	Resin
Grain	Ceramic Al. oxide
Coating	Close
Backing	F-paper

Applications:

Stainless steel	●
Steel	●
Wood	○

Advantages: Continuously aggressive abrasive behaviour due to micro-crystalline and self-sharpening ceramic grit - High performance abrasive belt for stainless steel finish grinding - The PS 61 F includes the new CEVOLUTION technology. CEVOLUTION stands for holistically optimized, ceramic abrasives. Klingspor products with CEVOLUTION technology contain, among others, an optimized grit mix, grit sizes and formulation in order to offer the maximum performance in every application.

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Recommended prices.

Wide belts with paper backing

Coated abrasives

Abrasive paper, KULEX

PS 729 F





Properties		Applications:	
Bonding agent	Resin	Stainless steel	●
Grain	Al. oxide agglom.	Steel	●
Coating	Close		
Backing	F-paper		

Advantages: Long life belt for dry grinding applications - Extremely high service life - Constant surface quality for pre-grinding until finishing - Especially developed grinding with intermediate contact pressure

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

All sizes and minimum purchasing quantities available on request

Wide belts with cloth backing

Coated abrasives



Abrasive cloth

CS 308 Y



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close
Backing	Y-polyester

Applications:

Wood	●
NF metals	●
Stainless steel	●
Steel	●

Plastic	○
---------	---

Advantages: Universal product for metal and wood applications - High tear resistance - Moisture proof

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Abrasive cloth

CS 310 X



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close
Backing	X-cotton

Applications:

Metals	●
Steel	●
Stainless steel	●
Wood	○

Plastic	○
---------	---

Advantages: Universal product with optimal price-performance ratio - Available in a wide grit range

Available grits:

16 20 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Recommended prices.

Wide belts with cloth backing

Coated abrasives

Abrasive cloth ANTISTATIC

CS 311 Y ACT





Properties	
Bonding agent	Resin
Grain	Aluminium oxide
Coating	Open
Backing	Y-polyester

Applications:	
Wood	●
Metals	○

Advantages: Specially developed for calibration grinding of wood - Reduced clogging and longer service life due to ACT recipe and antistatic properties

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Abrasive cloth, waterproof

CS 320 Y





Properties	
Bonding agent	Resin
Grain	SiC
Coating	Close
Backing	Y-polyester

Applications:	
Mineral based materials	●
Plastic	●

Advantages: Very hard and sharp silicon carbide grain for hard and tough workpiece surfaces - High aggressiveness and abrasive performance - Especially suitable for wet grinding

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Recommended prices.

Wide belts with cloth backing

Coated abrasives



Abrasive cloth, waterproof

CS 321 X



Properties

Bonding agent	Resin
Grain	SiC
Coating	Close
Backing	X-cotton

Applications:

Mineral based materials	●
Plastic	●
Stainless steel	●

Advantages: Produces a brilliant, glossy finish on stainless steel surfaces due to the very hard and sharp-edged silicon carbide grit - Very high aggressiveness and abrasive performance - Especially suitable for wet grinding

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Abrasive cloth, KULEX

CS 326 Y



Properties

Bonding agent	Resin
Grain	Al. oxide agglom.
Coating	Close
Backing	Y-polyester

Applications:

Stainless steel	●
Steel	●

Advantages: Long-life abrasive belt for a satin surface scratch pattern, under medium to high grinding pressure - Extremely long life, with consistent surface roughness and finish - Suitable for wet grinding

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Recommended prices.

Wide belts with cloth backing

Coated abrasives

Abrasive cloth, KULEX

CS 329 Y



Properties

Bonding agent	Resin
Grain	Al. oxide agglom.
Coating	Close
Backing	Y-polyester

Applications:

Stainless steel	●
Steel	●

Advantages: Long-life abrasive belt for a satin surface scratch pattern, under low to medium grinding pressure - Especially suitable for dry grinding

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Abrasive cloth, waterproof

CS 330 X



Properties

Bonding agent	Resin
Grain	SiC/Cork
Coating	Close
Backing	X-cotton

Applications:

Steel	●
Stainless steel	●

Advantages: Special product for soft and fine grinding, polishable due to very hard and sharp edged silicon carbide grit on cork granulate - Special satin finish grinding on steel and stainless steel surfaces - Suitable for dry and wet grinding

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Recommended prices.

Wide belts with cloth backing

Coated abrasives



Abrasive cloth ANTISTATIC

CS 336 Y



Properties

Bonding agent	Resin
Grain	SiC
Coating	Semi-open
Backing	Y-polyester

Applications:

Wood	●
Mineral based materials	●
Wood-based materials	●

Advantages: High removal rate, especially suitable for calibration of wood-based materials (one piece wide belts up to 1620 mm) - Optimal static reduction - No dust accumulation due to perfect antistatic properties

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Abrasive cloth, waterproof

CS 341 X



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close
Backing	X-cotton

Applications:

Metals	●
Stainless steel	●
Steel	●
NF metals	●

Advantages: Universal product for wet and dry grinding of steel and stainless steel - Excellent wear properties in wet grinding

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Recommended prices.

Wide belts with cloth backing

Coated abrasives

Abrasive cloth, multibond

CS 409 Y



Properties

Bonding agent	Resin
Grain	Zirconia alumina
Coating	Close
Backing	Y-polyester

Applications:

Stainless steel	●
-----------------	---



Advantages: Aggressive abrasive behaviour due to self-sharpening zirconia alumina - Prevents heat tinting on stainless steel - Cool grinding due to additional multibond - Minimal clogging when used on aluminium and aluminium alloys

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Abrasive cloth, waterproof

CS 411 Y



Properties

Bonding agent	Resin
Grain	Zirconia alumina
Coating	Close
Backing	Y-polyester

Applications:

Steel	●
Stainless steel	●
Metals	●



Advantages: Aggressive abrasive behaviour - Universal product for use on steel and stainless steel

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Recommended prices.

Wide belts with cloth backing

Coated abrasives



Abrasive cloth, waterproof

CS 412 Y



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close
Backing	Y-polyester

Applications:

Stainless steel	●
Metals	●
Steel	●
NF metals	●

Wood	●
------	---

Advantages: Universal product for rough and intermediate grinding of steel and non-ferrous metals

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Abrasive cloth ANTISTATIC

CS 538 Z ACT



Properties

Bonding agent	Resin
Grain	SiC
Coating	Close
Backing	Z-polyester

Applications:

Wood-based materials	●
Wood	●
Composite materials	●
Mineral based materials	●

Advantages: Exceptionally tear-resistant type of polyester - The perfectly balanced ACT recipe allows for a long service life combined with an excellent removal rate

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Recommended prices.

Wide belts with cloth backing

Coated abrasives

Abrasive cloth, KULEX, waterproof

CS 729 X



Properties

Bonding agent	Resin
Grain	Al. oxide agglom.
Coating	Close
Backing	X-cotton

Applications:

Stainless steel	●
Steel	●



Advantages: Long life abrasive belt for wet and dry sanding with exceptionally long service life - For a satin surface scratch pattern with uniform surface quality - Specially developed for coil and sheet grinding with medium tool pressure - Easy handling during abrasive belt changes thanks to tear-resistant and semi-flexible cotton backing

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Abrasive cloth

CS 911 X



Properties

Bonding agent	Resin
Grain	Ceramic Al. oxide
Coating	Close
Backing	Cotton/polyester

Applications:

Stainless steel	●
Steel	●
Hardwood	●
NF metals	○



Advantages: Self-sharpening ceramic grit for coarse and intermediate grinding in the steel and stainless steel processing industry and for hardwood sanding

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Recommended prices.

Wide belts with cloth backing

Coated abrasives



Abrasive cloth, multibond

CS 913 X



Properties

Bonding agent	Resin
Grain	Ceramic Al. oxide
Coating	Close
Backing	Cotton/polyester

Applications:

Stainless steel	●
High alloy steel	●
NF metals	●



Advantages: Continuously aggressive grinding behaviour - Long service life due to self-sharpening ceramic grit - The additional multibond provides a "cool grinding" in the processing of stainless steel and thus tempering colours are avoided - No premature clogging on aluminium

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

CEVOLUTION

Abrasive cloth, multibond

CS 920 Y ACT CEVOLUTION



Properties

Bonding agent	Resin
Grain	Ceramic Al. oxide
Coating	Close
Backing	Y-polyester

Applications:

Stainless steel	●
High alloy steel	●



Advantages: Special product with Advanced Coating Technology (ACT) - Excellent grit adhesion - Highly tear-resistant polyester backing and self sharpening ceramic grain for rough, and intermediate grinding of stainless steel and high alloyed steel at high loads - Higher service life and cool grinding due to special coating with active multibond - The CS 920 Y includes the new CEVOLUTION technology. CEVOLUTION stands for holistically optimized, ceramic abrasives. Klingspor products with CEVOLUTION technology contain, among others, an optimized grit mix, grit sizes and formulation in order to offer the maximum performance in every application.

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Recommended prices.

Wide belts with cloth backing

Coated abrasives

CEVOLUTION

Abrasive cloth, waterproof

CS 922 Y ACT CEVOLUTION



Properties

Bonding agent	Resin
Grain	Ceramic Al. oxide
Coating	Close
Backing	Y-polyester

Applications:

Stainless steel	●
Steel	●

Advantages: Continuously aggressive grinding behaviour - Long service life due to self-sharpening ceramic grit - Very high grain adhesion thanks to Advanced Coating Technology and highly tear-resistant polyester backing - The CS 922 Y includes the new CEVOLUTION technology. CEVOLUTION stands for holistically optimized, ceramic abrasives. Klingspor products with CEVOLUTION technology contain, among others, an optimized grit mix, grit sizes and formulation in order to offer the maximum performance in every application.

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

All sizes and minimum purchasing quantities available on request

Recommended prices.

Notes



Wide belts

Fibre discs

Applications Fibre Discs					
Application	Type	Grain	Backing	Coating	Page
Steel / NF metals	CS 561	Aluminium oxide	Fibre	●	87
	FS 764 ACT	Aluminium oxide	Fibre	●	89
Steel / Stainless steel	CS 565	Zirconia alumina	Fibre	●	90
	FS 964 ACT	Ceramic aluminium oxide	Fibre	●	92
Stainless steel	CS 570	Zirconia alumina	Fibre	●	91
	FS 966 ACT	Ceramic aluminium oxide	Fibre	●	93

● = close ● = semi-open ○ = open

Minimum order quantities for made to order items

Disc diameter	Minimum order quantities
up to 235 mm	1,000 pieces



We reserve the right to over-deliver or under-deliver made to order items.

Abrasive fibre disc

CS 561



XLOCK !



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close

Applications:

Steel	●	Stainless steel	○
NF metals	●	Wood	○
Metals	●		
Plastic	○		

Advantages: For universal use - Largest selection of diameters, grit sizes and hole patterns

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter x Hole in mm	Grit	Hole pattern	Max. RPM	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
100 x 16	24	⊙ 10	15300 rpm	25	65713	2.232,49 Kč
100 x 16	36	⊙ 10	15300 rpm	25	65718	2.044,12 Kč
100 x 16	40	⊙ 10	15300 rpm	25	65720	1.942,69 Kč
100 x 16	50	⊙ 10	15300 rpm	25	65725	1.842,30 Kč
100 x 16	60	⊙ 10	15300 rpm	25	65730	1.678,77 Kč
100 x 16	80	⊙ 10	15300 rpm	25	65735	1.637,37 Kč
100 x 16	120	⊙ 10	15300 rpm	25	65743	1.637,37 Kč
115 x 22	16	⊙ 10	13300 rpm	25	66302	3.041,86 Kč
115 x 22	24	⊙ 10	13300 rpm	25	72298	2.614,41 Kč
115 x 22	36	⊙ 10	13300 rpm	25	66308	2.391,88 Kč
115 x 22	40	⊙ 10	13300 rpm	25	72192	2.277,00 Kč
115 x 22	50	⊙ 10	13300 rpm	25	66313	2.167,29 Kč
115 x 22	60	⊙ 10	13300 rpm	25	66318	1.971,67 Kč
115 x 22	80	⊙ 10	13300 rpm	25	25472	1.918,89 Kč
115 x 22	100	⊙ 10	13300 rpm	25	66322	1.918,89 Kč
115 x 22	120	⊙ 10	13300 rpm	25	66327	1.918,89 Kč
115 x 22	16	⊗ 30	13300 rpm	25	10977	3.041,86 Kč
115 x 22	24	⊗ 30	13300 rpm	25	10978	2.614,41 Kč
115 x 22	36	⊗ 30	13300 rpm	25	10980	2.391,88 Kč
115 x 22	40	⊗ 30	13300 rpm	25	10981	2.277,00 Kč
115 x 22	50	⊗ 30	13300 rpm	25	10982	2.167,29 Kč
115 x 22	60	⊗ 30	13300 rpm	25	10983	1.971,67 Kč
115 x 22	80	⊗ 30	13300 rpm	25	10984	1.918,89 Kč
115 x 22	100	⊗ 30	13300 rpm	25	10985	1.918,89 Kč
115 x 22	120	⊗ 30	13300 rpm	25	10986	1.918,89 Kč
115 x 22	150	⊗ 30	13300 rpm	25	10987	1.918,89 Kč
115 x 22	180	⊗ 30	13300 rpm	25	10988	1.918,89 Kč
115 x 22	220	⊗ 30	13300 rpm	25	10989	1.918,89 Kč
115 x 22	320	⊗ 30	13300 rpm	25	10992	1.918,89 Kč
115 x 22 X-LOCK	24	⊗ 50	13300 rpm	25	351150	2.875,23 Kč
115 x 22 X-LOCK	36	⊗ 50	13300 rpm	25	351147	2.632,00 Kč
115 x 22 X-LOCK	40	⊗ 50	13300 rpm	25	351149	2.505,73 Kč
115 x 22 X-LOCK	60	⊗ 50	13300 rpm	25	351148	2.168,32 Kč
115 x 22 X-LOCK	80	⊗ 50	13300 rpm	25	351146	2.114,50 Kč

Recommended prices.



Fibre discs

Coated abrasives

►► Continuation of CS 561, Abrasive fibre disc

Diameter x Hole in mm	Grit	Hole pattern	Max. RPM	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
125 x 22	16	⊙ 10	12250 rpm	25	66354	3.560,40 Kč
125 x 22	24	⊙ 10	12250 rpm	25	66358	3.061,53 Kč
125 x 22	36	⊙ 10	12250 rpm	25	66364	2.805,88 Kč
125 x 22	40	⊙ 10	12250 rpm	25	66366	2.665,12 Kč
125 x 22	50	⊙ 10	12250 rpm	25	66371	2.532,64 Kč
125 x 22	60	⊙ 10	12250 rpm	25	66376	2.307,01 Kč
125 x 22	80	⊙ 10	12250 rpm	25	70439	2.244,91 Kč
125 x 22	100	⊙ 10	12250 rpm	25	66379	2.244,91 Kč
125 x 22	120	⊙ 10	12250 rpm	25	66383	2.244,91 Kč
125 x 22	16	⊗ 30	12250 rpm	25	11009	3.560,40 Kč
125 x 22	24	⊗ 30	12250 rpm	25	11010	3.061,53 Kč
125 x 22	36	⊗ 30	12250 rpm	25	11012	2.805,88 Kč
125 x 22	40	⊗ 30	12250 rpm	25	11013	2.665,12 Kč
125 x 22	50	⊗ 30	12250 rpm	25	11014	2.532,64 Kč
125 x 22	60	⊗ 30	12250 rpm	25	11015	2.307,01 Kč
125 x 22	80	⊗ 30	12250 rpm	25	11016	2.244,91 Kč
125 x 22	100	⊗ 30	12250 rpm	25	11017	2.244,91 Kč
125 x 22	120	⊗ 30	12250 rpm	25	11018	2.244,91 Kč
125 x 22	150	⊗ 30	12250 rpm	25	11019	2.244,91 Kč
125 x 22	180	⊗ 30	12250 rpm	25	11020	2.244,91 Kč
125 x 22	220	⊗ 30	12250 rpm	25	11021	2.244,91 Kč
125 x 22	320	⊗ 30	12250 rpm	25	11024	2.244,91 Kč
125 x 22 X-LOCK	24	⊗ 50	12250 rpm	25	351145	3.368,92 Kč
125 x 22 X-LOCK	36	⊗ 50	12250 rpm	25	351144	3.089,47 Kč
125 x 22 X-LOCK	40	⊗ 50	12250 rpm	25	351143	2.934,22 Kč
125 x 22 X-LOCK	60	⊗ 50	12250 rpm	25	351139	2.537,82 Kč
125 x 22 X-LOCK	80	⊗ 50	12250 rpm	25	351142	2.468,47 Kč
150 x 22	24	⊗ 30	10200 rpm	25	11042	4.165,87 Kč
150 x 22	36	⊗ 30	10200 rpm	25	11044	3.795,34 Kč
150 x 22	40	⊗ 30	10200 rpm	25	11045	3.620,43 Kč
150 x 22	60	⊗ 30	10200 rpm	25	11047	3.151,57 Kč
150 x 22	80	⊗ 30	10200 rpm	25	11048	3.058,42 Kč
150 x 22	120	⊗ 30	10200 rpm	25	11050	3.058,42 Kč
180 x 22	16	⊙ 10	8500 rpm	25	66443	6.460,47 Kč
180 x 22	24	⊙ 10	8500 rpm	25	66451	5.549,67 Kč
180 x 22	36	⊙ 10	8500 rpm	25	66459	5.080,81 Kč
180 x 22	40	⊙ 10	8500 rpm	25	70447	4.832,41 Kč
180 x 22	50	⊙ 10	8500 rpm	25	70448	4.586,08 Kč
180 x 22	60	⊙ 10	8500 rpm	25	70449	4.186,57 Kč
180 x 22	80	⊙ 10	8500 rpm	25	66465	4.045,81 Kč
180 x 22	100	⊙ 10	8500 rpm	25	66469	4.045,81 Kč
180 x 22	120	⊙ 10	8500 rpm	25	66472	4.045,81 Kč
180 x 22	16	⊗ 30	8500 rpm	25	11057	6.460,47 Kč
180 x 22	24	⊗ 30	8500 rpm	25	11058	5.549,67 Kč
180 x 22	36	⊗ 30	8500 rpm	25	11060	5.080,81 Kč
180 x 22	40	⊗ 30	8500 rpm	25	11061	4.832,41 Kč
180 x 22	50	⊗ 30	8500 rpm	25	11062	4.586,08 Kč
180 x 22	60	⊗ 30	8500 rpm	25	11063	4.186,57 Kč
180 x 22	80	⊗ 30	8500 rpm	25	11064	4.045,81 Kč
180 x 22	100	⊗ 30	8500 rpm	25	11065	4.045,81 Kč
180 x 22	120	⊗ 30	8500 rpm	25	11066	4.045,81 Kč

Recommended prices.



►► Continuation of CS 561, Abrasive fibre disc

Diameter x Hole in mm	Grit	Hole pattern	Max. RPM	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
180 x 22	180	⊗ 30	8500 rpm	25	11068	4.045,81 Kč
180 x 22	320	⊗ 30	8500 rpm	25	11072	4.045,81 Kč
235 x 22	24	⊙ 10	6500 rpm	25	66497	9.991,89 Kč
235 x 22	36	⊙ 10	6500 rpm	25	66502	9.160,78 Kč
235 x 22	40	⊙ 10	6500 rpm	25	66504	8.699,17 Kč
235 x 22	60	⊙ 10	6500 rpm	25	66511	7.515,13 Kč
235 x 22	80	⊙ 10	6500 rpm	25	66514	7.299,85 Kč

Dispenser see page 95 / Backing pads see page 94.

Abrasive fibre disc

FS 764 ACT



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close

Applications:

Steel	●	NF metals	●
Stainless steel	●	Wood	●
Metals	●		
Plastic	○		

Advantages: For universal use - Increased removal rate and outstanding grit adhesion due to special ACT recipe - Long service life - Also suitable for stainless steel

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter x Hole in mm	Grit	Hole pattern	Max. RPM	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
115 x 22	24	⊗ 30	13300 rpm	25	316469	2.889,72 Kč
115 x 22	36	⊗ 30	13300 rpm	25	316470	2.646,49 Kč
115 x 22	40	⊗ 30	13300 rpm	25	316471	2.431,21 Kč
115 x 22	60	⊗ 30	13300 rpm	25	316473	2.101,05 Kč
115 x 22	80	⊗ 30	13300 rpm	25	316474	2.044,12 Kč
115 x 22	120	⊗ 30	13300 rpm	25	316475	2.044,12 Kč
125 x 22	24	⊗ 30	12250 rpm	25	316476	3.388,59 Kč
125 x 22	36	⊗ 30	12250 rpm	25	316477	3.099,82 Kč
125 x 22	40	⊗ 30	12250 rpm	25	316478	2.839,00 Kč
125 x 22	60	⊗ 30	12250 rpm	25	316480	2.457,09 Kč
125 x 22	80	⊗ 30	12250 rpm	25	316481	2.386,71 Kč
125 x 22	120	⊗ 30	12250 rpm	25	316482	2.386,71 Kč
180 x 22	24	⊗ 30	8500 rpm	25	316483	6.132,37 Kč
180 x 22	36	⊗ 30	8500 rpm	25	316484	5.617,98 Kč
180 x 22	40	⊗ 30	8500 rpm	25	316485	5.149,12 Kč
180 x 22	60	⊗ 30	8500 rpm	25	316487	4.528,12 Kč
180 x 22	80	⊗ 30	8500 rpm	25	316488	4.377,01 Kč
180 x 22	120	⊗ 30	8500 rpm	25	316489	4.377,01 Kč

Dispenser see page 95 / Backing pads see page 94.

Recommended prices.

Fibre discs

Coated abrasives

Abrasive fibre disc

CS 565



Properties

Bonding agent	Resin
Grain	Zirconia alumina
Coating	Close

Applications:

Stainless steel	●
Steel	●
Metals	●

Advantages: Self-sharpening effect - High aggressiveness on steel and stainless steel - Ideal for rough grinding work - Excellent price-performance ratio

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter x Hole in mm	Grit	Hole pattern	Max. RPM	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
100 x 16	36	⊙ 10	15300 rpm	25	23680	2.787,25 Kč
100 x 16	60	⊙ 10	15300 rpm	25	84604	2.302,87 Kč
100 x 16	80	⊙ 10	15300 rpm	25	188678	2.230,42 Kč
115 x 22	24	⊙ 10	13300 rpm	25	93409	3.577,99 Kč
115 x 22	36	⊙ 10	13300 rpm	25	65698	3.275,77 Kč
115 x 22	60	⊙ 10	13300 rpm	25	65700	2.693,07 Kč
115 x 22	80	⊙ 10	13300 rpm	25	65701	2.615,44 Kč
115 x 22	24	⊗ 30	13300 rpm	25	95335	3.577,99 Kč
115 x 22	36	⊗ 30	13300 rpm	25	6686	3.275,77 Kč
115 x 22	40	⊗ 30	13300 rpm	25	242801	3.022,20 Kč
115 x 22	50	⊗ 30	13300 rpm	25	92066	2.963,20 Kč
115 x 22	60	⊗ 30	13300 rpm	25	6687	2.693,07 Kč
115 x 22	80	⊗ 30	13300 rpm	25	6688	2.615,44 Kč
115 x 22	100	⊗ 30	13300 rpm	25	204609	2.615,44 Kč
115 x 22 X-LOCK	24	⊗ 50	13300 rpm	25	351141	3.937,14 Kč
115 x 22 X-LOCK	36	⊗ 50	13300 rpm	25	351140	3.601,80 Kč
115 x 22 X-LOCK	40	⊗ 50	13300 rpm	25	351154	3.326,49 Kč
115 x 22 X-LOCK	60	⊗ 50	13300 rpm	25	351160	2.963,20 Kč
115 x 22 X-LOCK	80	⊗ 50	13300 rpm	25	351159	2.878,33 Kč
125 x 22	36	⊙ 10	12250 rpm	25	65681	3.812,94 Kč
125 x 22	60	⊙ 10	12250 rpm	25	65707	3.160,89 Kč
125 x 22	80	⊙ 10	12250 rpm	25	23001	3.062,56 Kč
125 x 22	24	⊗ 30	12250 rpm	25	97643	4.151,38 Kč
125 x 22	36	⊗ 30	12250 rpm	25	6620	3.812,94 Kč
125 x 22	40	⊗ 30	12250 rpm	25	242803	3.530,38 Kč
125 x 22	50	⊗ 30	12250 rpm	25	93054	3.465,18 Kč
125 x 22	60	⊗ 30	12250 rpm	25	6721	3.160,89 Kč
125 x 22	80	⊗ 30	12250 rpm	25	23005	3.062,56 Kč
125 x 22	100	⊗ 30	12250 rpm	25	204611	3.062,56 Kč
125 x 22 X-LOCK	24	⊗ 50	12250 rpm	25	351158	4.565,38 Kč
125 x 22 X-LOCK	36	⊗ 50	12250 rpm	25	351161	4.192,78 Kč
125 x 22 X-LOCK	40	⊗ 50	12250 rpm	25	351157	3.884,35 Kč
125 x 22 X-LOCK	60	⊗ 50	12250 rpm	25	351156	3.475,53 Kč
125 x 22 X-LOCK	80	⊗ 50	12250 rpm	25	351155	3.370,99 Kč

Recommended prices.



►► Continuation of CS 565, Abrasive fibre disc

Diameter x Hole in mm	Grit	Hole pattern	Max. RPM	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
180 x 22	36	⊙ 10	8500 rpm	25	65702	6.935,53 Kč
180 x 22	60	⊙ 10	8500 rpm	25	65705	5.728,72 Kč
180 x 22	80	⊙ 10	8500 rpm	25	65706	5.540,35 Kč
180 x 22	24	⊗ 30	8500 rpm	25	95993	7.607,25 Kč
180 x 22	36	⊗ 30	8500 rpm	25	65703	6.935,53 Kč
180 x 22	40	⊗ 30	8500 rpm	25	242807	6.342,48 Kč
180 x 22	50	⊗ 30	8500 rpm	25	93045	6.294,87 Kč
180 x 22	60	⊗ 30	8500 rpm	25	6690	5.728,72 Kč
180 x 22	80	⊗ 30	8500 rpm	25	6691	5.540,35 Kč

Dispenser see page 95 / Backing pads see page 94.

Abrasive fibre disc, multibond

CS 570



Properties

Bonding agent	Resin
Grain	Zirconia alumina
Coating	Close

Applications:

Stainless steel	●
Aluminium	●
NF metals	⓪



Advantages: Self-sharpening effect - High aggressiveness, especially suitable for stainless steel - Increase in performance due to low temperatures - Multibond prevents heat tinting - Especially suitable for use on aluminium

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

Diameter x Hole in mm	Grit	Hole pattern	Max. RPM	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
100 x 16	36	⊙ 10	15300 rpm	25	204823	2.984,94 Kč
100 x 16	60	⊙ 10	15300 rpm	25	204825	2.414,65 Kč
100 x 16	80	⊙ 10	15300 rpm	25	204826	2.346,34 Kč
100 x 16	120	⊙ 10	15300 rpm	25	204828	2.346,34 Kč
115 x 22	36	⊙ 10	13300 rpm	25	204797	3.501,40 Kč
115 x 22	60	⊙ 10	13300 rpm	25	204799	2.834,86 Kč
115 x 22	80	⊙ 10	13300 rpm	25	204800	2.752,06 Kč
115 x 22	120	⊙ 10	13300 rpm	25	204802	2.752,06 Kč
115 x 22	36	⊗ 30	13300 rpm	25	204086	3.501,40 Kč
115 x 22	40	⊗ 30	13300 rpm	25	250258	3.279,91 Kč
115 x 22	50	⊗ 30	13300 rpm	25	204087	3.108,10 Kč
115 x 22	60	⊗ 30	13300 rpm	25	204088	2.834,86 Kč
115 x 22	80	⊗ 30	13300 rpm	25	204089	2.752,06 Kč
115 x 22	100	⊗ 30	13300 rpm	25	204090	2.752,06 Kč
115 x 22	120	⊗ 30	13300 rpm	25	204091	2.752,06 Kč
125 x 22	36	⊙ 10	12250 rpm	25	204806	4.077,90 Kč
125 x 22	60	⊙ 10	12250 rpm	25	204811	3.318,21 Kč
125 x 22	80	⊙ 10	12250 rpm	25	204812	3.214,71 Kč
125 x 22	120	⊙ 10	12250 rpm	25	204814	3.214,71 Kč
125 x 22	36	⊗ 30	12250 rpm	25	204093	4.077,90 Kč
125 x 22	40	⊗ 30	12250 rpm	25	250259	3.860,55 Kč

Recommended prices.



Fibre discs

Coated abrasives

► Continuation of CS 570 Abrasive fibre disc, multibond

Diameter x Hole in mm	Grit	Hole pattern	Max. RPM	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
125 x 22	50	⊗ 30	12250 rpm	25	204094	3.634,92 Kč
125 x 22	60	⊗ 30	12250 rpm	25	204095	3.318,21 Kč
125 x 22	80	⊗ 30	12250 rpm	25	204096	3.214,71 Kč
125 x 22	100	⊗ 30	12250 rpm	25	204097	3.214,71 Kč
125 x 22	120	⊗ 30	12250 rpm	25	204098	3.214,71 Kč
180 x 22	36	⊗ 30	8500 rpm	25	204100	7.446,82 Kč
180 x 22	60	⊗ 30	8500 rpm	25	204102	6.016,45 Kč
180 x 22	80	⊗ 30	8500 rpm	25	204103	5.824,98 Kč
180 x 22	120	⊗ 30	8500 rpm	25	204105	5.824,98 Kč

Dispenser see page 95 / Backing pads see page 94.

Abrasive fibre disc

FS 964 ACT



Properties

Bonding agent	Resin
Grain	Ceramic Al. oxide
Coating	Close

Applications:

Steel	●
Stainless steel	●

Advantages: Premium product with excellent performance for working on steel - Micro-crystalline self-sharpening effect - High aggressiveness thanks to self-sharpening, aggressive ceramic grains throughout the service life - Outstanding grit adhesion - Advanced Coating Technology (ACT) for extraordinary grain adhesion and extended service life

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter x Hole in mm	Grit	Hole pattern	Max. RPM	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
115 x 22	24	⊗ 30	13300 rpm	25	330478	5.883,97 Kč
115 x 22	36	⊗ 30	13300 rpm	25	330498	5.401,66 Kč
115 x 22	40	⊗ 30	13300 rpm	25	330482	5.139,81 Kč
115 x 22	50	⊗ 30	13300 rpm	25	330480	4.859,32 Kč
115 x 22	60	⊗ 30	13300 rpm	25	330479	4.449,46 Kč
115 x 22	80	⊗ 30	13300 rpm	25	330481	4.316,98 Kč
115 x 22	120	⊗ 30	13300 rpm	25	330483	4.316,98 Kč
125 x 22	24	⊗ 30	12250 rpm	25	330484	6.734,74 Kč
125 x 22	36	⊗ 30	12250 rpm	25	330485	6.324,88 Kč
125 x 22	40	⊗ 30	12250 rpm	25	330486	6.010,24 Kč
125 x 22	50	⊗ 30	12250 rpm	25	330488	5.646,96 Kč
125 x 22	60	⊗ 30	12250 rpm	25	330487	5.395,45 Kč
125 x 22	80	⊗ 30	12250 rpm	25	330490	5.057,01 Kč
125 x 22	120	⊗ 30	12250 rpm	25	330491	5.057,01 Kč
180 x 22	24	⊗ 30	8500 rpm	25	330489	13.554,36 Kč
180 x 22	36	⊗ 30	8500 rpm	25	330492	11.477,11 Kč
180 x 22	40	⊗ 30	8500 rpm	25	330493	10.902,69 Kč
180 x 22	50	⊗ 30	8500 rpm	25	330494	10.317,91 Kč
180 x 22	60	⊗ 30	8500 rpm	25	330495	9.449,55 Kč
180 x 22	80	⊗ 30	8500 rpm	25	330496	9.122,49 Kč

Dispenser see page 95 / Backing pads see page 94.

Recommended prices.

Abrasive fibre disc, multibond

FS 966 ACT



Properties

Bonding agent	Resin
Grain	Ceramic Al. oxide
Coating	Close

Applications:

Stainless steel	●
-----------------	---



Advantages: Micro-crystalline self-sharpening effect - High aggressiveness throughout the service life - Outstanding grit adhesion - Long service life, especially suitable for heavy duty applications - Increase in performance due to low temperatures - Multibond prevents heat tinting

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter x Hole in mm	Grit	Hole pattern	Max. RPM	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
115 x 22	36	⊗ 30	13300 rpm	25	316490	5.867,41 Kč
115 x 22	40	⊗ 30	13300 rpm	25	316491	5.586,93 Kč
115 x 22	50	⊗ 30	13300 rpm	25	318504	5.284,71 Kč
115 x 22	60	⊗ 30	13300 rpm	25	316492	4.835,52 Kč
115 x 22	80	⊗ 30	13300 rpm	25	316493	4.693,72 Kč
115 x 22	120	⊗ 30	13300 rpm	25	324237	4.693,72 Kč
115 x 22 X-LOCK	40	⊗ 50	13300 rpm	25	351166	6.144,79 Kč
115 x 22 X-LOCK	60	⊗ 50	13300 rpm	25	351167	5.318,86 Kč
115 x 22 X-LOCK	80	⊗ 50	13300 rpm	25	351165	5.161,54 Kč
125 x 22	24	⊗ 30	12250 rpm	25	318305	7.721,10 Kč
125 x 22	36	⊗ 30	12250 rpm	25	316494	6.874,47 Kč
125 x 22	40	⊗ 30	12250 rpm	25	316495	6.531,88 Kč
125 x 22	60	⊗ 30	12250 rpm	25	316496	5.863,27 Kč
125 x 22	80	⊗ 30	12250 rpm	25	316497	5.493,78 Kč
125 x 22	120	⊗ 30	12250 rpm	25	324239	5.493,78 Kč
125 x 22 X-LOCK	40	⊗ 50	12250 rpm	25	351164	7.183,93 Kč
125 x 22 X-LOCK	60	⊗ 50	12250 rpm	25	351163	6.448,05 Kč
125 x 22 X-LOCK	80	⊗ 50	12250 rpm	25	351162	6.045,43 Kč
180 x 22	24	⊗ 30	8500 rpm	25	318352	15.698,88 Kč
180 x 22	36	⊗ 30	8500 rpm	25	316498	12.473,82 Kč
180 x 22	40	⊗ 30	8500 rpm	25	316499	11.852,82 Kč
180 x 22	60	⊗ 30	8500 rpm	25	316501	10.271,34 Kč
180 x 22	80	⊗ 30	8500 rpm	25	316502	9.913,23 Kč
180 x 22	120	⊗ 30	8500 rpm	25	324238	9.913,23 Kč

Dispenser see page 95 / Backing pads see page 94.

Recommended prices.

Backing pads

Backing pad, plain/flexible

ST 358



XLOCK !



Advantages: Medium-hard backing pad allows good adaptation to the workpiece - For universal use, especially for surface and finish grinding (grit 50 and finer) - High temperature resistance

Diameter in mm	Thread/Shaft	Suitable for	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
100	thread M10	Diameter 100 x 16	80 m/s	15300 rpm	1	305190	260,82 Kč
100	thread M14	Diameter 100 x 22	80 m/s	15300 rpm	1	2774	243,22 Kč
115 X-LOCK	X-LOCK	Ø 115 X-LOCK	80 m/s	13300 rpm	1	352049	878,71 Kč
115	thread M10	Diameter 115 x 22	80 m/s	13300 rpm	1	14859	545,44 Kč
115	thread M14	Diameter 115 x 22	80 m/s	13300 rpm	1	14838	200,79 Kč
125 X-LOCK	X-LOCK	Ø 125 X-LOCK	80 m/s	12250 rpm	1	352048	1.364,13 Kč
125	thread M14	Diameter 125 x 22	80 m/s	12250 rpm	1	14835	313,60 Kč
150	thread M14	Diameter 150 x 22	80 m/s	10200 rpm	1	14836	371,56 Kč
180	thread M14	Diameter 180 x 22	80 m/s	8500 rpm	1	14840	651,01 Kč
235	thread M14	Diameter 235 x 22	80 m/s	6600 rpm	1	14841	997,74 Kč

Backing pad, ribbed/hard

ST 358 A



XLOCK !



Advantages: For rough grinding - Cool grinding - Increased aggressiveness due to hard, ribbed abrasive surface - High temperature resistance and stability

Diameter in mm	Thread/Shaft	Suitable for	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 X-LOCK	X-LOCK	Ø 115 X-LOCK	80 m/s	13300 rpm	1	352047	1.285,47 Kč
115	thread M14	Diameter 115 x 22	80 m/s	13300 rpm	1	126346	379,84 Kč
125 X-LOCK	X-LOCK	Ø 125 X-LOCK	80 m/s	12250 rpm	1	352046	1.659,10 Kč
125	thread M14	Diameter 125 x 22	80 m/s	12250 rpm	1	126347	454,36 Kč
180	thread M14	Diameter 180 x 22	80 m/s	8500 rpm	1	126348	683,10 Kč

Recommended prices.



Dispenser for fibre discs

FS 555



Advantages: Easy stocking and removal of up to 100 fiber discs with diameter of 115 to 180 mm -
Orderly and accessible storage at the workplace
Fibre discs not included

Width x Length x Height in mm	Packing unit/pcs.	Cat. number	Price/pc. Kč
170 x 140 x 196	1	316463	523,71 Kč

Recommended prices.

Strips / Sheets / Discs

Application	Type	Grain	Backing	Coating	Page
Steel / stainless steel	PS 21 FK	Zirconia alumina	F-paper	●	120
	PS 61 FK	Ceramic aluminium oxide	F-paper	●	131
Steel / metals	KL 361 JF	Aluminium oxide	JF-cotton	●	111,114
	KL 371 X	Aluminium oxide	X-cotton	●	112
	KL 385 JF	Aluminium oxide	JF-cotton	●	113
	CS 411 XK	Zirconia alumina	X-cotton	●	142
	CS 920 YK	Ceramic aluminium oxide	Y-polyester	●	142
Wood	PS 22 F ACT	Aluminium oxide	F-paper	●	103
	PS 22 K	Aluminium oxide	E-paper	○	105,122
	PS 30 D	Aluminium oxide	D-paper	○	100,103
	PS 19 EK	SiC	E-paper	●	105,120
	PL 31 B	Aluminium oxide	B-paper	○	100,104
	SW 501 TR	Aluminium oxide	Sponge	●	117
Paint / Varnish / Filler	PS 33 B	Aluminium oxide	B-paper	○	102
	PS 33 BK	Aluminium oxide	B-paper	○	107,129
	PS 33 C	Aluminium oxide	C-paper	○	101
	PS 33 CK	Aluminium oxide	C-paper	○	106,126
	PS 73 BW	Aluminium oxide	B-paper	○	102
	PS 73 BWK	Aluminium oxide	B-paper	○	134
	PS 73 CWK	Aluminium oxide	C-paper	○	133
	PS 77 CK T-ACT	Aluminium oxide	C-paper	○	109,136
	PS 19 EK	SiC	E-paper	●	105,120
	FP 73 WK	Aluminium oxide	Film	○	108,132
	FP 77 K T-ACT	Aluminium oxide	Film	○	108,135
	PS 11 A	SiC	A-paper	●	99
	PS 11 C	SiC	C-paper	●	98,119
	PS 8 A	SiC	A-paper	●	97
	PS 8 C	SiC	C-paper	●	97
	PS 514 A	SiC	A-Latex paper	●	99
	FD 500	Aluminium oxide / SiC	Foam core		140
	SK 500	Aluminium oxide	Sponge	●	115
	SK 700 A	Aluminium oxide	Sponge	●	116
	SW 501	Aluminium oxide	Sponge	●	116
	SW 501 TR	Aluminium oxide	Sponge	●	117
	SW 502	SiC	Sponge	●	117
	SW 510	Aluminium oxide	Sponge	●	118
Composites, gel coats, paints and coatings, plaster and plasterboard, wood fillers and varnish	AN 400	Aluminium oxide	Abrasive screen	●	109,137

● = close ○ = semi-open ○ = open

Minimum order quantities for made to order items

Sheets / Strips

Product	Dimensions	Minimum order quantities
Sheets	230 × 280 mm	250 pieces
	70 × 450 mm	500 pieces
Strips	115 × 140 mm	1,000 pieces
	93 × 230 mm	500 pieces
	115 × 280 mm	500 pieces
Sheets exceeding 230 x 280 mm	Minimum quantities on request	
Large sheets	1400 × 1540 mm	10 pieces
	70 × 125 mm	1,000 pieces
	80 × 133 mm	1,000 pieces
	93 × 230 mm	500 pieces
	100 × 115 mm	1,000 pieces
Self-fastening products	115 × 280 mm	500 pieces

Discs

Type	Ø [mm]	Minimum order quantities
AN 400	up to 50 mm	5,000 pieces
CS 310 X	up to 90 mm	2,500 pieces
CS 321 X	up to 125 mm	1,000 pieces
CS 411 XK	up to 200 mm	500 pieces
FP 73 WK	up to 400 mm	200 pieces
PS 11 C	up to 600 mm	100 pieces
PS 19 EK	over 600 mm	25 pieces
PS 21 FK		
PS 22 F ACT		
PS 22 K		
PS 33 BK/CK		
PS 61 FK		
PS 73 BWK/CWK		
PS 77 CK		
FP 77 K		



We reserve the right to over-deliver or under-deliver made to order items.

Other sizes available on request.

Sheets with paper backing

Coated abrasives



Abrasive paper, waterproof

PS 8 C



Properties

Bonding agent	Resin
Grain	SiC
Coating	Close
Backing	C-paper

Applications:

Paint/Varnish/Filler	●
Plastic	●
Glass/Stone	⓪
Metals	⓪

Advantages: Ideal for hard and tough surfaces - Very flexible latex paper allows excellent adaptation - Can be used for wet and dry grinding

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
230 x 280	60	50	269424	2.692,56 Kč
230 x 280	80	50	269429	2.530,84 Kč
230 x 280	100	50	269435	2.221,97 Kč
230 x 280	120	50	269444	1.944,84 Kč
230 x 280	150	50	269448	1.771,24 Kč

Abrasive paper, waterproof

PS 8 A



Properties

Bonding agent	Resin
Grain	SiC
Coating	Close
Backing	A-paper

Applications:

Paint/Varnish/Filler	●
Plastic	●
Glass/Stone	⓪
Metals	⓪

Advantages: Ideal for hard and tough surfaces - Very flexible latex paper allows excellent adaptation - Can be used for wet and dry grinding

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
230 x 280	180	50	269269	1.646,05 Kč
230 x 280	220	50	269275	1.646,05 Kč
230 x 280	240	50	269279	1.646,05 Kč
230 x 280	280	50	269285	1.646,05 Kč
230 x 280	320	50	269289	1.646,05 Kč
230 x 280	360	50	269294	1.646,05 Kč

Recommended prices.



Sheets with paper backing

Coated abrasives

►► Continuation of PS 8 A, Abrasive paper, waterproof

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
230 x 280	400	50	269299	1.646,05 Kč
230 x 280	600	50	269314	1.646,05 Kč
230 x 280	800	50	269323	1.748,61 Kč
230 x 280	1000	50	269328	1.748,61 Kč

Abrasive paper, waterproof

PS 11 C



Properties

Bonding agent	Resin
Grain	SiC
Coating	Close
Backing	C-paper

Applications:

Paint/Varnish/Filler	●
Plastic	●
Glass/Stone	●
Metals	●

Advantages: Special product for auto repair and painting - For hard and tough surfaces - Good adaptation and high stability - Wet and dry sanding

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
230 x 280	60	50	2022	3.410,55 Kč
230 x 280	80	50	2023	2.969,85 Kč
230 x 280	100	50	2117	2.620,92 Kč
230 x 280	120	50	2116	2.290,35 Kč
230 x 280	150	50	2011	2.161,77 Kč
230 x 280	180	50	2012	2.033,23 Kč
230 x 280	220	50	2013	2.033,23 Kč
230 x 280	240	50	2014	2.033,23 Kč
230 x 280	280	50	2015	2.033,23 Kč
230 x 280	320	50	2016	2.033,23 Kč
230 x 280	360	50	2017	2.033,23 Kč
230 x 280	400	50	2018	2.033,23 Kč

Recommended prices.

Sheets with paper backing

Coated abrasives



Abrasive paper, waterproof

PS 11 A



Properties

Bonding agent	Resin
Grain	SiC
Coating	Close
Backing	A-paper

Applications:

Paint/Varnish/Filler	●
Plastic	●
Glass/Stone	○
Metals	○

Advantages: Special product for auto repair and painting - For hard and tough surfaces - Good adaptation and high stability - Wet and dry sanding

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
230 x 280	220	50	2002	2.033,23 Kč
230 x 280	240	50	2003	2.033,23 Kč
230 x 280	280	50	2004	2.033,23 Kč
230 x 280	320	50	2005	2.033,23 Kč
230 x 280	360	50	2006	2.033,23 Kč
230 x 280	400	50	2007	2.033,23 Kč
230 x 280	500	50	2008	2.033,23 Kč
230 x 280	600	50	2009	2.033,23 Kč
230 x 280	800	50	2010	2.161,77 Kč
230 x 280	1000	50	11892	2.161,77 Kč
230 x 280	1200	50	6616	2.161,77 Kč
230 x 280	1500	50	186794	2.161,77 Kč
230 x 280	2000	50	186795	2.161,77 Kč

Abrasive paper, waterproof

PS 514 A



Properties

Bonding agent	Resin
Grain	SiC
Coating	Close
Backing	A-Latex paper

Applications:

Paint/Varnish/Filler	●
Plastic	●
Glass	●

Advantages: Premium sanding paper with flexible, tear-resistant latex backing - Improved water absorption for smooth sanding with high adaptability to curved surfaces - Improved coating technology for more aggressive sanding with minimal grain break-out - Can be used wet and dry

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Recommended prices.

Sheets with paper backing

Coated abrasives

Abrasive paper

PS 30 D



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	D-paper

Applications:

Paint/Varnish/Filler	●
Wood	●
Metals	○

Advantages: Product with good price-performance ratio - For diverse applications

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
230 x 280	40	50	194660	2.116,81 Kč
230 x 280	60	50	194662	1.694,08 Kč
230 x 280	80	50	194663	1.495,16 Kč
230 x 280	100	50	194664	1.370,87 Kč
230 x 280	120	50	194665	1.370,87 Kč
230 x 280	150	50	194666	1.370,87 Kč
230 x 280	180	50	194667	1.370,87 Kč
230 x 280	240	50	194668	1.383,31 Kč
230 x 280	320	50	194669	1.383,31 Kč

Finishing paper

PL 31 B



Properties

Bonding agent	Glue
Grain	Aluminium oxide
Coating	Semi-open
Backing	B-paper

Applications:

Paint/Varnish/Filler	●
Wood	●
Metals	○

Advantages: Product with optimal price-performance ratio - Optimized wear properties for hand grinding - Very fine surface scratch pattern

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
230 x 280	40	50	2059	2.161,74 Kč
230 x 280	50	50	2060	1.931,43 Kč
230 x 280	60	50	2061	1.726,72 Kč
230 x 280	80	50	2062	1.522,02 Kč

Recommended prices.



Sheets with paper backing

Coated abrasives



►► Continuation of PL 31 B, Finishing paper

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
230 x 280	100	50	2048	1.394,04 Kč
230 x 280	120	50	2049	1.394,04 Kč
230 x 280	150	50	2050	1.394,04 Kč
230 x 280	180	50	2051	1.394,04 Kč
230 x 280	220	50	2052	1.406,84 Kč
230 x 280	240	50	2053	1.406,84 Kč
230 x 280	280	50	2054	1.406,84 Kč
230 x 280	320	50	2055	1.406,84 Kč
230 x 280	400	50	2057	1.406,84 Kč

Abrasive paper

PS 33 C



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	C-paper

Applications:

Paint/Varnish/Filler	●
Wood	●
Plastic	○

Advantages: High removal rate - For diverse applications

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
230 x 280	40	50	147849	2.507,91 Kč
230 x 280	60	50	147850	1.984,34 Kč
230 x 280	80	50	147851	1.737,93 Kč
230 x 280	100	50	149719	1.583,96 Kč
230 x 280	120	50	147852	1.583,96 Kč

Recommended prices.

Sheets with paper backing

Coated abrasives

Abrasive paper

PS 33 B



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	B-paper

Applications:

Paint/Varnish/Filler	●
Wood	●
Plastic	●

Advantages: High removal rate - For diverse applications

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
230 x 280	150	50	149528	1.583,96 Kč
230 x 280	180	50	147853	1.583,96 Kč
230 x 280	220	50	149529	1.599,35 Kč
230 x 280	240	50	147854	1.599,35 Kč
230 x 280	280	50	149793	1.599,35 Kč
230 x 280	320	50	149530	1.599,35 Kč
230 x 280	400	50	148971	1.599,35 Kč
230 x 280	600	50	170668	1.599,35 Kč

Abrasive paper, actively coated

PS 73 BW



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	B-paper

Applications:

Paint/Varnish/Filler	●
Plastic	●

Advantages: High quality product for use on varnish, paint and filler - High removal rate - Substantially reduced clogging and significantly longer service life due to additional special coating

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

All sizes and minimum purchasing quantities available on request

Recommended prices.

Strips with paper backing

Coated abrasives



Abrasive paper, ANTISTATIC

PS 22 F ACT



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close
Backing	F-paper

Applications:

Wood	●	Steel	○
Metals	○	NF metals	○
Paint/Varnish/Filler	○		
Plastic	○		

Advantages: Premium product for hardwood - Good edge stability - Reduced clogging due to ACT recipe and antistatic properties

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
115 x 280	40	□ GL 0	100	6529	3.169,96 Kč
115 x 280	60	□ GL 0	100	6531	2.517,30 Kč
115 x 280	80	□ GL 0	100	6532	2.210,12 Kč
115 x 280	100	□ GL 0	100	6533	2.018,14 Kč

Abrasive paper

PS 30 D



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	D-paper

Applications:

Paint/Varnish/Filler	●
Wood	●
Metals	○

Advantages: Product with good price-performance ratio - For diverse applications

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
115 x 280	60	□ GL 0	100	194673	971,44 Kč
115 x 280	80	□ GL 0	100	194674	872,09 Kč
115 x 280	120	□ GL 0	100	194676	810,02 Kč
115 x 280	240	□ GL 0	100	194680	816,21 Kč

Recommended prices.

Strips with paper backing

Coated abrasives

Finishing paper

PL 31 B



Properties

Bonding agent	Glue
Grain	Aluminium oxide
Coating	Semi-open
Backing	B-paper

Applications:

Paint/Varnish/Filler	●
Wood	●
Metals	●

Advantages: Product with optimal price-performance ratio - Optimized wear properties for hand-held machine grinding - Very fine surface scratch pattern

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
93 x 230	40	GL 0	100	2416	856,01 Kč
93 x 230	80	GL 0	100	2419	627,26 Kč
93 x 230	100	GL 0	100	2390	581,45 Kč
93 x 230	120	GL 0	100	2391	581,45 Kč
93 x 230	180	GL 0	100	2393	581,45 Kč
93 x 230	240	GL 0	100	2395	586,08 Kč
93 x 230	60	GL 9	100	2667	1.235,80 Kč
93 x 230	80	GL 9	100	2668	1.162,60 Kč
93 x 230	120	GL 9	100	2670	1.116,80 Kč
115 x 280	40	GL 0	100	2412	1.294,20 Kč
115 x 280	60	GL 0	100	2414	1.059,99 Kč
115 x 280	80	GL 0	100	2415	949,83 Kč
115 x 280	100	GL 0	100	2379	880,94 Kč
115 x 280	120	GL 0	100	2380	880,94 Kč
115 x 280	150	GL 0	100	2381	880,94 Kč
115 x 280	180	GL 0	100	2382	880,94 Kč
115 x 280	220	GL 0	100	2383	887,88 Kč
115 x 280	240	GL 0	100	2384	887,88 Kč
115 x 280	80	GL 1	100	5323	1.485,17 Kč
115 x 280	120	GL 1	100	5321	1.416,29 Kč

Recommended prices.

Strips with paper backing, self-fastening

Coated abrasives



Abrasive paper, self-fastening

PS 19 EK



Properties

Bonding agent	Resin
Grain	SiC
Coating	Close
Backing	E-paper

Applications:

Wood	●
Paint/Varnish/Filler	●
Plastic	●
Glass/Stone	●

Advantages: Hard and sharp silicon carbide grain for hard and tough materials - Resistant high-performance product with a stable E-paper backing for rough, intermediate and finish sanding

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

All sizes and minimum purchasing quantities available on request

Abrasive paper, self-fastening

PS 22 K



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	E-paper

Applications:

Wood	●	Steel	●
Metals	●		
Paint/Varnish/Filler	●		
Plastic	●		

Advantages: High removal rate - Uniform scratch pattern

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

Width x Length in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
70 x 125	60	□ GL 0	100	147593	1.274,45 Kč
70 x 125	80	□ GL 0	100	140608	1.155,94 Kč
70 x 125	100	□ GL 0	100	131668	1.081,85 Kč
70 x 125	120	□ GL 0	100	129801	1.081,85 Kč
70 x 125	150	□ GL 0	100	135581	1.081,85 Kč
70 x 125	180	□ GL 0	100	129802	1.081,85 Kč
80 x 133	40	□ GL 18	100	149852	1.967,67 Kč
80 x 133	60	□ GL 18	100	149853	1.661,40 Kč
80 x 133	80	□ GL 18	100	149854	1.517,23 Kč
80 x 133	100	□ GL 18	100	149855	1.427,19 Kč
80 x 133	120	□ GL 18	100	149857	1.427,19 Kč
80 x 133	150	□ GL 18	100	232741	1.427,19 Kč
80 x 133	180	□ GL 18	100	232742	1.427,19 Kč

Recommended prices.



Strips with paper backing, self-fastening

Coated abrasives

►► Continuation of PS 22 K, Abrasive paper, self-fastening

Width x Length in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
80 x 133	220	 GL 18	100	206371	1.436,15 Kč
100 x 115	80	 GL 0	100	103378	1.388,81 Kč
100 x 115	100	 GL 0	100	103379	1.291,49 Kč
100 x 115	120	 GL 0	100	103380	1.291,49 Kč
100 x 115	150	 GL 0	100	103381	1.291,49 Kč
115 x 115	80	 GL 0	100	82076	1.302,53 Kč
115 x 115	120	 GL 0	100	81637	1.190,51 Kč
115 x 230	40	 GL 15	100	122331	3.962,97 Kč
115 x 230	60	 GL 15	100	116647	3.201,56 Kč
115 x 230	80	 GL 15	100	116648	2.843,24 Kč
115 x 230	100	 GL 15	100	116649	2.619,33 Kč
115 x 230	120	 GL 15	100	114942	2.619,33 Kč
115 x 230	150	 GL 15	100	111500	2.619,33 Kč

Abrasive paper, self-fastening

PS 33 CK



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	C-paper

Applications:

Paint/Varnish/Filler	●
Wood	●
Plastic	●

Advantages: Improved abrasive and stock removal performance thanks to special heat-tempered aluminium oxide abrasive grain - Reduced clogging thanks to sanding active fillers in the size coat and the semi-open coating - Outstanding flexibility paired with good stability and tear resistance thanks to latex impregnated paper backing

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
70 x 125	80	 GL 0	100	155072	833,20 Kč
70 x 125	100	 GL 0	100	151786	784,80 Kč
70 x 125	120	 GL 0	100	151785	784,80 Kč
80 x 133	40	 GL 18	100	146974	1.401,41 Kč
80 x 133	60	 GL 18	100	146975	1.256,49 Kč
80 x 133	80	 GL 18	100	146976	1.162,30 Kč
80 x 133	100	 GL 18	100	146977	1.104,34 Kč
80 x 133	120	 GL 18	100	147169	1.104,34 Kč
93 x 178	40	 GL 17	100	146970	1.807,16 Kč
93 x 178	60	 GL 17	100	146971	1.495,84 Kč
93 x 178	80	 GL 17	100	146972	1.349,38 Kč
93 x 178	100	 GL 17	100	146973	1.257,83 Kč
93 x 178	120	 GL 17	100	148046	1.257,83 Kč
100 x 115	100	 GL 0	100	147102	921,76 Kč
100 x 115	120	 GL 0	100	147103	921,76 Kč
115 x 230	40	 GL 15	100	146966	2.702,80 Kč

Recommended prices.



Strips with paper backing, self-fastening

Coated abrasives



► Continuation of PS 33 CK, Abrasive paper, self-fastening

Width x Length in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
115 x 230	60	GL 15	100	146967	2.205,29 Kč
115 x 230	80	GL 15	100	146968	1.971,15 Kč
115 x 230	100	GL 15	100	146969	1.824,82 Kč
115 x 230	120	GL 15	100	147182	1.824,82 Kč

Abrasive paper, self-fastening

PS 33 BK



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	B-paper

Applications:

Paint/Varnish/Filler	●
Wood	●
Plastic	○

Advantages: Improved abrasive and stock removal performance thanks to special heat-tempered aluminium oxide abrasive grain - Reduced clogging thanks to sanding active fillers in the size coat and the semi-open coating - Outstanding flexibility paired with good stability and tear resistance thanks to latex impregnated paper backing

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
70 x 125	150	GL 0	100	151784	784,80 Kč
70 x 125	180	GL 0	100	148228	784,80 Kč
70 x 125	220	GL 0	100	155500	789,68 Kč
70 x 125	240	GL 0	100	152381	789,68 Kč
70 x 125	280	GL 0	100	197133	789,68 Kč
80 x 133	150	GL 18	100	149107	1.104,34 Kč
80 x 133	180	GL 18	100	147479	1.104,34 Kč
80 x 133	220	GL 18	100	149819	1.107,45 Kč
80 x 133	240	GL 18	100	148050	1.107,45 Kč
80 x 133	320	GL 18	100	149897	1.107,45 Kč
80 x 133	400	GL 18	100	149899	1.107,45 Kč
93 x 178	150	GL 17	100	149138	1.257,83 Kč
93 x 178	180	GL 17	100	148047	1.257,83 Kč
93 x 178	240	GL 17	100	148048	1.266,99 Kč
100 x 115	150	GL 0	100	148658	921,76 Kč
100 x 115	180	GL 0	100	147104	921,76 Kč
100 x 115	240	GL 0	100	147105	928,13 Kč
115 x 230	150	GL 15	100	149820	1.824,82 Kč
115 x 230	180	GL 15	100	147183	1.824,82 Kč
115 x 230	240	GL 15	100	147184	1.839,44 Kč
115 x 230	320	GL 15	100	147185	1.839,44 Kč

Recommended prices.

Strips with film backing, self-fastening

Coated abrasives

Abrasive film, active coated, self fastening, waterproof

FP 73 WK



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	Foil

Applications:

Paint/Varnish/Filler	●
Plastic	○

Advantages: Special product with highly tear-resistant film backing for use on paint, varnish and fillers - Very good adaptation and excellent grit adhesion also in the edge area - Substantially reduced clogging and significantly longer service life

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

All sizes and minimum purchasing quantities available on request

Abrasive film, self-fastening, waterproof

FP 77 K T-ACT



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	Foil

Applications:

Paint/Varnish/Filler	●	Composite materials	●
Primer	●	Plastic	●
Filler	●		
Gel coats	●		

Advantages: New high-performance product with optimized clogging behaviour - Increased service life due to the new coating, which prevents the adhesion of paint and dust particles - For fine sanding in the fine grit range 240 - 2000, a highly flexible and completely flat foil backing is used for highest surface quality

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
80 x 133	320	 GL 18	100	353119	1.662,37 Kč

Recommended prices.

Strips with paper backing, self-fastening / Abrasive screen

Coated abrasives



Abrasive paper, self-fastening

PS 77 CK T-ACT



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	C-paper

Applications:

Paint/Varnish/Filler	●	Composite materials	●
Primer	●	Plastic	○
Filler	●		
Gel coats	●		

Advantages: New high-performance product with optimized clogging behaviour - Increased service life due to the new coating, which prevents the adhesion of paint and dust particles - For aggressive grinding at high loads, a flexible and tear-resistant C-latex paper is used in the grit range 60-220

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
80 x 133	80	GL 18	100	353126	1.769,80 Kč
80 x 133	100	GL 18	100	353125	1.663,47 Kč
80 x 133	120	GL 18	100	353124	1.663,47 Kč
80 x 133	150	GL 18	100	353123	1.663,47 Kč
80 x 133	220	GL 18	100	353121	1.674,15 Kč

Abrasive screen, self-fastening, waterproof

AN 400



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Backing	Polyester screen

Applications:

Paint/Varnish/Filler	●	Composite materials	●
Gel coats	●	Wood	●
Plaster	●	Wood-based materials	●
Plasterboard walls	●		

Advantages: Effective and full-surface dust extraction thanks to open grid structure - Dust-free grinding extends the service life of the abrasive - At the same time, improved health and safety thanks to reduced dust formation at the work station - Independent of existing extraction hole patterns - Waterproof

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
80 x 133	80	Screen	50	337892	2.468,47 Kč
80 x 133	120	Screen	50	337890	2.273,89 Kč
80 x 133	150	Screen	50	337894	2.273,89 Kč
80 x 133	180	Screen	50	337889	2.273,89 Kč
80 x 133	240	Screen	50	337893	2.273,89 Kč
80 x 133	400	Screen	50	337896	2.273,89 Kč

Recommended prices.

Self-fastening support / Hand block

Self-fastening support

CS 396 Y



Properties

Engaging elements	Mushroom heads
Thickness	1,5 mm
Temperature range	-30° to +80°

Advantages: Can be cut to size easily - Simple and safe fixing on smooth and even surfaces - Allows a quick change of the abrasive

All sizes and minimum purchasing quantities available on request

Hand block, self fastening

HK 100



Advantages: Excellent for flat and slightly convex surfaces - Fatigue-proof hand sanding due to ergonomic form - For strips in 70 x 125 mm

Self-fastening

Width x Length x Height in mm	Packing unit/pcs.	Cat. number	Price/pc. Kč
68 x 118 x 40	1	185320	245,29 Kč

Recommended prices.

Sheets with cloth backing

Coated abrasives



Abrasive cloth, brown

KL 361 JF



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close
Backing	JF-cotton

Applications:

Steel	●	Stainless steel	●
Metals	●	Plastic	○
NF metals	●		
Wood	●		

Advantages: High-quality universal product - Optimal adaptation to the workpiece due to highly flexible cotton backing - Tears off cleanly and easily

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
230 x 280	40	50	2084	5.429,19 Kč
230 x 280	50	50	2085	5.072,50 Kč
230 x 280	60	50	2086	4.755,47 Kč
230 x 280	80	50	2087	4.438,38 Kč
230 x 280	100	50	2088	4.240,25 Kč
230 x 280	120	50	2089	4.240,25 Kč
230 x 280	150	50	2090	4.240,25 Kč
230 x 280	180	50	2091	4.240,25 Kč
230 x 280	220	50	2092	4.279,85 Kč
230 x 280	240	50	2093	4.279,85 Kč
230 x 280	280	50	2094	4.279,85 Kč
230 x 280	320	50	2095	4.279,85 Kč
230 x 280	360	50	2096	4.279,85 Kč
230 x 280	400	50	2097	4.279,85 Kč
230 x 280	500	50	2098	4.279,85 Kč
230 x 280	600	50	5334	4.279,85 Kč

Recommended prices.

Sheets with cloth backing

Coated abrasives

Abrasive cloth

KL 371 X



Properties

Bonding agent	Glue
Grain	Aluminium oxide
Coating	Close
Backing	X-cotton

Applications:

Metals	●
NF metals	●

Advantages: Attractively priced universal product for surface hand grinding

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
230 x 280	40	50	2100	3.602,71 Kč
230 x 280	50	50	2101	3.377,98 Kč
230 x 280	60	50	2102	3.178,25 Kč
230 x 280	80	50	2103	2.978,49 Kč
230 x 280	100	50	2104	2.853,66 Kč
230 x 280	120	50	2105	2.853,66 Kč
230 x 280	150	50	2106	2.853,66 Kč
230 x 280	180	50	2107	2.853,66 Kč
230 x 280	220	50	2108	2.878,62 Kč
230 x 280	240	50	2109	2.878,62 Kč
230 x 280	320	50	119886	2.878,62 Kč
230 x 280	400	50	119888	2.878,62 Kč

Recommended prices.

Sheets with cloth backing

Coated abrasives



Abrasive cloth, brown

KL 385 JF



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close
Backing	JF-cotton

Applications:

Wood	●	Plastic	●
Metals	●		
NF metals	●		
Stainless steel	●		

Advantages: Attractively priced universal product for profile grinding - Optimal adaptation to the workpiece due to highly flexible cotton backing - Tears off cleanly and easily

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
230 x 280	40	50	218047	4.447,40 Kč
230 x 280	60	50	218050	3.916,34 Kč
230 x 280	80	50	218051	3.666,40 Kč
230 x 280	100	50	218052	3.510,21 Kč
230 x 280	120	50	218053	3.510,21 Kč
230 x 280	150	50	218054	3.510,21 Kč
230 x 280	180	50	218055	3.510,21 Kč
230 x 280	220	50	218056	3.541,46 Kč
230 x 280	240	50	218057	3.541,46 Kč
230 x 280	280	50	218058	3.541,46 Kč
230 x 280	320	50	218059	3.541,46 Kč
230 x 280	400	50	218061	3.541,46 Kč
230 x 280	600	50	218063	3.541,46 Kč

Recommended prices.

Strips with cloth backing

Coated abrasives

Abrasive cloth, brown

KL 361 JF



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close
Backing	JF-cotton

Applications:

Steel	●	Stainless steel	●
Metals	●	Plastic	○
NF metals	●		
Wood	●		

Advantages: High-quality universal product - Optimal adaptation to the workpiece due to highly flexible cotton backing - Tears off cleanly and easily

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
115 x 280	40	GL O	100	73953	3.163,73 Kč
115 x 280	80	GL O	100	72227	2.632,81 Kč
115 x 280	120	GL O	100	72488	2.526,65 Kč

Recommended prices.

Abrasive block, flexible, coated on 4 sides, waterproof

SK 500



Properties

Grain	Aluminium oxide
Coating	Close

Applications:

Paint/Varnish/Filler	●
Wood	●
Plastic	○
Metals	○

Advantages: Can be used flat and upright (four usable sides) - For flat and profiled surfaces due to flexible foam core - Robust, washable and reusable

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length x Height in mm	Grit	Density	Grit color	Foam color	Packing unit/pcs.	Cat. number	Price/pc. Kč
70 x 100 x 25	60	hard	brown	grey	100	125279	30,75 Kč
70 x 100 x 25	80	hard	brown	grey	100	225165	30,75 Kč
70 x 100 x 25	100	hard	brown	grey	100	125280	30,75 Kč
70 x 100 x 25	120	hard	brown	grey	100	225166	30,75 Kč
70 x 100 x 25	150	hard	brown	grey	100	288166	30,75 Kč
70 x 100 x 25	180	hard	brown	grey	100	225167	30,75 Kč
70 x 100 x 25	220	hard	brown	grey	100	225168	30,75 Kč
70 x 100 x 25	280	hard	brown	grey	100	225169	30,75 Kč

Recommended prices.

Abrasive sponge

Abrasive block, flexible, coated on 4 sides, waterproof

SK 700 A



Properties

Grain	Aluminium oxide
Coating	Close

Applications:

Paint/Varnish/Filler	●
Wood	●
Plastic	○
Metals	○

Advantages: Can be used flat and upright (four usable sides) - The angled edge (approx. 45°) makes it an exceptional choice for narrow, tapering workpiece contours - Excellent contouring and pressure distribution thanks to flexible foam core - Robust, washable and reusable

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length x Height in mm	Grit	Density	Grit color	Foam color	Packing unit/pcs.	Cat. number	Price/pc. Kč
89 x 125 x 25	60	hard	brown	grey	100	337846	56,92 Kč
89 x 125 x 25	80	hard	brown	grey	100	337847	56,92 Kč
89 x 125 x 25	100	hard	brown	grey	100	337848	56,92 Kč
89 x 125 x 25	120	hard	brown	grey	100	331019	56,92 Kč
89 x 125 x 25	150	hard	brown	grey	100	362250	56,92 Kč
89 x 125 x 25	220	hard	brown	grey	100	362251	56,92 Kč

Abrasive sponge, flexible, coated on 2 sides, waterproof

SW 501



Properties

Grain	Aluminium oxide
Coating	Close

Applications:

Paint/Varnish/Filler	●
Wood	●
Plastic	○
Metals	○

Advantages: Satin surface scratch pattern - For low and high profiled surfaces (two usable sides) - Crease and break resistant - Washable and reusable

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length x Height in mm	Grit	Density	Grit color	Foam color	Packing unit/pcs.	Cat. number	Price/pc. Kč
96 x 123 x 12,5	120	soft	brown	yellow	100	125281	41,40 Kč
96 x 123 x 12,5	220	soft	brown	yellow	100	125282	41,40 Kč

Recommended prices.

Abrasive sponge, flexible, coated on 2 sides, tear-resistant, waterproof

SW 501 TR



Properties

Grain	Aluminium oxide
Coating	Close

Applications:

Paint/Varnish/Filler	●
Wood	●
Plastic	○
Metals	○

Advantages: Satin surface scratch pattern - For low and high profiled surfaces (two usable sides) - Crease and break-resistant - Washable and reusable - Extremely tear-resistant - Solvent free bonding with grit size dependent colouring

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length x Height in mm	Grit	Density	Grit color	Foam color	Packing unit/pcs.	Cat. number	Price/pc. Kč
96 x 123 x 12,5	100	soft	light brown	yellow	100	351573	48,64 Kč
96 x 123 x 12,5	120	soft	green	yellow	100	353264	48,64 Kč
96 x 123 x 12,5	150	soft	red	yellow	100	353263	48,64 Kč
96 x 123 x 12,5	180	soft	blue	yellow	100	351574	48,64 Kč
96 x 123 x 12,5	220	soft	brown	yellow	100	353262	48,64 Kč

Abrasive sponge, flexible, coated on 2 sides, waterproof

SW 502



Properties

Grain	SiC
Coating	Close

Applications:

Paint/Varnish/Filler	●
Plastic	●
Wood	○
Metal	○

Advantages: For low and high profiled surfaces (two usable sides) - Crease and break resistant - Washable and reusable

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length x Height in mm	Grit	Density	Grit color	Foam color	Packing unit/pcs.	Cat. number	Price/pc. Kč
96 x 123 x 12,5	120	soft	black	yellow	100	244377	41,40 Kč
96 x 123 x 12,5	220	soft	black	yellow	100	244379	41,40 Kč

Recommended prices.

Abrasive sponge

Abrasive sponge, flexible, coated on 1 side, waterproof

SW 510



Properties

Grain	Aluminium oxide
Coating	Close

Applications:

Paint/Varnish/Filler	●
Wood	●
Plastic	○
Metals	○

Advantages: Thin, ultra flexible sanding sponge for particularly hard-to-reach areas such as indentations, profiles and edges - Tight foam structure, allowing for exceptionally uniform pressure distribution and an extra fine finish - No bending, no creases - Can be used wet and dry

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length x Height in mm	Grit	Density	Grit color	Foam color	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 140 x 5	100	hard	white	grey	100	303588	39,33 Kč
115 x 140 x 5	180	hard	white	grey	100	303589	39,33 Kč
115 x 140 x 5	220	hard	white	grey	100	303590	39,33 Kč
115 x 140 x 5	320	hard	white	grey	100	337849	41,40 Kč

Recommended prices.

Discs with paper backing

Coated abrasives



Abrasive paper, waterproof

PS 11 C



Properties		Applications:	
Bonding agent	Resin	Paint/Varnish/Filler	●
Grain	SiC	Metals	●
Coating	Close	Glass/Stone	○
Backing	C-paper	Plastic	○

Advantages: Special product for auto repair and painting - Ideal for hard and tough surfaces - Excellent adaptation of the disc while maintaining high stability - Can be used for wet and dry grinding

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

All sizes and minimum purchasing quantities available on request

Recommended prices.

Discs with paper backing, self-fastening

Coated abrasives

Abrasive paper, self-fastening

PS 19 EK



Properties

Bonding agent	Resin
Grain	SiC
Coating	Close
Backing	E-paper

Applications:

Wood	●
Paint/Varnish/Filler	●
Plastic	●
Glass/Stone	●

Advantages: Hard and sharp silicon carbide grain for hard and tough materials - Resistant high-performance disc with a stable E-paper backing for rough, intermediate and finish sanding

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
115	40	○ 0	50	287798	1.833,00 Kč
115	60	○ 0	50	300290	1.424,08 Kč
115	80	○ 0	50	305763	1.321,54 Kč
115	100	○ 0	50	311087	1.226,44 Kč
115	120	○ 0	50	300291	1.226,44 Kč
115	220	○ 0	50	309073	1.235,92 Kč
115	600	○ 0	50	322637	1.235,92 Kč

Abrasive paper, self-fastening

PS 21 FK



Properties

Bonding agent	Resin
Grain	Zirconia alumina
Coating	Close
Backing	F-paper

Applications:

Steel	●
Stainless steel	●
Metals	●

Advantages: Aggressive abrasive behavior due to self-sharpening zirconia alumina - Optimal recipe for rough grinding and finish grinding of stainless steel - Long service life

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
115	40	○ 0	50	237224	2.118,27 Kč
115	60	○ 0	50	248808	1.721,28 Kč
115	80	○ 0	50	249326	1.534,46 Kč
115	100	○ 0	50	263425	1.417,74 Kč
115	120	○ 0	50	249327	1.417,74 Kč
115	150	○ 0	50	248809	1.417,74 Kč

Recommended prices.



Discs with paper backing, self-fastening

Coated abrasives



►► Continuation of PS 21 FK, Abrasive paper, self-fastening

Diameter in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
115	180	○ 0	50	251760	1.417,74 Kč
115	240	○ 0	50	255347	1.429,42 Kč
115	320	○ 0	50	259372	1.429,42 Kč
115	400	○ 0	50	259636	1.429,42 Kč
125	40	○ 0	50	246857	2.408,56 Kč
125	60	○ 0	50	237780	1.945,77 Kč
125	80	○ 0	50	237781	1.728,02 Kč
125	100	○ 0	50	236751	1.591,88 Kč
125	120	○ 0	50	237782	1.591,88 Kč
125	150	○ 0	50	255348	1.591,88 Kč
125	180	○ 0	50	237783	1.591,88 Kč
125	240	○ 0	50	237785	1.605,52 Kč
125	320	○ 0	50	237786	1.605,52 Kč
125	400	○ 0	50	237787	1.605,52 Kč
150	40	○ 0	50	230312	3.239,61 Kč
150	60	○ 0	50	230313	2.588,44 Kč
150	80	○ 0	50	230314	2.282,01 Kč
150	120	○ 0	50	246488	2.090,50 Kč
150	150	○ 0	50	239244	2.090,50 Kč
150	240	○ 0	50	251509	2.109,68 Kč
180	40	○ 0	50	257707	4.556,88 Kč
180	60	○ 0	50	257710	3.639,45 Kč
180	80	○ 0	50	256056	3.207,75 Kč
180	120	○ 0	50	258691	2.937,96 Kč
180	150	○ 0	50	258692	2.937,96 Kč
180	180	○ 0	50	324841	2.937,96 Kč
180	240	○ 0	50	324842	2.964,92 Kč
180	320	○ 0	50	324904	2.964,92 Kč
180	400	○ 0	50	312898	2.964,92 Kč

Recommended prices.

Discs with paper backing, self-fastening

Coated abrasives

Abrasive paper, self-fastening

PS 22 K



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	E-paper

Applications:

Wood	●	Plastic	○
Metals	●		
Stainless steel	○		
Paint/Varnish/Filler	○		



Advantages: Universal abrasive disc for metalworking and woodworking - Uniform surface scratch pattern - Available in many grit sizes and dimensions

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
96	40	△ GLS 15	50	142134	1.292,45 Kč
96	60	△ GLS 15	50	142135	1.056,20 Kč
96	80	△ GLS 15	50	142136	945,02 Kč
96	100	△ GLS 15	50	145055	875,55 Kč
96	120	△ GLS 15	50	142137	875,55 Kč
96	150	△ GLS 15	50	146336	875,55 Kč
96	180	△ GLS 15	50	142138	875,55 Kč
96	240	△ GLS 15	50	142139	882,51 Kč

Abrasive paper, self-fastening

PS 22 K



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	E-paper

Applications:

Wood	●	Plastic	○
Metals	●		
Stainless steel	○		
Paint/Varnish/Filler	○		



Advantages: Universal abrasive disc for metalworking and woodworking - Uniform surface scratch pattern - Available in many grit sizes and dimensions

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
115	24	○ 0	50	6754	2.284,26 Kč
115	40	○ 0	50	2785	1.757,05 Kč
115	60	○ 0	50	2786	1.431,12 Kč
115	80	○ 0	50	6756	1.277,72 Kč
115	100	○ 0	50	2787	1.181,86 Kč

Recommended prices.



Discs with paper backing, self-fastening

Coated abrasives



►► Continuation of PS 22 K, Abrasive paper, self-fastening

Diameter in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
115	120	○ 0	50	6757	1.181,86 Kč
115	150	○ 0	50	80046	1.181,86 Kč
115	180	○ 0	50	2788	1.181,86 Kč
115	220	○ 0	50	88330	1.191,42 Kč
115	240	○ 0	50	88333	1.191,42 Kč
115	320	○ 0	50	95561	1.191,42 Kč
115	400	○ 0	50	111470	1.191,42 Kč
115	40	⊗ GLS 4	50	82938	1.757,05 Kč
115	60	⊗ GLS 4	50	82940	1.431,12 Kč
115	80	⊗ GLS 4	50	82941	1.277,72 Kč
115	100	⊗ GLS 4	50	82942	1.181,86 Kč
115	120	⊗ GLS 4	50	82944	1.181,86 Kč
115	150	⊗ GLS 4	50	82945	1.181,86 Kč
115	180	⊗ GLS 4	50	82946	1.181,86 Kč
115	220	⊗ GLS 4	50	333951	1.191,42 Kč
115	240	⊗ GLS 4	50	87424	1.191,42 Kč
125	24	○ 0	50	7300	2.609,94 Kč
125	40	○ 0	50	2294	1.995,35 Kč
125	60	○ 0	50	2295	1.615,37 Kč
125	80	○ 0	50	6774	1.436,60 Kč
125	100	○ 0	50	2296	1.324,83 Kč
125	120	○ 0	50	6775	1.324,83 Kč
125	150	○ 0	50	78163	1.324,83 Kč
125	180	○ 0	50	62107	1.324,83 Kč
125	220	○ 0	50	97176	1.336,03 Kč
125	240	○ 0	50	91922	1.336,03 Kč
125	320	○ 0	50	93284	1.336,03 Kč
125	400	○ 0	50	130114	1.336,03 Kč
125	24	⊗ GLS 5	50	89485	2.609,94 Kč
125	40	⊗ GLS 5	50	89486	1.995,35 Kč
125	60	⊗ GLS 5	50	89488	1.615,37 Kč
125	80	⊗ GLS 5	50	89489	1.436,60 Kč
125	100	⊗ GLS 5	50	89491	1.324,83 Kč
125	120	⊗ GLS 5	50	89493	1.324,83 Kč
125	150	⊗ GLS 5	50	89494	1.324,83 Kč
125	180	⊗ GLS 5	50	89495	1.324,83 Kč
125	220	⊗ GLS 5	50	90758	1.336,03 Kč
125	240	⊗ GLS 5	50	92753	1.336,03 Kč
125	320	⊗ GLS 5	50	89496	1.336,03 Kč
125	400	⊗ GLS 5	50	104778	1.336,03 Kč
125	40	⊗ GLS 27	50	260795	1.995,35 Kč
125	60	⊗ GLS 27	50	260796	1.615,37 Kč
125	80	⊗ GLS 27	50	260797	1.436,60 Kč
125	100	⊗ GLS 27	50	260798	1.324,83 Kč
125	120	⊗ GLS 27	50	260799	1.324,83 Kč
125	150	⊗ GLS 27	50	260800	1.324,83 Kč
125	180	⊗ GLS 27	50	260801	1.324,83 Kč
125	240	⊗ GLS 27	50	260802	1.336,03 Kč
150	24	○ 0	50	2474	3.542,43 Kč
150	40	○ 0	50	20207	2.677,64 Kč
150	60	○ 0	50	6649	2.143,03 Kč

Recommended prices.



Discs with paper backing, self-fastening

Coated abrasives

►► Continuation of PS 22 K, Abrasive paper, self-fastening

Diameter in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
150	80	○ 0	50	6936	1.891,47 Kč
150	100	○ 0	50	6697	1.734,19 Kč
150	120	○ 0	50	6937	1.734,19 Kč
150	150	○ 0	50	71140	1.734,19 Kč
150	180	○ 0	50	4022	1.734,19 Kč
150	220	○ 0	50	93324	1.749,93 Kč
150	240	○ 0	50	91605	1.749,93 Kč
150	320	○ 0	50	91721	1.749,93 Kč
150	400	○ 0	50	129092	1.749,93 Kč
150	24	⊗ GLS 1	50	6516	3.542,43 Kč
150	40	⊗ GLS 1	50	6520	2.677,64 Kč
150	60	⊗ GLS 1	50	6523	2.143,03 Kč
150	80	⊗ GLS 1	50	6524	1.891,47 Kč
150	100	⊗ GLS 1	50	6525	1.734,19 Kč
150	120	⊗ GLS 1	50	6526	1.734,19 Kč
150	150	⊗ GLS 1	50	80722	1.734,19 Kč
150	180	⊗ GLS 1	50	6611	1.734,19 Kč
150	220	⊗ GLS 1	50	98990	1.749,93 Kč
150	240	⊗ GLS 1	50	89451	1.749,93 Kč
150	320	⊗ GLS 1	50	89450	1.749,93 Kč
150	400	⊗ GLS 1	50	129389	1.749,93 Kč
150	40	⊗ GLS 2	50	74088	2.677,64 Kč
150	60	⊗ GLS 2	50	72633	2.143,03 Kč
150	80	⊗ GLS 2	50	72632	1.891,47 Kč
150	100	⊗ GLS 2	50	73490	1.734,19 Kč
150	120	⊗ GLS 2	50	72628	1.734,19 Kč
150	150	⊗ GLS 2	50	79862	1.734,19 Kč
150	180	⊗ GLS 2	50	72624	1.734,19 Kč
150	240	⊗ GLS 2	50	91814	1.749,93 Kč
150	24	⊗ GLS 3	50	93321	3.542,43 Kč
150	40	⊗ GLS 3	50	89181	2.677,64 Kč
150	60	⊗ GLS 3	50	86634	2.143,03 Kč
150	80	⊗ GLS 3	50	86635	1.891,47 Kč
150	100	⊗ GLS 3	50	97072	1.734,19 Kč
150	120	⊗ GLS 3	50	86636	1.734,19 Kč
150	150	⊗ GLS 3	50	86637	1.734,19 Kč
150	180	⊗ GLS 3	50	87528	1.734,19 Kč
150	220	⊗ GLS 3	50	100157	1.749,93 Kč
150	240	⊗ GLS 3	50	97778	1.749,93 Kč
150	320	⊗ GLS 3	50	97779	1.749,93 Kč
150	400	⊗ GLS 3	50	128356	1.749,93 Kč
150	60	⊗ GLS 47	50	308907	2.143,03 Kč
150	80	⊗ GLS 47	50	315677	1.891,47 Kč
150	100	⊗ GLS 47	50	311150	1.734,19 Kč
150	120	⊗ GLS 47	50	308908	1.734,19 Kč
150	150	⊗ GLS 47	50	305980	1.734,19 Kč
150	180	⊗ GLS 47	50	311151	1.734,19 Kč
150	240	⊗ GLS 47	50	311152	1.749,93 Kč
150	40	⊗ GLS 51	50	306611	2.677,64 Kč
150	60	⊗ GLS 51	50	306612	2.143,03 Kč
150	80	⊗ GLS 51	50	305559	1.891,47 Kč

Recommended prices.



Discs with paper backing, self-fastening

Coated abrasives



►► Continuation of PS 22 K, Abrasive paper, self-fastening

Diameter in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
150	100	⊗ GLS 51	50	306507	1.734,19 Kč
150	120	⊗ GLS 51	50	305560	1.734,19 Kč
150	150	⊗ GLS 51	50	306508	1.734,19 Kč
150	180	⊗ GLS 51	50	306509	1.734,19 Kč
150	220	⊗ GLS 51	50	310618	1.749,93 Kč
150	240	⊗ GLS 51	50	309471	1.749,93 Kč
150	320	⊗ GLS 51	50	309472	1.749,93 Kč
150	40	⊗ GLS 74	50	342419	2.677,64 Kč
150	60	⊗ GLS 74	50	342418	2.143,03 Kč
150	80	⊗ GLS 74	50	340766	1.891,47 Kč
150	100	⊗ GLS 74	50	342423	1.734,19 Kč
150	120	⊗ GLS 74	50	342159	1.734,19 Kč
150	150	⊗ GLS 74	50	342422	1.734,19 Kč
150	180	⊗ GLS 74	50	342421	1.734,19 Kč
150	240	⊗ GLS 74	50	340761	1.749,93 Kč
180	24	○ 0	50	2782	4.984,47 Kč
180	40	○ 0	50	2476	3.766,08 Kč
180	60	○ 0	50	2477	3.012,92 Kč
180	80	○ 0	50	6914	2.658,45 Kč
180	100	○ 0	50	2783	2.436,93 Kč
180	120	○ 0	50	6915	2.436,93 Kč
200	40	○ 0	50	77659	4.591,23 Kč
200	60	○ 0	50	77660	3.671,06 Kč
200	80	○ 0	50	77656	3.238,07 Kč
200	100	○ 0	50	77658	2.967,45 Kč
200	120	○ 0	50	77661	2.967,45 Kč
300	40	○ 0	50	20209	9.573,19 Kč
300	60	○ 0	50	20220	7.568,04 Kč
300	80	○ 0	50	25565	6.624,41 Kč
300	100	○ 0	50	20372	6.034,67 Kč
300	120	○ 0	50	62094	6.034,67 Kč
300	150	○ 0	50	277930	6.034,67 Kč
300	180	○ 0	50	159121	6.034,67 Kč
300	220	○ 0	50	211180	6.093,64 Kč
300	240	○ 0	50	265059	6.093,64 Kč

Discs with paper backing, self-fastening

Coated abrasives

Abrasive paper, self-fastening

PS 33 CK




Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	C-paper

Applications:

Paint/Varnish/Filler	●
Wood	●
Plastic	⦿



Advantages: Improved abrasive and stock removal performance thanks to special heat-tempered aluminium oxide abrasive grain - Reduced clogging thanks to sanding active fillers in the size coat and the semi-open coating - Outstanding flexibility paired with good stability and tear resistance thanks to latex impregnated paper backing

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
96	40	△ GLS 15	100	147163	1.172,99 Kč
96	60	△ GLS 15	100	147164	969,85 Kč
96	80	△ GLS 15	100	147165	874,29 Kč
96	100	△ GLS 15	100	147166	814,56 Kč
96	120	△ GLS 15	100	148195	814,56 Kč

Abrasive paper, self-fastening

PS 33 CK



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	C-paper

Applications:

Paint/Varnish/Filler	●
Wood	●
Plastic	⦿



Advantages: Improved abrasive and stock removal performance thanks to special heat-tempered aluminium oxide abrasive grain - Reduced clogging thanks to sanding active fillers in the size coat and the semi-open coating - Outstanding flexibility paired with good stability and tear resistance thanks to latex impregnated paper backing

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
98 x 148	40	△ GLS 24	100	215472	1.356,88 Kč
98 x 148	60	△ GLS 24	100	215473	1.085,71 Kč
98 x 148	80	△ GLS 24	100	215474	955,30 Kč
98 x 148	100	△ GLS 24	100	215475	875,61 Kč
98 x 148	120	△ GLS 24	100	215476	875,61 Kč

Recommended prices.

Discs with paper backing, self-fastening

Coated abrasives



Abrasive paper, self-fastening

PS 33 CK




Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	C-paper

Applications:

Paint/Varnish/Filler	●
Wood	●
Plastic	○



Advantages: Improved abrasive and stock removal performance thanks to special heat-tempered aluminium oxide abrasive grain - Reduced clogging thanks to sanding active fillers in the size coat and the semi-open coating - Outstanding flexibility paired with good stability and tear resistance thanks to latex impregnated paper backing

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
125	40	○ 0	100	154113	1.796,34 Kč
125	60	○ 0	100	147604	1.469,31 Kč
125	80	○ 0	100	149055	1.315,40 Kč
125	100	○ 0	100	150431	1.219,17 Kč
125	120	○ 0	100	150433	1.219,17 Kč
125	40	⊗ GLS 5	100	146954	1.796,34 Kč
125	60	⊗ GLS 5	100	147642	1.469,31 Kč
125	80	⊗ GLS 5	100	147643	1.315,40 Kč
125	100	⊗ GLS 5	100	147977	1.219,17 Kč
125	120	⊗ GLS 5	100	147170	1.219,17 Kč
125	60	⊗ GLS 27	100	288180	1.469,31 Kč
125	80	⊗ GLS 27	100	264929	1.315,40 Kč
125	120	⊗ GLS 27	100	264930	1.219,17 Kč
150	40	○ 0	100	147922	2.383,64 Kč
150	60	○ 0	100	147107	1.923,46 Kč
150	80	○ 0	100	146739	1.706,92 Kč
150	100	○ 0	100	147106	1.571,57 Kč
150	120	○ 0	100	146740	1.571,57 Kč
150	40	⊗ GLS 1	100	146978	2.383,64 Kč
150	60	⊗ GLS 1	100	146979	1.923,46 Kč
150	80	⊗ GLS 1	100	143130	1.706,92 Kč
150	100	⊗ GLS 1	100	143131	1.571,57 Kč
150	120	⊗ GLS 1	100	147093	1.571,57 Kč
150	40	⊗ GLS 3	100	147647	2.383,64 Kč
150	60	⊗ GLS 3	100	147124	1.923,46 Kč
150	80	⊗ GLS 3	100	146946	1.706,92 Kč
150	100	⊗ GLS 3	100	143694	1.571,57 Kč
150	120	⊗ GLS 3	100	146947	1.571,57 Kč
150	60	⊗ GLS 47	100	306837	1.923,46 Kč
150	80	⊗ GLS 47	100	305758	1.706,92 Kč
150	100	⊗ GLS 47	100	306838	1.571,57 Kč
150	120	⊗ GLS 47	100	305759	1.571,57 Kč
150	40	⊗ GLS 51	100	310531	2.383,64 Kč
150	60	⊗ GLS 51	100	301874	1.923,46 Kč

Recommended prices.



Discs with paper backing, self-fastening

Coated abrasives

►► Continuation of PS 33 CK, Abrasive paper, self-fastening

Diameter in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
150	80	⊗ GLS 51	100	301925	1.706,92 Kč
150	100	⊗ GLS 51	100	301926	1.571,57 Kč
150	120	⊗ GLS 51	100	301927	1.571,57 Kč
150	40	⊗ GLS 74	100	340853	2.383,64 Kč
150	60	⊗ GLS 74	100	340370	1.923,46 Kč
150	80	⊗ GLS 74	100	340371	1.706,92 Kč
150	100	⊗ GLS 74	100	342046	1.571,57 Kč
150	120	⊗ GLS 74	100	340375	1.571,57 Kč
225	40	○ 0	50	223162	4.953,40 Kč
225	60	○ 0	50	210124	3.964,18 Kč
225	80	○ 0	50	210129	3.498,67 Kč
225	100	○ 0	50	224731	3.207,70 Kč
225	120	○ 0	50	210130	3.207,70 Kč
225	40	⊗ GLS 38	50	292414	4.953,40 Kč
225	60	⊗ GLS 38	50	292435	3.964,18 Kč
225	80	⊗ GLS 38	50	292436	3.498,67 Kč
225	100	⊗ GLS 38	50	294609	3.207,70 Kč
225	120	⊗ GLS 38	50	292437	3.207,70 Kč
225	40	⊗ GLS 52	50	302042	4.953,40 Kč
225	60	⊗ GLS 52	50	302043	3.964,18 Kč
225	80	⊗ GLS 52	50	302044	3.498,67 Kč
225	100	⊗ GLS 52	50	302045	3.207,70 Kč
225	120	⊗ GLS 52	50	302046	3.207,70 Kč
225	40	⊗ GLS 55	50	314427	4.953,40 Kč
225	60	⊗ GLS 55	50	312448	3.964,18 Kč
225	80	⊗ GLS 55	50	312449	3.498,67 Kč
225	100	⊗ GLS 55	50	312450	3.207,70 Kč
225	120	⊗ GLS 55	50	312451	3.207,70 Kč

Recommended prices.

Discs with paper backing, self-fastening

Coated abrasives



Abrasive paper, self-fastening

PS 33 BK



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	B-paper

Applications:

Paint/Varnish/Filler	●
Wood	●
Plastic	○

Advantages: Improved abrasive and stock removal performance thanks to special heat-tempered aluminium oxide abrasive grain - Reduced clogging thanks to sanding active fillers in the size coat and the semi-open coating - Outstanding flexibility paired with good stability and tear resistance thanks to latex impregnated paper backing


Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
98 x 148	150	GLS 24	100	215477	875,61 Kč
98 x 148	180	GLS 24	100	215478	875,61 Kč
98 x 148	220	GLS 24	100	215479	883,89 Kč
98 x 148	240	GLS 24	100	215480	883,89 Kč
98 x 148	320	GLS 24	100	215482	883,89 Kč

Abrasive paper, self-fastening

PS 33 BK



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	B-paper

Applications:

Paint/Varnish/Filler	●
Wood	●
Plastic	○

Advantages: Improved abrasive and stock removal performance thanks to special heat-tempered aluminium oxide abrasive grain - Reduced clogging thanks to sanding active fillers in the size coat and the semi-open coating - Outstanding flexibility paired with good stability and tear resistance thanks to latex impregnated paper backing

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
125	150	○ 0	100	153152	1.219,17 Kč
125	180	○ 0	100	150435	1.219,17 Kč
125	220	○ 0	100	155143	1.228,84 Kč
125	320	○ 0	100	150461	1.228,84 Kč
125	400	○ 0	100	150462	1.228,84 Kč
125	150	⊙ GLS 5	100	150760	1.219,17 Kč
125	180	⊙ GLS 5	100	147837	1.219,17 Kč
125	220	⊙ GLS 5	100	150259	1.228,84 Kč

Recommended prices.



Discs with paper backing, self-fastening

Coated abrasives

►► Continuation of 33 BK, Abrasive paper, self-fastening

Diameter in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
125	240	⊙ GLS 5	100	147838	1.228,84 Kč
125	320	⊙ GLS 5	100	147839	1.228,84 Kč
125	400	⊙ GLS 5	100	147644	1.228,84 Kč
125	600	⊙ GLS 5	100	175988	1.228,84 Kč
125	180	⊙ GLS 27	100	282515	1.219,17 Kč
125	240	⊙ GLS 27	100	282516	1.228,84 Kč
125	320	⊙ GLS 27	100	283465	1.228,84 Kč
150	150	○ 0	100	148375	1.571,57 Kč
150	180	○ 0	100	146958	1.571,57 Kč
150	220	○ 0	100	149916	1.585,10 Kč
150	240	○ 0	100	146959	1.585,10 Kč
150	320	○ 0	100	146716	1.585,10 Kč
150	400	○ 0	100	147108	1.585,10 Kč
150	150	⊙ GLS 1	100	148379	1.571,57 Kč
150	180	⊙ GLS 1	100	147095	1.571,57 Kč
150	220	⊙ GLS 1	100	149794	1.585,10 Kč
150	240	⊙ GLS 1	100	147094	1.585,10 Kč
150	320	⊙ GLS 1	100	147096	1.585,10 Kč
150	400	⊙ GLS 1	100	147097	1.585,10 Kč
150	150	⊙ GLS 3	100	149151	1.571,57 Kč
150	180	⊙ GLS 3	100	146948	1.571,57 Kč
150	220	⊙ GLS 3	100	149255	1.585,10 Kč
150	240	⊙ GLS 3	100	146907	1.585,10 Kč
150	320	⊙ GLS 3	100	147126	1.585,10 Kč
150	400	⊙ GLS 3	100	147125	1.585,10 Kč
150	150	⊙ GLS 47	100	306839	1.571,57 Kč
150	180	⊙ GLS 47	100	306840	1.571,57 Kč
150	240	⊙ GLS 47	100	306842	1.585,10 Kč
150	320	⊙ GLS 47	100	306844	1.585,10 Kč
150	150	⊙ GLS 51	100	301928	1.571,57 Kč
150	180	⊙ GLS 51	100	304084	1.571,57 Kč
150	220	⊙ GLS 51	100	301929	1.585,10 Kč
150	240	⊙ GLS 51	100	304815	1.585,10 Kč
150	320	⊙ GLS 51	100	301930	1.585,10 Kč
150	400	⊙ GLS 51	100	310898	1.585,10 Kč
150	150	⊙ GLS 74	100	342045	1.571,57 Kč
150	180	⊙ GLS 74	100	340598	1.571,57 Kč
150	240	⊙ GLS 74	100	340599	1.585,10 Kč
150	320	⊙ GLS 74	100	342043	1.585,10 Kč
150	400	⊙ GLS 74	100	342042	1.585,10 Kč
225	180	○ 0	50	214629	3.207,70 Kč
225	220	○ 0	50	233622	3.236,81 Kč
225	240	○ 0	50	292193	3.236,81 Kč
225	150	⊙ GLS 38	50	293646	3.207,70 Kč
225	180	⊙ GLS 38	50	293647	3.207,70 Kč
225	220	⊙ GLS 38	50	293648	3.236,81 Kč
225	240	⊙ GLS 38	50	309010	3.236,81 Kč
225	150	⊙ GLS 52	50	302047	3.207,70 Kč
225	180	⊙ GLS 52	50	302048	3.207,70 Kč
225	220	⊙ GLS 52	50	302049	3.236,81 Kč
225	240	⊙ GLS 52	50	327940	3.236,81 Kč

Recommended prices.



Discs with paper backing, self-fastening

Coated abrasives



►► Continuation of 33 BK, Abrasive paper, self-fastening

Diameter in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
225	150	⊗ GLS 55	50	312452	3.207,70 Kč
225	180	⊗ GLS 55	50	314428	3.207,70 Kč
225	220	⊗ GLS 55	50	335916	3.236,81 Kč
225	240	⊗ GLS 55	50	668075	3.236,81 Kč

CEVOLUTION

Abrasive paper, self-fastening, CEVOLUTION

PS 61 FK
CEVOLUTION



Properties

Bonding agent	Resin
Grain	Ceramic Al. oxide
Coating	Close
Backing	F-paper

Applications:

Stainless steel	●
Steel	●
Wood	ⓘ

Advantages: Continuously aggressive abrasive performance - High-performance abrasive disc for stainless steel grinding - Also very good results in repair grinding of parquet flooring - The PS 61 FK includes the new CEVOLUTION technology. CEVOLUTION stands for holistically optimized, ceramic abrasives. Klingspor products with CEVOLUTION technology contain, among others, an optimized grit mix, grit sizes and formulation in order to offer the maximum performance in every application.

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
115	80	○ 0	50	325556	2.320,47 Kč
115	120	○ 0	50	322315	2.136,24 Kč
125	60	○ 0	50	322468	3.316,14 Kč
125	80	○ 0	50	321597	2.932,15 Kč
125	120	○ 0	50	322469	2.440,53 Kč
150	60	○ 0	50	322036	5.231,92 Kč
150	80	○ 0	50	321325	4.225,90 Kč
150	120	○ 0	50	322472	3.500,37 Kč

Recommended prices.

Discs film paper backing, self-fastening

Coated abrasives

Abrasive film, active coated, self fastening, waterproof

FP 73 WK



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	Foil

Applications:

Paint/Varnish/Filler	●
Plastic	○

Advantages: Special product with highly tear-resistant film backing for use on paint, varnish and fillers - Very good adaptation of the discs with excellent grit adhesion also in the edge area - Substantially reduced clogging and significantly longer service life

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
150	240	○ 0	100	322397	2.020,70 Kč
150	80	⊗ GLS 47	100	320641	2.187,06 Kč
150	100	⊗ GLS 47	100	320642	2.002,22 Kč
150	120	⊗ GLS 47	100	320643	2.002,22 Kč
150	150	⊗ GLS 47	100	320644	2.002,22 Kč
150	180	⊗ GLS 47	100	320725	2.002,22 Kč
150	240	⊗ GLS 47	100	320726	2.020,70 Kč
150	320	⊗ GLS 47	100	320727	2.020,70 Kč
150	400	⊗ GLS 47	100	320728	2.020,70 Kč
150	600	⊗ GLS 47	100	320729	2.020,70 Kč
150	800	⊗ GLS 47	100	320730	2.020,70 Kč

Recommended prices.

Discs with paper backing, self-fastening

Coated abrasives



Abrasive paper, actively coated,
self-fastening

PS 73 CWK



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	C-paper

Applications:

Paint/Varnish/Filler	●
Plastic	○

Advantages: High-quality product for use on varnish, paint and filler - High removal rate - Substantially reduced clogging and significantly longer service life due to additional special coating

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
150	40	○ 0	100	301231	2.241,26 Kč
150	60	○ 0	100	301232	1.802,13 Kč
150	80	○ 0	100	301233	1.595,46 Kč
150	100	○ 0	100	301234	1.466,27 Kč
150	120	○ 0	100	301235	1.466,27 Kč
150	40	⊗ GLS 1	100	301205	2.241,26 Kč
150	80	⊗ GLS 1	100	301207	1.595,46 Kč
150	120	⊗ GLS 1	100	301209	1.466,27 Kč
150	40	⊗ GLS 3	100	301218	2.241,26 Kč
150	60	⊗ GLS 3	100	301219	1.802,13 Kč
150	80	⊗ GLS 3	100	301220	1.595,46 Kč
150	100	⊗ GLS 3	100	301221	1.466,27 Kč
150	120	⊗ GLS 3	100	301222	1.466,27 Kč
150	40	⊗ GLS 47	100	301810	2.241,26 Kč
150	60	⊗ GLS 47	100	301811	1.802,13 Kč
150	80	⊗ GLS 47	100	301812	1.595,46 Kč
150	100	⊗ GLS 47	100	301813	1.466,27 Kč
150	120	⊗ GLS 47	100	301814	1.466,27 Kč
150	80	⊗ GLS 51	100	310524	1.595,46 Kč
150	120	⊗ GLS 51	100	310478	1.466,27 Kč

Recommended prices.

Discs with paper backing, self-fastening

Coated abrasives

Abrasive paper, actively coated,
self-fastening

PS 73 BWK



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	B-paper

Applications:

Paint/Varnish/Filler	●
Plastic	○

Advantages: High-quality product for use on varnish, paint and filler - High removal rate - Substantially reduced clogging and significantly longer service life due to additional special coating

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000			
Diameter in mm					Grit					Hole pattern					Packing unit/pcs.					Cat. number					Price/100 pcs. Kč				
150					150					○ 0					100					301236					1.466,27 Kč				
150					180					○ 0					100					301237					1.466,27 Kč				
150					220					○ 0					100					301238					1.479,23 Kč				
150					240					○ 0					100					301239					1.479,23 Kč				
150					320					○ 0					100					301240					1.479,23 Kč				
150					400					○ 0					100					301241					1.479,23 Kč				
150					500					○ 0					100					301937					1.479,23 Kč				
150					800					○ 0					100					301886					1.479,23 Kč				
150					1000					○ 0					100					301891					1.479,23 Kč				
150					320					⊗ GLS 1					100					301214					1.479,23 Kč				
150					600					⊗ GLS 1					100					301217					1.479,23 Kč				
150					150					⊗ GLS 3					100					301223					1.466,27 Kč				
150					180					⊗ GLS 3					100					301224					1.466,27 Kč				
150					220					⊗ GLS 3					100					301225					1.479,23 Kč				
150					240					⊗ GLS 3					100					301226					1.479,23 Kč				
150					320					⊗ GLS 3					100					301227					1.479,23 Kč				
150					400					⊗ GLS 3					100					301228					1.479,23 Kč				
150					600					⊗ GLS 3					100					301230					1.479,23 Kč				
150					800					⊗ GLS 3					100					301889					1.479,23 Kč				
150					150					⊗ GLS 47					100					301855					1.466,27 Kč				
150					180					⊗ GLS 47					100					301856					1.466,27 Kč				
150					220					⊗ GLS 47					100					301857					1.479,23 Kč				
150					240					⊗ GLS 47					100					301858					1.479,23 Kč				
150					320					⊗ GLS 47					100					301859					1.479,23 Kč				
150					400					⊗ GLS 47					100					301860					1.479,23 Kč				
150					500					⊗ GLS 47					100					301861					1.479,23 Kč				
150					600					⊗ GLS 47					100					301862					1.479,23 Kč				
150					800					⊗ GLS 47					100					307051					1.479,23 Kč				
150					180					⊗ GLS 51					100					310525					1.466,27 Kč				
150					220					⊗ GLS 51					100					310526					1.479,23 Kč				
150					240					⊗ GLS 51					100					309093					1.479,23 Kč				

Recommended prices.



Discs with paper / film backing, self-fastening

Coated abrasives



►► Continuation of PS 73 BWK, Abrasive paper, actively coated, self-fastening

Diameter in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
150	320	GLS 51	100	309094	1.479,23 Kč
150	500	GLS 51	100	310528	1.479,23 Kč
150	600	GLS 51	100	310529	1.479,23 Kč
150	800	GLS 51	100	310530	1.479,23 Kč

Abrasive film, self-fastening, waterproof

FP 77 K T-ACT



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	Foil

Applications:

Paint/Varnish/Filler	●	Composite materials	●
Primer	●	Plastic	●
Filler	●		
Gel coats	●		



Advantages: New high-performance disc with optimized clogging behaviour - Increased service life due to the new coating, which prevents the adhesion of paint and dust particles - For fine sanding in the fine grit range 240 - 2000, a highly flexible and completely flat foil backing is used for highest surface quality

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
125	240	○ 0	100	353177	1.752,98 Kč
125	320	○ 0	100	353175	1.752,98 Kč
125	400	○ 0	100	353174	1.752,98 Kč
125	600	○ 0	100	353172	1.752,98 Kč
125	240	⊗ GLS 5	100	353162	1.752,98 Kč
125	320	⊗ GLS 5	100	353169	1.752,98 Kč
125	400	⊗ GLS 5	100	353160	1.752,98 Kč
125	500	⊗ GLS 5	100	353159	1.752,98 Kč
125	600	⊗ GLS 5	100	353158	1.752,98 Kč
125	240	⊗ GLS 27	100	353168	1.752,98 Kč
125	320	⊗ GLS 27	100	353166	1.752,98 Kč
125	400	⊗ GLS 27	100	353165	1.752,98 Kč
125	500	⊗ GLS 27	100	353164	1.752,98 Kč
125	600	⊗ GLS 27	100	353163	1.752,98 Kč
150	240	○ 0	100	353157	2.328,69 Kč
150	320	○ 0	100	353156	2.328,69 Kč
150	400	○ 0	100	353155	2.328,69 Kč
150	600	○ 0	100	353153	2.328,69 Kč
150	180	⊗ GLS 3	100	704232	2.328,69 Kč
150	240	⊗ GLS 3	100	353146	2.328,69 Kč
150	320	⊗ GLS 3	100	353145	2.328,69 Kč
150	400	⊗ GLS 3	100	353144	2.328,69 Kč
150	500	⊗ GLS 3	100	353143	2.328,69 Kč
150	600	⊗ GLS 3	100	353142	2.328,69 Kč
150	240	⊗ GLS 47	100	353141	2.328,69 Kč
150	320	⊗ GLS 47	100	353138	2.328,69 Kč

Recommended prices.



Discs with film / paper backing, self-fastening


Coated abrasives

► Continuation of FP 77 K T-ACT, Abrasive film, self fastening, waterproof

Diameter in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
150	400	⊗ GLS 47	100	353136	2.328,69 Kč
150	500	⊗ GLS 47	100	353135	2.328,69 Kč
150	600	⊗ GLS 47	100	353140	2.328,69 Kč
150	800	⊗ GLS 47	100	353134	2.328,69 Kč
150	1000	⊗ GLS 47	100	353133	2.328,69 Kč
150	2000	⊗ GLS 47	100	353130	2.328,69 Kč

Abrasive paper, self-fastening

PS 77 CK T-ACT



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	C-paper

Applications:

Paint/Varnish/Filler	●	Composite materials	●
Primer	●	Plastic	⦿
Filler	●		
Gel coats	●		

Advantages: New high-performance disc with optimized clogging behaviour - Increased service life due to the new coating, which prevents the adhesion of paint and dust particles - For aggressive grinding at high loads, a flexible and tear-resistant C-latex paper is used in the grit range 60-220

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
125	60	○ 0	100	353219	1.574,76 Kč
125	80	○ 0	100	353224	1.399,45 Kč
125	120	○ 0	100	353223	1.289,91 Kč
125	150	○ 0	100	353225	1.289,91 Kč
125	180	○ 0	100	353222	1.289,91 Kč
125	220	○ 0	100	353218	1.300,84 Kč
125	60	⊗ GLS 5	100	353217	1.574,76 Kč
125	80	⊗ GLS 5	100	353216	1.399,45 Kč
125	100	⊗ GLS 5	100	353215	1.289,91 Kč
125	120	⊗ GLS 5	100	353214	1.289,91 Kč
125	150	⊗ GLS 5	100	353213	1.289,91 Kč
125	180	⊗ GLS 5	100	353212	1.289,91 Kč
125	220	⊗ GLS 5	100	353209	1.300,84 Kč
125	60	⊗ GLS 27	100	353220	1.574,76 Kč
125	80	⊗ GLS 27	100	353235	1.399,45 Kč
125	100	⊗ GLS 27	100	353234	1.289,91 Kč
125	120	⊗ GLS 27	100	353233	1.289,91 Kč
125	150	⊗ GLS 27	100	353232	1.289,91 Kč
125	180	⊗ GLS 27	100	353231	1.289,91 Kč
125	220	⊗ GLS 27	100	353211	1.300,84 Kč
150	60	○ 0	100	353208	2.092,04 Kč
150	80	○ 0	100	353207	1.845,39 Kč
150	100	○ 0	100	353210	1.691,22 Kč
150	120	○ 0	100	353206	1.691,22 Kč

Recommended prices.



Discs with paper backing, self-fastening / Abrasive screen

Coated abrasives



►► Continuation of PS 77 CK T-ACT, Abrasive paper, self-fastening

Diameter in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
150	150	○ 0	100	353205	1.691,22 Kč
150	180	○ 0	100	353204	1.691,22 Kč
150	220	○ 0	100	353203	1.706,64 Kč
150	60	⊗ GLS 3	100	353195	2.092,04 Kč
150	180	⊗ GLS 3	100	353190	1.691,22 Kč
150	220	⊗ GLS 3	100	353189	1.706,64 Kč
150	60	⊗ GLS 47	100	353188	2.092,04 Kč
150	80	⊗ GLS 47	100	353187	1.845,39 Kč
150	100	⊗ GLS 47	100	353186	1.691,22 Kč
150	120	⊗ GLS 47	100	353185	1.691,22 Kč
150	150	⊗ GLS 47	100	353182	1.691,22 Kč
150	180	⊗ GLS 47	100	353181	1.691,22 Kč
150	80	⊗ GLS 51	100	353184	1.845,39 Kč
150	120	⊗ GLS 51	100	353183	1.691,22 Kč

Abrasive screen, self-fastening, waterproof

AN 400



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Backing	Polyester screen

Applications:

Paint/Varnish/Filler	●	Composite materials	●
Gel coats	●	Wood	●
Plaster	●	Wood-based materials	●
Plasterboard walls	●		



Advantages: Effective and full-surface dust extraction thanks to open grid structure - Dust-free grinding extends the service life of the abrasive - At the same time, improved health and safety thanks to reduced dust formation at the work station - Independent of existing extraction hole patterns - Waterproof

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

Diameter in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
125	80	● Screen	50	337898	3.275,77 Kč
125	100	● Screen	50	337899	2.972,52 Kč
125	120	● Screen	50	337900	2.972,52 Kč
125	150	● Screen	50	337901	2.972,52 Kč
125	180	● Screen	50	337905	2.972,52 Kč
125	240	● Screen	50	337904	2.972,52 Kč
125	320	● Screen	50	337903	2.972,52 Kč
125	400	● Screen	50	337902	2.972,52 Kč
125	600	● Screen	50	340402	2.972,52 Kč
150	80	● Screen	50	337886	4.502,25 Kč
150	100	● Screen	50	337887	4.077,90 Kč
150	120	● Screen	50	337885	4.077,90 Kč
150	150	● Screen	50	337884	4.077,90 Kč
150	180	● Screen	50	337883	4.077,90 Kč
150	220	● Screen	50	342146	4.077,90 Kč
150	240	● Screen	50	337888	4.077,90 Kč

Recommended prices.



Abrasive screen / Protection Pad

► Continuation of AN 400, Abrasive screen, self-fastening, waterproof

Diameter in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
150	320	● Screen	50	337876	4.077,90 Kč
150	400	● Screen	50	337877	4.077,90 Kč
150	600	● Screen	50	340193	4.077,90 Kč
225	80	● Screen	25	337871	9.585,13 Kč
225	100	● Screen	25	337875	8.668,12 Kč
225	120	● Screen	25	337873	8.668,12 Kč
225	150	● Screen	25	337874	8.668,12 Kč
225	180	● Screen	25	337872	8.668,12 Kč
225	240	● Screen	25	337878	8.668,12 Kč
225	320	● Screen	25	337879	8.668,12 Kč
225	400	● Screen	25	337880	8.668,12 Kč

Protection pad, self-fastening

PP 555 Retail packs



Advantages: Improvement of adhesion and protection of the backing pad on random orbital sanders

Diameter in mm	Suitable for	Packing unit/pcs.	Cat. number	Price/pack Kč
125	Random orbital sander	2	370652	336,37 Kč
150	Random orbital sander	2	358148	412,96 Kč
225	Drywall sander	2	370662	826,96 Kč

Packing unit (Minimum order quantity) = 1 packs of 2 pads

Recommended prices.

Hand block, self fastening

HBD 125



Advantages: Very suitable for surface and edge grinding - Fatigue-proof hand sanding due to ergonomic form - For self-fastening discs in diameter 125 mm - Self-fastening

Diameter in mm	Packing unit/pcs.	Cat. number	Price/pc. Kč
125	1	387039	194,58 Kč

Hand block, self fastening

HBD 150



Advantages: Very suitable for surface and edge grinding - Fatigue-proof hand sanding due to ergonomic form - For self-fastening discs in diameter 150 mm - Self-fastening


Diameter in mm	Packing unit/pcs.	Cat. number	Price/pc. Kč
150	1	387044	233,91 Kč

Recommended prices.

Disc with foam material, self-fastening / Backing pads

Sanding disc with foam material,
self-fastening, waterproof

FD 500



Properties

Bonding agent	Resin
Grain	Aluminium oxide/SiC
Backing	Foam material/velours

Applications:

Paint/Varnish/Filler	●
----------------------	---

Advantages: Uniform pressure distribution thanks to elastic foam coating - Soft grinding and extremely fine scratch pattern - Superior flexibility and adaptability on contours and profiles - Exceptionally well suited for finish grinding - Suitable for wet and dry use - Available in grit 1000, 1500 (Aluminium oxide) and 2000, 3000 (SiC)

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
125	1000	○ 0	10	342291	9.339,84 Kč
125	1500	○ 0	10	342290	9.339,84 Kč
125	2000	○ 0	10	342289	9.339,84 Kč
125	3000	○ 0	10	342288	9.339,84 Kč
150	1000	○ 0	10	342294	11.276,32 Kč
150	1500	○ 0	10	342293	11.276,32 Kč
150	2000	○ 0	10	342295	11.276,32 Kč
150	3000	○ 0	10	342292	11.276,32 Kč

Self-fastening multihole backing pad for
random orbital sanders

HST 545



Advantages: Very good adhesion for all velour-coated discs - Suitable for all standard hole patterns - Optimal running behaviour - Improved dust extraction due to multi-hole cover plate - Available in Medium and Soft - Adapter M8 and 5/16" included

Diameter in mm	Thread/Shaft	Max. operating speed	Density	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
150	thread M8/5/16	80 m/s	soft	10200 rpm	1	384002	1.387,93 Kč
150	thread M8/5/16	80 m/s	medium	10200 rpm	1	384003	1.387,93 Kč

Recommended prices.

Self-fastening multihole backing pad for random orbital sanders

HST 555



Advantages: Very good adhesion for all velour-coated discs due to fine, heat resistant self-fastening coating - For all standard hole patterns, also for netlike and diverse multihole patterns - Compatible with all standard orbital sanders

Diameter in mm	Adaptor	Thread/Shaft	Max. operating speed	Density	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
150	Festool adaptor	thread M8/5/16	80 m/s	soft	10200 rpm	1	320488	1.878,52 Kč
150	Festool adaptor	thread M8/5/16	80 m/s	medium	10200 rpm	1	320489	1.878,52 Kč
150	Festool adaptor	thread M8/5/16	80 m/s	hard	10200 rpm	1	320587	1.882,66 Kč

Self-fastening multihole backing pad for random orbital sanders

HST 555 A



Advantages: Very good adhesion for all velour-coated discs due to fine, heat resistant self-fastening coating - For all standard hole patterns, also for netlike and diverse multihole patterns - Self-fastening backing pad compatible with BOSCH random orbital sanders of the GEX series with star-shaped mounting

Diameter in mm	Adaptor	Thread/Shaft	Max. operating speed	Density	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
150	Bosch adaptor	thread M8	80 m/s	medium	10200 rpm	1	320490	1.878,52 Kč

Recommended prices.

Discs with cloth backing, self-fastening

Coated abrasives

Abrasive cloth, self-fastening

CS 411 XK



Properties

Bonding agent	Resin
Grain	Zirconia alumina
Coating	Close
Backing	X-cotton

Applications:

Stainless steel	●
Steel	●
Metals	●
Wood	●

Advantages: Aggressive abrasive behaviour due to self-sharpening zirconia alumina - Resistant high-performance abrasive disc with tear-resistant cotton backing for rough and intermediate sanding on edges and surfaces

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
125	40	○ 0	50	291980	4.434,81 Kč
125	60	○ 0	50	182412	2.758,08 Kč
125	80	○ 0	50	238954	2.571,21 Kč
150	40	○ 0	50	301271	6.105,51 Kč
150	60	○ 0	50	64647	3.785,10 Kč
150	80	○ 0	50	285565	3.522,12 Kč

Abrasive cloth, self-fastening

CS 920 YK



Properties

Bonding agent	Resin
Grain	Ceramic Al. oxide
Coating	Close
Backing	Y-polyester

Applications:

Stainless steel	●
NF metals	●
Steel	○

Advantages: Tear-resistant polyester backing - Long service life due to self-sharpening ceramic grit - Cool grinding due to additional multibond

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
125	60	○ 0	50	670083	6.213,58 Kč
125	80	○ 0	50	670082	5.688,21 Kč
125	100	○ 0	50	670081	5.425,53 Kč
125	120	○ 0	50	670080	5.425,53 Kč

Recommended prices.



Discs with cloth backing, self-fastening / Backing pads / Self-fastening support



► Continuation of CS 920 YK, Abrasive cloth, self-fastening

Diameter in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
150	60	○ 0	50	670079	8.565,92 Kč
150	80	○ 0	50	670078	7.826,71 Kč
150	100	○ 0	50	670084	7.457,06 Kč
150	120	○ 0	50	670085	7.457,06 Kč

Backing pad for self-fastening discs

HST 359



Advantages: Good adhesion for all velour-coated abrasive discs - For medium-duty rough grinding and polishing

Diameter in mm	Thread/Shaft	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
115	thread M10	13300 rpm	1	70432	355,00 Kč
115	thread M14	13300 rpm	1	70433	291,87 Kč
115	8 mm	4000 rpm	1	6874	280,48 Kč
125	thread M14	12250 rpm	1	70434	343,62 Kč
125	8 mm	4000 rpm	1	70435	280,48 Kč
150	thread M14	10200 rpm	1	70436	519,57 Kč
180	thread M14	8500 rpm	1	73066	700,69 Kč

Self-fastening support

CS 396 Y



Properties

Engaging elements	Mushroom heads
Thickness	1,5 mm
Temperature range	-30° to +80°

Advantages: Can be cut to size easily - Simple and safe fixing on smooth and even surfaces - Allows a quick change of the abrasive

All sizes and minimum purchasing quantities available on request

Recommended prices.

Quick Change Discs

Coated abrasive	Type	Grain	Coating	Page
	<i>QMC/QRC 412</i>	Aluminium oxide	●	145, 148
	<i>QMC/QRC 411</i>	Zirconia alumina	●	146, 148
	<i>QMC/QRC 409</i>	Zirconia alumina	●	146, 149
	<i>QMC/QRC 910</i>	Ceramic aluminium oxide	●	147, 150

Minimum order quantities for made to order items

QCD	Diameter	Minimum order quantities
<i>QMC 412</i>	25 mm	1,700 pieces
<i>QRC/QMC 411</i>	38 mm	1,200 pieces
<i>QRC/QMC 409</i>	50 mm	900 pieces
<i>QRC/QMC 910</i>	76 mm	600 pieces



We reserve the right to over-deliver or under-deliver made to order items.

Quick Change Disc

QMC 412



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close

Applications:

Metals	●
NF metals	●

Advantages: For universal use in coarse and intermediate grinding

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter in mm	Grit	Max. RPM	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
38	36	30000 rpm	100	295174	2.641,32 Kč
38	60	30000 rpm	100	295177	2.484,00 Kč
38	80	30000 rpm	100	295178	2.493,31 Kč
38	120	30000 rpm	100	295180	2.456,05 Kč
50	36	30000 rpm	100	295196	3.352,36 Kč
50	40	30000 rpm	100	295197	3.004,60 Kč
50	60	30000 rpm	100	295199	2.924,91 Kč
50	80	30000 rpm	100	295200	2.884,54 Kč
50	100	30000 rpm	100	295201	2.783,11 Kč
50	120	30000 rpm	100	295202	2.783,11 Kč
50	180	30000 rpm	100	295204	2.805,88 Kč
50	240	30000 rpm	100	295205	3.099,82 Kč
50	320	30000 rpm	100	295206	3.099,82 Kč
76	60	20000 rpm	50	295221	4.119,30 Kč
76	80	20000 rpm	50	295222	4.035,46 Kč
76	120	20000 rpm	50	295224	3.948,52 Kč
76	180	20000 rpm	50	295226	3.816,04 Kč

Backing pad see page 147 / Adapter see page 151.

Recommended prices.

Quick Change Discs

Quick Change Disc

QMC 411



Properties

Bonding agent	Resin
Grain	Zirconia alumina
Coating	Close

Applications:

Stainless steel	●
Metals	●

Advantages: Aggressive abrasive behavior due to self-sharpening zirconia alumina - High removal rate on steel and stainless steel

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter in mm	Grit	Max. RPM	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
50	36	30000 rpm	100	295300	3.723,93 Kč
50	40	30000 rpm	100	295301	3.545,91 Kč
50	60	30000 rpm	100	295303	3.111,21 Kč
50	80	30000 rpm	100	295304	3.055,32 Kč
50	120	30000 rpm	100	295305	2.996,32 Kč
76	80	20000 rpm	50	295316	4.501,21 Kč

Backing pad see page 147 / Adapter see page 151.

Quick Change Disc

QMC 409



Properties

Bonding agent	Resin
Grain	Zirconia alumina
Coating	Close

Applications:

Stainless steel	●
Metals	●

Advantages: High removal rate on stainless steel - Multibond allows cool grinding on stainless steel - Minimal clogging on aluminium

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter in mm	Grit	Max. RPM	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
50	60	30000 rpm	100	295337	3.419,64 Kč
50	80	30000 rpm	100	295338	3.347,19 Kč
50	120	30000 rpm	100	295339	3.253,00 Kč

Backing pad see page 147 / Adapter see page 151.

Recommended prices.

Quick Change Disc

QMC 910



Properties

Bonding agent	Resin
Grain	Ceramic Al. oxide
Coating	Close

Applications:

Stainless steel	●
High alloy steel	●

Advantages: Extremely high removal rate on stainless steel due to micro-crystalline and self-sharpening ceramic grit - Continuously aggressive abrasive properties - Multibond allows cool grinding on stainless steel

Available grits:


16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter in mm	Grit	Max. RPM	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
38	60	30000 rpm	100	295359	3.191,94 Kč
38	80	30000 rpm	100	295360	2.992,18 Kč
50	36	30000 rpm	100	295366	4.911,07 Kč
50	40	30000 rpm	100	295367	4.482,58 Kč
50	60	30000 rpm	100	295369	3.958,87 Kč
50	80	30000 rpm	100	295370	3.704,26 Kč

Backing pad see page 147 / Adapter see page 151.

Backing pad

QMC 555



Advantages: For secure mounting of QMC discs - Optimized abrasive properties (aggressiveness, surface quality) due to three hardnesses - Easy differentiation of the hardnesses through coloured rings - Fixing spindle can be unscrewed, therefore the use on angle grinder or with adapter QCA 555 is possible via 1/4"-20 thread

Diameter in mm	Thread/Shaft	Density	Colour	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
25	Shaft 6 mm	medium	blue	30000 rpm	1	295422	480,24 Kč
38	Shaft 6 mm	soft	grey	30000 rpm	1	300058	701,73 Kč
38	Shaft 6 mm	medium	blue	30000 rpm	1	295424	500,94 Kč
38	Shaft 6 mm	firm	red	30000 rpm	1	300059	549,58 Kč
50	Shaft 6 mm	soft	grey	30000 rpm	1	300060	537,16 Kč
50	Shaft 6 mm	medium	blue	30000 rpm	1	295426	543,37 Kč
50	Shaft 6 mm	firm	red	30000 rpm	1	295427	580,63 Kč
76	Shaft 6 mm	soft	grey	20000 rpm	1	300061	580,63 Kč
76	Shaft 6 mm	medium	blue	20000 rpm	1	295430	576,49 Kč
76	Shaft 6 mm	firm	red	20000 rpm	1	295431	595,12 Kč


Recommended prices.

Quick Change Discs

Quick Roll Connect

Quick Change Disc

QRC 412



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close

Applications:

Metals	●
NF metals	●

Advantages: For universal use in coarse and intermediate grinding

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter in mm	Grit	Max. RPM	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
50	36	30000 rpm	100	295207	3.144,33 Kč
50	40	30000 rpm	100	295208	3.009,78 Kč
50	60	30000 rpm	100	295210	2.920,77 Kč
50	80	30000 rpm	100	295211	2.889,72 Kč
50	120	30000 rpm	100	295213	2.841,07 Kč
76	36	20000 rpm	50	295229	4.334,58 Kč
76	60	20000 rpm	50	295232	3.876,07 Kč
76	80	20000 rpm	50	295233	3.813,97 Kč
76	120	20000 rpm	50	295235	3.719,79 Kč

Backing pad see page 151 / Adapter see page 151.

Quick Change Disc

QRC 411



Properties

Bonding agent	Resin
Grain	Zirconia alumina
Coating	Close

Applications:

Stainless steel	●
Metals	●

Advantages: Aggressive abrasive behavior due to self-sharpening zirconia alumina - High removal rate on steel and stainless steel

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter in mm	Grit	Max. RPM	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
50	36	30000 rpm	100	295306	3.556,26 Kč
50	40	30000 rpm	100	295307	3.381,34 Kč
50	60	30000 rpm	100	295309	3.090,51 Kč
50	80	30000 rpm	100	295310	3.061,53 Kč

Recommended prices.



Quick Change Discs

Quick Roll Connect



►► Continuation of QRC 411, Quick Change Disc

Diameter in mm	Grit	Max. RPM	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
50	120	30000 rpm	100	295311	2.980,80 Kč
76	36	20000 rpm	50	295318	5.181,21 Kč
76	60	20000 rpm	50	295321	4.217,62 Kč
76	80	20000 rpm	50	295322	4.162,77 Kč

Backing pad see page 151 / Adapter see page 151.

Quick Change Disc

QRC 409



Properties

Bonding agent Resin	
Grain Zirconia alumina	
Coating Close	

Applications:

Stainless steel	●
Metals	●

Advantages: High removal rate on stainless steel - Multibond allows cool grinding on stainless steel - Minimal clogging on aluminium

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter in mm	Grit	Max. RPM	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
50	36	30000 rpm	100	295340	3.736,35 Kč
50	60	30000 rpm	100	295343	3.211,60 Kč
50	80	30000 rpm	100	295344	3.174,34 Kč

Backing pad see page 151 / Adapter see page 151.

Recommended prices.

Quick Change Discs

Quick Roll Connect

Quick Change Disc

QRC 910



Properties

Bonding agent	Resin
Grain	Ceramic Al. oxide
Coating	Close

Applications:

Stainless steel	●
High alloy steel	●

Advantages: Extremely high removal rate on stainless steel due to micro-crystalline and self-sharpening ceramic grit - Continuously aggressive abrasive properties - Multibond allows cool grinding on stainless steel

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------


Diameter in mm	Grit	Max. RPM	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
50	40	30000 rpm	100	295372	4.573,66 Kč
50	60	30000 rpm	100	295374	4.018,90 Kč
50	80	30000 rpm	100	295375	3.719,79 Kč

Backing pad see page 151 / Adapter see page 151.

Recommended prices.

Backing pad

QRC 555



Advantages: For secure mounting of QRC discs - Optimized abrasive properties (aggressiveness, surface quality) due to two hardnesses - Easy differentiation of the hardnesses through coloured rings - Fixing spindle can be unscrewed, therefore the use on angle grinder or with adapter QCA 555 is possible via 1/4"-20 thread

Diameter in mm	Thread/Shaft	Density	Colour	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
25	Shaft 6 mm	medium	blue	30000 rpm	1	295423	776,25 Kč
38	Shaft 6 mm	medium	blue	30000 rpm	1	295425	776,25 Kč
50	Shaft 6 mm	medium	blue	30000 rpm	1	295428	776,25 Kč
50	Shaft 6 mm	firm	red	30000 rpm	1	295429	720,36 Kč
76	Shaft 6 mm	medium	blue	20000 rpm	1	295432	776,25 Kč
76	Shaft 6 mm	firm	red	20000 rpm	1	295433	720,36 Kč

Adapter for quick change disc backing pad

QCA 555



Advantages: Quick Change Disc Adapter with M14 female thread and 1/4"-20 male thread - Allows use of quick change discs on a regular angle grinder

Width x Length in mm	Thread/Shaft	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
20 x 30	thread M14	80 m/s	75400 rpm	1	308693	490,59 Kč

Recommended prices.

Abrasive mop wheels

Type	Page	Material applications															Machine applications							
		Metal	Apparatus / container engineering	Precision engineering	Mould making	Fittings	Pipes	Profiled sections	Tools	Mountings	Cutlery	Wood	Contoured wood	Model construction	Profiled sections	Paint / varnish / fillers	Plastics	Flexible shafts	Drilling machines	Die grinders	Automatic grinders	Floor stand grinders	Angle grinders	Satin finishing machine
SM 611	153	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●		
SM 611 W	154	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●		
SM 611 H	155	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●		
SM 611 S	159	●	●				●																	●
MM 630	157	●	○		○		○	○				●	●	●	●	●	○	●	●	●				
MM 650	156	●	●	○	○	○	○	●		○		●	●	●	●	●	○	●		●		●		
WSM 617	158	●	●	●	●	●	●	●	●	●	●	○	○	●	●	●	●	○					●	
FSR 618	157	●	○	●	●	●	●	●	●	●	●	○	○	○	○	○	○	●			●	●		

● = main application ○ = possible application

Minimum order quantities for made to order items

Product	Diameter in mm	Minimum order quantities
SM 611	80 – <200	20 pieces
SM 611 W/H/S *	200 – <350	10 pieces
	350 – 510	4 pieces
WSM 617 *	115	20 pieces
	125	20 pieces

* Available dimensions on request

Product	Diameter in mm	Minimum order quantities
FSR 618	165	20 pieces
	200–300	10 pieces
	350–400	4 pieces
MM 650	180	20 pieces
	200–300	10 pieces
	>300–400	4 pieces



We reserve the right to over-deliver or under-deliver made to order items.


Abrasive mop wheels

Abrasive mop



Abrasive mop

SM 611



Properties

Bonding agent Resin	
Grain	Aluminium oxide

Applications:

Paint/Varnish/Filler	●
Wood	●
Plastic	●
Metals	●



Advantages: Even surface scratch pattern due to continuously fresh, unused abrasive grit - For universal use on all materials - Adapts optimally to workpiece contour

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter x Width x Bore in mm	Grit	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
100 x 30 x 21	40	50 m/s	9500 rpm	5	12000	791,77 Kč
100 x 30 x 21	60	50 m/s	9500 rpm	5	12002	803,16 Kč
100 x 30 x 21	80	50 m/s	9500 rpm	5	12003	812,47 Kč
100 x 30 x 21	120	50 m/s	9500 rpm	5	12005	831,10 Kč
140 x 50 x 21	40	50 m/s	6800 rpm	3	12060	1.081,57 Kč
140 x 50 x 21	60	50 m/s	6800 rpm	3	12062	1.112,62 Kč
140 x 50 x 21	80	50 m/s	6800 rpm	3	12063	1.097,10 Kč
140 x 50 x 21	120	50 m/s	6800 rpm	3	12065	1.195,42 Kč
165 x 25 x 43,1	40	50 m/s	5800 rpm	5	12075	1.030,86 Kč
165 x 25 x 43,1	60	50 m/s	5800 rpm	5	12077	1.040,17 Kč
165 x 25 x 43,1	80	50 m/s	5800 rpm	5	12078	1.066,05 Kč
165 x 25 x 43,1	100	50 m/s	5800 rpm	5	12079	1.087,78 Kč
165 x 25 x 43,1	120	50 m/s	5800 rpm	5	12080	1.097,10 Kč
165 x 25 x 43,1	150	50 m/s	5800 rpm	5	12081	1.116,76 Kč
165 x 25 x 43,1	240	50 m/s	5800 rpm	5	12084	1.168,51 Kč
165 x 30 x 43,1	40	50 m/s	5800 rpm	5	12090	1.075,36 Kč
165 x 30 x 43,1	60	50 m/s	5800 rpm	5	12092	1.097,10 Kč
165 x 30 x 43,1	80	50 m/s	5800 rpm	5	12093	1.131,25 Kč
165 x 30 x 43,1	120	50 m/s	5800 rpm	5	12095	1.162,30 Kč
165 x 30 x 43,1	180	50 m/s	5800 rpm	5	12097	1.202,67 Kč
165 x 50 x 43,1	40	50 m/s	5800 rpm	3	12105	1.456,24 Kč
165 x 50 x 43,1	60	50 m/s	5800 rpm	3	12107	1.490,40 Kč
165 x 50 x 43,1	80	50 m/s	5800 rpm	3	12108	1.539,04 Kč
165 x 50 x 43,1	100	50 m/s	5800 rpm	3	12109	1.565,95 Kč
165 x 50 x 43,1	120	50 m/s	5800 rpm	3	12110	1.599,07 Kč
165 x 50 x 43,1	150	50 m/s	5800 rpm	3	12111	1.625,98 Kč
165 x 50 x 43,1	180	50 m/s	5800 rpm	3	12112	1.625,98 Kč
165 x 50 x 43,1	240	50 m/s	5800 rpm	3	12114	1.822,63 Kč
165 x 50 x 43,1	320	50 m/s	5800 rpm	3	12116	1.822,63 Kč
200 x 25 x 68,2	120	50 m/s	4800 rpm	5	12140	1.637,37 Kč
200 x 50 x 68,2	40	50 m/s	4800 rpm	3	12165	2.290,45 Kč
200 x 50 x 68,2	60	50 m/s	4800 rpm	3	12167	2.329,78 Kč
200 x 50 x 68,2	80	50 m/s	4800 rpm	3	12168	2.382,57 Kč
200 x 50 x 68,2	120	50 m/s	4800 rpm	3	12170	2.524,36 Kč

Recommended prices.



Abrasive mop wheels

Abrasive mop

► Continuation of SM 611, Abrasive mop

Diameter x Width x Bore in mm	Grit	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
250 x 25 x 68,2	60	50 m/s	3800 rpm	2	12197	1.974,78 Kč
250 x 25 x 68,2	120	50 m/s	3800 rpm	2	12200	2.041,02 Kč
250 x 30 x 68,2	60	50 m/s	3800 rpm	2	12212	1.990,30 Kč
250 x 30 x 68,2	80	50 m/s	3800 rpm	2	12213	2.152,80 Kč
250 x 50 x 68,2	40	50 m/s	3800 rpm	1	12225	2.848,32 Kč
250 x 50 x 68,2	60	50 m/s	3800 rpm	1	12227	2.977,69 Kč
250 x 50 x 68,2	80	50 m/s	3800 rpm	1	12228	3.309,93 Kč
250 x 50 x 68,2	120	50 m/s	3800 rpm	1	12230	3.309,93 Kč
250 x 50 x 68,2	180	50 m/s	3800 rpm	1	12232	3.839,85 Kč
250 x 50 x 68,2	220	50 m/s	3800 rpm	1	12233	3.839,85 Kč
250 x 50 x 68,2	240	50 m/s	3800 rpm	1	12234	4.290,07 Kč
250 x 50 x 68,2	320	50 m/s	3800 rpm	1	12236	4.290,07 Kč
300 x 50 x 97,8	40	50 m/s	3200 rpm	1	12285	3.916,44 Kč
300 x 50 x 97,8	80	50 m/s	3200 rpm	1	12288	4.469,13 Kč
300 x 50 x 97,8	120	50 m/s	3200 rpm	1	12290	4.469,13 Kč
300 x 50 x 97,8	180	50 m/s	3200 rpm	1	12292	5.287,81 Kč
300 x 50 x 97,8	240	50 m/s	3200 rpm	1	12294	6.177,91 Kč
300 x 50 x 97,8	320	50 m/s	3200 rpm	1	12296	6.177,91 Kč

Use only with mounting plate SMD 612 (page 156)!

Abrasive mop

SM 611 W



Properties

Bonding agent	Resin
Grain	Aluminium oxide

Applications:

Paint/Varnish/Filler	●
Wood	●
Plastic	●
Metals	●



Advantages: Even surface scratch pattern due to continuously fresh, unused abrasive grit - For universal use on all materials - Adapts optimally to workpiece contour - Can be used without mounting plate SMD 612

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
Diameter x Width x Bore in mm				Grit	Max. operating speed			Max. RPM			Packing unit/pcs.			Cat. number			Price/pc. Kč									
165 x 25 x 25,4				40	50 m/s			5800 rpm			5			221597			979,11 Kč									
165 x 25 x 25,4				60	50 m/s			5800 rpm			5			221596			993,60 Kč									
165 x 25 x 25,4				80	50 m/s			5800 rpm			5			221595			1.058,80 Kč									
165 x 25 x 25,4				120	50 m/s			5800 rpm			5			221593			1.058,80 Kč									
165 x 25 x 25,4				180	50 m/s			5800 rpm			5			221591			1.136,43 Kč									
165 x 50 x 25,4				40	50 m/s			5800 rpm			3			241156			1.445,89 Kč									

Recommended prices.


Abrasive mop wheels

Abrasive mop



Abrasive mop

SM 611 H



Properties

Bonding agent	Resin
Grain	Aluminium oxide

Applications:

Paint/Varnish/Filler	●
Wood	●
Plastic	●
Metals	●

Advantages: Wooden core with mounting bore diameter of 13 mm for fast mounting - Can be used without mounting plate SMD 612 - Enlargement of the mounting bore is relatively uncomplicated

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter x Width x Bore in mm	Grit	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
165 x 25 x 13	40	50 m/s	5800 rpm	5	10030	1.030,86 Kč
165 x 25 x 13	60	50 m/s	5800 rpm	5	10005	1.058,80 Kč
165 x 25 x 13	80	50 m/s	5800 rpm	5	10004	1.106,41 Kč
165 x 25 x 13	120	50 m/s	5800 rpm	5	10006	1.145,74 Kč
165 x 25 x 13	240	50 m/s	5800 rpm	5	10027	1.465,56 Kč
165 x 50 x 13	40	50 m/s	5800 rpm	3	10022	1.603,21 Kč
165 x 50 x 13	60	50 m/s	5800 rpm	3	10017	1.686,01 Kč
165 x 50 x 13	80	50 m/s	5800 rpm	3	10018	1.861,96 Kč
165 x 50 x 13	120	50 m/s	5800 rpm	3	15990	1.861,96 Kč

Recommended prices.

Abrasive mop wheels

Abrasive mop

Abrasive mop

MM 650



Properties

Bonding agent	Resin
Grain	Aluminium oxide

Applications:

Paint/Varnish/Filler	●
Wood	●
Metals	●
Plastic	○



Advantages: Very suitable for workpieces with high profiles due to grinding flaps with longitudinal slots - Produces a very fine surface

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
Diameter x Width x Bore in mm							Grit	Max. operating speed				Max. RPM		Packing unit/pcs.		Cat. number		Price/pc. Kč								
250 x 50 x 43,1							80	32 m/s				2450 rpm		2		2750		2.867,98 Kč								
250 x 50 x 43,1							120	32 m/s				2450 rpm		2		2485		2.867,98 Kč								
250 x 50 x 43,1							150	32 m/s				2450 rpm		2		2483		3.347,19 Kč								
250 x 50 x 43,1							180	32 m/s				2450 rpm		2		2482		3.347,19 Kč								
250 x 100 x 43,1							80	32 m/s				2450 rpm		1		10210		5.315,76 Kč								
250 x 100 x 43,1							120	32 m/s				2450 rpm		1		2740		5.315,76 Kč								
250 x 100 x 43,1							180	32 m/s				2450 rpm		1		2742		6.448,05 Kč								

Use only with mounting plate SMD 612 (Cat. number 14823)!

Mounting plate

SMD 612



Advantages: Ensures smooth running and secure mounting of Klingspor abrasive and non-woven mop wheels on the machine

Diameter x Bore in mm	Suitable for	Max. enlargement of bore Ø in mm	Packing unit/pcs.	Cat. number	Price/pc. Kč
55 x 10	SM 611 (Ø100+Ø140)	Ø 20 mm	2	14821	181,12 Kč
79 x 12	SM 611/NCW/NFW 600 (Ø150+Ø165) + MM 650 (Ø250)	Ø 40 mm	2	14823	195,61 Kč
121 x 14	SM 611/NCW/NFW 600 (Ø200+Ø250)	Ø 50 mm	2	14824	321,88 Kč
155 x 20	SM 611 (Ø300)	Ø 50 mm	2	14826	484,38 Kč
195 x 25	SM 611 (Ø350)	Ø 80 mm	2	14827	5.890,18 Kč
221 x 25,4	SM 611 (Ø380+Ø410)	Ø 80 mm	2	14829	8.437,32 Kč

Recommended prices.


Abrasive mop wheels

Abrasive mop



Abrasive mop

MM 630



Properties

Bonding agent	Resin
Grain	Aluminium oxide

Applications:

Paint/Varnish/Filler	●
Wood	●
Metals	●
Plastic	ⓘ

Advantages: Very suitable for workpieces with high profiles due to grinding flaps with longitudinal slots - For use on hand operated machines - Fine surface pattern


Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter x Width x Shaft in mm	Grit	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
180 x 25 x 6	80	40 m/s	4200 rpm	2	262630	1.040,17 Kč
180 x 25 x 6	120	40 m/s	4200 rpm	2	262631	1.141,60 Kč
180 x 25 x 6	180	40 m/s	4200 rpm	2	262632	1.141,60 Kč
180 x 50 x 6	80	40 m/s	4200 rpm	2	262634	1.259,59 Kč
180 x 50 x 6	120	40 m/s	4200 rpm	2	262635	1.384,83 Kč
180 x 50 x 6	180	40 m/s	4200 rpm	2	262636	1.384,83 Kč

Pleated mop

FSR 618



Properties

Bonding agent	Resin
Grain	Aluminium oxide

Applications:

Metals	●
Wood	ⓘ
Paint/Varnish/Filler	ⓘ
Plastic	ⓘ

Advantages: Pleated mop wheel consisting of pleated aluminum oxide cloth flaps allows easy access to joints, grooves and slots - Very large immersion depth

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter x Bore in mm	Grit	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
165 x 14	40	50 m/s	5800 rpm	10	10187	1.347,57 Kč
165 x 14	60	50 m/s	5800 rpm	10	5830	1.347,57 Kč
165 x 14	80	50 m/s	5800 rpm	10	5831	1.347,57 Kč
165 x 14	120	50 m/s	5800 rpm	10	73994	1.347,57 Kč
165 x 14	150	50 m/s	5800 rpm	10	25998	1.347,57 Kč
165 x 14	220	50 m/s	5800 rpm	10	26033	1.347,57 Kč

Recommended prices.

Abrasive mop wheels

Abrasive mop

Angle grinder mop

WSM 617





Properties

Bonding agent	Resin
Grain	Aluminium oxide

Applications:

Steel	●	Wood	①
Stainless steel	●		
Paint	●		
Plastic	●		

Advantages: Can be used on all standard angle grinders (80 m/s) - For universal use; in front and side position - Easy tool changing by hand without additional aids

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter x Width in mm	Grit	Thread/Shaft	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 20	40	thread M14	80 m/s	13300 rpm	2	277014	525,78 Kč
115 x 20	60	thread M14	80 m/s	13300 rpm	2	277015	525,78 Kč
115 x 20	80	thread M14	80 m/s	13300 rpm	2	277016	579,60 Kč
115 x 20	120	thread M14	80 m/s	13300 rpm	2	277017	579,60 Kč
125 x 20	40	thread M14	80 m/s	12250 rpm	2	277018	579,60 Kč
125 x 20	60	thread M14	80 m/s	12250 rpm	2	277019	579,60 Kč
125 x 20	80	thread M14	80 m/s	12250 rpm	2	277020	626,17 Kč
125 x 20	120	thread M14	80 m/s	12250 rpm	2	277021	626,17 Kč



The all-round abrasive mop wheel for the angle grinder

- ▶ Quick and easy mounting
- ▶ Multi purpose
- ▶ Extremely safe
- ▶ Ideal for working on hard-to-reach places

Recommended prices.

Satin finishing drum

SM 611 S



Properties

Bonding agent	Resin
Grain	Aluminium oxide

Applications:

Paint/Varnish/Filler	●
Wood	●
Plastic	●
Metals	●



Advantages: Even surface scratch pattern - Special product for fine surface finishing

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter x Width x Bore in mm	Grit	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
100 x 50 x 19	40	19 m/s	3700 rpm	3	60868	1.026,72 Kč
100 x 50 x 19	60	19 m/s	3700 rpm	3	60899	1.030,86 Kč
100 x 50 x 19	80	19 m/s	3700 rpm	3	60943	1.103,31 Kč
100 x 50 x 19	120	19 m/s	3700 rpm	3	61045	1.168,51 Kč
100 x 100 x 19	40	19 m/s	3700 rpm	1	83167	1.544,22 Kč
100 x 100 x 19	60	19 m/s	3700 rpm	1	7325	1.562,85 Kč
100 x 100 x 19	80	19 m/s	3700 rpm	1	7326	1.692,22 Kč
100 x 100 x 19	120	19 m/s	3700 rpm	1	93076	1.822,63 Kč
100 x 100 x 19	180	19 m/s	3700 rpm	1	93021	1.953,04 Kč
100 x 100 x 19	240	19 m/s	3700 rpm	1	104999	2.041,02 Kč

Recommended prices.

Small abrasive mops

	Material applications															Machine applications	
	Metal	Apparatus / container engineering	Precision engineering	Mould making	Fittings	Pipes	Profiled sections	Tools	Mountings	Wood	Contoured wood	Model construction	Profiled sections	Plastics	Flexible shafts	Drilling machines	Die grinders
Type																	
KM 613	●	●	●	●	●	●	●	●	●	○	○	○	○	○	●	●	●
KM 615	●	●	●	●	●	●	●	●	●			○	○		●	●	●
KMT 614	●	●	●	●	●	●	●	●	●	○	○	○	○	○	●	●	●
● = main application ○ = possible application																	

Minimum order quantities for made to order items

Product	Grit	Minimum order quantities
KM 613	40–320	250 pieces
	from 360	500 pieces
KM 615	40–180	250 pieces
	40–320	250 pieces
KMT 614	40–320	250 pieces
	from 360	500 pieces


Small abrasive mop

Abrasive mop



Small abrasive mop

KM 613



Properties

Bonding agent Resin	
Grain	Aluminium oxide

Applications:

Stainless steel	●
Metals	●
Wood	⦿
Plastic	⦿

Advantages: Universal product for steel and stainless steel materials - Even removal rate - Suitable for use in hard-to-reach areas

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter x Width x Shaft in mm	Grit	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
10 x 10 x 3	40	40 m/s	76300 rpm	10	327992	90,00 Kč
10 x 10 x 3	60	40 m/s	76300 rpm	10	327993	90,00 Kč
10 x 10 x 3	80	40 m/s	76300 rpm	10	327994	90,00 Kč
10 x 10 x 3	120	40 m/s	76300 rpm	10	327995	90,00 Kč
10 x 10 x 3	180	40 m/s	76300 rpm	10	327997	90,00 Kč
10 x 10 x 3	240	40 m/s	76300 rpm	10	327998	90,00 Kč
10 x 10 x 3	320	40 m/s	76300 rpm	10	327999	90,00 Kč
20 x 10 x 3	60	40 m/s	38150 rpm	25	325948	93,15 Kč
20 x 10 x 3	80	40 m/s	38150 rpm	25	305324	93,15 Kč
20 x 10 x 3	120	40 m/s	38150 rpm	25	307342	93,15 Kč
20 x 10 x 3	240	40 m/s	38150 rpm	25	307343	93,15 Kč
20 x 10 x 3	320	40 m/s	38150 rpm	25	307344	93,15 Kč
20 x 10 x 6	40	40 m/s	38150 rpm	25	284729	98,32 Kč
20 x 10 x 6	60	40 m/s	38150 rpm	25	284730	98,32 Kč
20 x 10 x 6	80	40 m/s	38150 rpm	25	284731	98,32 Kč
20 x 10 x 6	120	40 m/s	38150 rpm	25	284732	98,32 Kč
20 x 10 x 6	180	40 m/s	38150 rpm	25	284733	98,32 Kč
20 x 10 x 6	240	40 m/s	38150 rpm	25	284734	98,32 Kč
20 x 10 x 6	320	40 m/s	38150 rpm	25	284735	104,53 Kč
20 x 15 x 6	40	40 m/s	38150 rpm	25	284736	104,53 Kč
20 x 15 x 6	60	40 m/s	38150 rpm	25	284737	104,53 Kč
20 x 15 x 6	80	40 m/s	38150 rpm	25	284738	104,53 Kč
20 x 15 x 6	120	40 m/s	38150 rpm	25	284739	104,53 Kč
20 x 15 x 6	180	40 m/s	38150 rpm	25	284740	104,53 Kč
20 x 15 x 6	240	40 m/s	38150 rpm	25	284741	104,53 Kč
20 x 20 x 6	40	40 m/s	38150 rpm	25	284743	104,53 Kč
20 x 20 x 6	60	40 m/s	38150 rpm	25	284744	104,53 Kč
20 x 20 x 6	80	40 m/s	38150 rpm	25	284745	104,53 Kč
20 x 20 x 6	120	40 m/s	38150 rpm	25	284746	104,53 Kč
20 x 20 x 6	180	40 m/s	38150 rpm	25	284747	104,53 Kč
20 x 20 x 6	240	40 m/s	38150 rpm	25	284748	104,53 Kč
20 x 20 x 6	320	40 m/s	38150 rpm	25	284749	104,53 Kč
25 x 10 x 6	40	40 m/s	30500 rpm	10	253816	104,53 Kč
25 x 10 x 6	60	40 m/s	30500 rpm	10	253591	104,53 Kč

Recommended prices.



Small abrasive mop

Abrasive mop

►► Continuation of KM 613, Small abrasive mop

Diameter x Width x Shaft in mm	Grit	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
25 x 10 x 6	80	40 m/s	30500 rpm	10	253592	104,53 Kč
25 x 10 x 6	120	40 m/s	30500 rpm	10	253593	104,53 Kč
25 x 15 x 6	40	40 m/s	30500 rpm	10	253817	107,64 Kč
25 x 15 x 6	60	40 m/s	30500 rpm	10	250985	107,64 Kč
25 x 15 x 6	80	40 m/s	30500 rpm	10	237496	107,64 Kč
25 x 15 x 6	120	40 m/s	30500 rpm	10	253606	107,64 Kč
25 x 15 x 6	150	40 m/s	30500 rpm	10	253607	107,64 Kč
25 x 15 x 6	240	40 m/s	30500 rpm	10	253608	107,64 Kč
30 x 5 x 3	60	40 m/s	25400 rpm	10	12781	104,53 Kč
30 x 5 x 3	80	40 m/s	25400 rpm	10	12782	104,53 Kč
30 x 5 x 3	120	40 m/s	25400 rpm	10	12784	104,53 Kč
30 x 5 x 6	60	40 m/s	25400 rpm	10	12790	104,53 Kč
30 x 5 x 6	80	40 m/s	25400 rpm	10	12791	104,53 Kč
30 x 5 x 6	120	40 m/s	25400 rpm	10	12793	104,53 Kč
30 x 5 x 6	150	40 m/s	25400 rpm	10	12794	104,53 Kč
30 x 5 x 6	240	40 m/s	25400 rpm	10	12796	104,53 Kč
30 x 10 x 3	60	40 m/s	25400 rpm	10	12808	107,64 Kč
30 x 10 x 3	80	40 m/s	25400 rpm	10	12809	107,64 Kč
30 x 10 x 3	120	40 m/s	25400 rpm	10	12811	107,64 Kč
30 x 10 x 3	240	40 m/s	25400 rpm	10	12814	107,64 Kč
30 x 10 x 6	40	40 m/s	25400 rpm	10	12816	107,64 Kč
30 x 10 x 6	60	40 m/s	25400 rpm	10	12817	107,64 Kč
30 x 10 x 6	80	40 m/s	25400 rpm	10	12818	107,64 Kč
30 x 10 x 6	100	40 m/s	25400 rpm	10	12819	107,64 Kč
30 x 10 x 6	120	40 m/s	25400 rpm	10	12820	107,64 Kč
30 x 10 x 6	150	40 m/s	25400 rpm	10	12821	107,64 Kč
30 x 10 x 6	180	40 m/s	25400 rpm	10	12822	107,64 Kč
30 x 10 x 6	240	40 m/s	25400 rpm	10	12823	107,64 Kč
30 x 10 x 6	320	40 m/s	25400 rpm	10	12824	107,64 Kč
30 x 15 x 6	40	40 m/s	25400 rpm	10	12843	113,85 Kč
30 x 15 x 6	60	40 m/s	25400 rpm	10	12844	113,85 Kč
30 x 15 x 6	80	40 m/s	25400 rpm	10	12845	113,85 Kč
30 x 15 x 6	100	40 m/s	25400 rpm	10	12846	113,85 Kč
30 x 15 x 6	120	40 m/s	25400 rpm	10	12847	113,85 Kč
30 x 15 x 6	150	40 m/s	25400 rpm	10	12848	113,85 Kč
30 x 15 x 6	180	40 m/s	25400 rpm	10	12849	113,85 Kč
30 x 15 x 6	240	40 m/s	25400 rpm	10	12850	119,02 Kč
30 x 15 x 6	320	40 m/s	25400 rpm	10	12851	119,02 Kč
40 x 10 x 6	40	40 m/s	19000 rpm	10	12870	113,85 Kč
40 x 10 x 6	60	40 m/s	19000 rpm	10	12871	113,85 Kč
40 x 10 x 6	80	40 m/s	19000 rpm	10	12872	113,85 Kč
40 x 10 x 6	120	40 m/s	19000 rpm	10	12874	113,85 Kč
40 x 15 x 6	40	40 m/s	19000 rpm	10	12906	119,02 Kč
40 x 15 x 6	60	40 m/s	19000 rpm	10	12907	119,02 Kč
40 x 15 x 6	80	40 m/s	19000 rpm	10	12908	119,02 Kč
40 x 15 x 6	100	40 m/s	19000 rpm	10	12909	119,02 Kč
40 x 15 x 6	120	40 m/s	19000 rpm	10	12910	119,02 Kč
40 x 15 x 6	150	40 m/s	19000 rpm	10	12911	119,02 Kč
40 x 15 x 6	180	40 m/s	19000 rpm	10	12912	119,02 Kč
40 x 15 x 6	240	40 m/s	19000 rpm	10	12913	119,02 Kč
40 x 15 x 6	320	40 m/s	19000 rpm	10	12914	119,02 Kč

Recommended prices.



Small abrasive mop

Abrasive mop



►► Continuation of KM 613, Small abrasive mop

Diameter x Width x Shaft in mm	Grit	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
40 x 20 x 6	40	40 m/s	19000 rpm	10	12942	124,20 Kč
40 x 20 x 6	60	40 m/s	19000 rpm	10	12943	124,20 Kč
40 x 20 x 6	80	40 m/s	19000 rpm	10	12944	124,20 Kč
40 x 20 x 6	100	40 m/s	19000 rpm	10	12945	124,20 Kč
40 x 20 x 6	120	40 m/s	19000 rpm	10	12946	124,20 Kč
40 x 20 x 6	150	40 m/s	19000 rpm	10	12947	124,20 Kč
40 x 20 x 6	180	40 m/s	19000 rpm	10	12948	124,20 Kč
40 x 20 x 6	240	40 m/s	19000 rpm	10	12949	124,20 Kč
40 x 20 x 6	320	40 m/s	19000 rpm	10	12950	124,20 Kč
50 x 5 x 6	60	40 m/s	15200 rpm	10	135235	173,88 Kč
50 x 5 x 6	80	40 m/s	15200 rpm	10	136451	173,88 Kč
50 x 5 x 6	120	40 m/s	15200 rpm	10	251778	182,16 Kč
50 x 10 x 6	40	40 m/s	15200 rpm	10	12960	113,85 Kč
50 x 10 x 6	60	40 m/s	15200 rpm	10	12961	113,85 Kč
50 x 10 x 6	80	40 m/s	15200 rpm	10	12962	113,85 Kč
50 x 10 x 6	120	40 m/s	15200 rpm	10	12964	113,85 Kč
50 x 10 x 6	150	40 m/s	15200 rpm	10	12965	113,85 Kč
50 x 10 x 6	240	40 m/s	15200 rpm	10	12967	119,02 Kč
50 x 15 x 6	40	40 m/s	15200 rpm	10	12978	135,58 Kč
50 x 15 x 6	60	40 m/s	15200 rpm	10	12979	135,58 Kč
50 x 15 x 6	80	40 m/s	15200 rpm	10	12980	135,58 Kč
50 x 15 x 6	120	40 m/s	15200 rpm	10	12982	135,58 Kč
50 x 20 x 6	40	40 m/s	15200 rpm	10	12996	144,90 Kč
50 x 20 x 6	60	40 m/s	15200 rpm	10	12997	144,90 Kč
50 x 20 x 6	80	40 m/s	15200 rpm	10	12998	144,90 Kč
50 x 20 x 6	100	40 m/s	15200 rpm	10	12999	144,90 Kč
50 x 20 x 6	120	40 m/s	15200 rpm	10	13000	144,90 Kč
50 x 20 x 6	150	40 m/s	15200 rpm	10	13001	144,90 Kč
50 x 20 x 6	180	40 m/s	15200 rpm	10	13002	144,90 Kč
50 x 20 x 6	240	40 m/s	15200 rpm	10	13003	144,90 Kč
50 x 20 x 6	320	40 m/s	15200 rpm	10	13004	144,90 Kč
50 x 30 x 6	40	40 m/s	15200 rpm	10	61282	162,49 Kč
50 x 30 x 6	60	40 m/s	15200 rpm	10	61299	162,49 Kč
50 x 30 x 6	80	40 m/s	15200 rpm	10	61319	162,49 Kč
50 x 30 x 6	100	40 m/s	15200 rpm	10	61333	162,49 Kč
50 x 30 x 6	120	40 m/s	15200 rpm	10	61350	162,49 Kč
50 x 30 x 6	150	40 m/s	15200 rpm	10	71015	162,49 Kč
50 x 30 x 6	180	40 m/s	15200 rpm	10	61371	162,49 Kč
50 x 30 x 6	240	40 m/s	15200 rpm	10	71017	162,49 Kč
50 x 30 x 6	320	40 m/s	15200 rpm	10	61389	162,49 Kč
60 x 15 x 6	40	40 m/s	12700 rpm	10	13014	141,79 Kč
60 x 15 x 6	60	40 m/s	12700 rpm	10	13015	141,79 Kč
60 x 15 x 6	80	40 m/s	12700 rpm	10	13016	141,79 Kč
60 x 15 x 6	120	40 m/s	12700 rpm	10	13018	141,79 Kč
60 x 15 x 6	150	40 m/s	12700 rpm	10	13019	141,79 Kč
60 x 15 x 6	240	40 m/s	12700 rpm	10	13021	141,79 Kč
60 x 20 x 6	40	40 m/s	12700 rpm	10	13032	156,28 Kč
60 x 20 x 6	60	40 m/s	12700 rpm	10	13033	156,28 Kč
60 x 20 x 6	80	40 m/s	12700 rpm	10	13034	156,28 Kč
60 x 20 x 6	120	40 m/s	12700 rpm	10	13036	156,28 Kč
60 x 20 x 6	180	40 m/s	12700 rpm	10	13038	156,28 Kč

Recommended prices.



Small abrasive mop

Abrasive mop

►► Continuation of KM 613, Small abrasive mop

Diameter x Width x Shaft in mm	Grit	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
60 x 20 x 6	240	40 m/s	12700 rpm	10	13039	156,28 Kč
60 x 30 x 6	40	40 m/s	12700 rpm	10	13050	178,02 Kč
60 x 30 x 6	60	40 m/s	12700 rpm	10	13051	178,02 Kč
60 x 30 x 6	80	40 m/s	12700 rpm	10	13052	178,02 Kč
60 x 30 x 6	100	40 m/s	12700 rpm	10	13053	178,02 Kč
60 x 30 x 6	120	40 m/s	12700 rpm	10	13054	178,02 Kč
60 x 30 x 6	150	40 m/s	12700 rpm	10	13055	178,02 Kč
60 x 30 x 6	180	40 m/s	12700 rpm	10	13056	178,02 Kč
60 x 30 x 6	240	40 m/s	12700 rpm	10	13057	200,79 Kč
60 x 30 x 6	320	40 m/s	12700 rpm	10	13058	200,79 Kč
60 x 40 x 6	40	40 m/s	12700 rpm	10	13068	209,07 Kč
60 x 40 x 6	60	40 m/s	12700 rpm	10	13069	209,07 Kč
60 x 40 x 6	80	40 m/s	12700 rpm	10	13070	209,07 Kč
60 x 40 x 6	100	40 m/s	12700 rpm	10	13071	209,07 Kč
60 x 40 x 6	120	40 m/s	12700 rpm	10	13072	209,07 Kč
60 x 40 x 6	150	40 m/s	12700 rpm	10	13073	218,38 Kč
60 x 40 x 6	240	40 m/s	12700 rpm	10	13075	233,91 Kč
60 x 50 x 6	40	32 m/s	10150 rpm	10	13086	233,91 Kč
60 x 50 x 6	60	32 m/s	10150 rpm	10	13087	233,91 Kč
60 x 50 x 6	80	32 m/s	10150 rpm	10	13088	233,91 Kč
60 x 50 x 6	120	32 m/s	10150 rpm	10	13090	238,05 Kč
60 x 50 x 6	180	32 m/s	10150 rpm	10	13092	251,50 Kč
80 x 15 x 6	40	40 m/s	9500 rpm	10	13104	173,88 Kč
80 x 15 x 6	60	40 m/s	9500 rpm	10	13105	173,88 Kč
80 x 15 x 6	80	40 m/s	9500 rpm	10	13106	173,88 Kč
80 x 15 x 6	120	40 m/s	9500 rpm	10	13108	192,51 Kč
80 x 15 x 6	150	40 m/s	9500 rpm	10	13109	192,51 Kč
80 x 15 x 6	240	40 m/s	9500 rpm	10	13111	200,79 Kč
80 x 20 x 6	40	40 m/s	9500 rpm	10	13122	200,79 Kč
80 x 20 x 6	60	40 m/s	9500 rpm	10	13123	200,79 Kč
80 x 20 x 6	80	40 m/s	9500 rpm	10	13124	200,79 Kč
80 x 20 x 6	120	40 m/s	9500 rpm	10	13126	213,21 Kč
80 x 30 x 6	40	40 m/s	9500 rpm	10	13140	251,50 Kč
80 x 30 x 6	60	40 m/s	9500 rpm	10	13141	251,50 Kč
80 x 30 x 6	80	40 m/s	9500 rpm	10	13142	251,50 Kč
80 x 30 x 6	120	40 m/s	9500 rpm	10	13144	255,64 Kč
80 x 30 x 6	150	40 m/s	9500 rpm	10	13145	255,64 Kč
80 x 30 x 6	240	40 m/s	9500 rpm	10	13147	326,02 Kč
80 x 30 x 6	320	40 m/s	9500 rpm	10	13148	326,02 Kč
80 x 40 x 6	40	40 m/s	9500 rpm	10	13158	314,64 Kč
80 x 40 x 6	60	40 m/s	9500 rpm	10	13159	314,64 Kč
80 x 40 x 6	80	40 m/s	9500 rpm	10	13160	314,64 Kč
80 x 40 x 6	120	40 m/s	9500 rpm	10	13162	314,64 Kč
80 x 50 x 6	40	32 m/s	7650 rpm	10	13176	351,90 Kč
80 x 50 x 6	60	32 m/s	7650 rpm	10	13177	351,90 Kč
80 x 50 x 6	80	32 m/s	7650 rpm	10	13178	351,90 Kč
80 x 50 x 6	100	32 m/s	7650 rpm	10	13179	355,00 Kč
80 x 50 x 6	120	32 m/s	7650 rpm	10	13180	355,00 Kč
80 x 50 x 6	150	32 m/s	7650 rpm	10	13181	355,00 Kč
80 x 50 x 6	240	32 m/s	7650 rpm	10	13183	445,05 Kč
80 x 50 x 6	320	32 m/s	7650 rpm	10	13184	445,05 Kč

Recommended prices.


Small abrasive mop

Abrasive mop



Small abrasive mop

KM 615



Properties

Bonding agent Resin
Grain Aluminium oxide

Applications:

Stainless steel	●
-----------------	---

Advantages: Cool grinding due to multibond - Increased removal rate on stainless steel


Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter x Width x Shaft in mm	Grit	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
30 x 10 x 6	60	40 m/s	25400 rpm	10	253615	113,85 Kč
30 x 10 x 6	80	40 m/s	25400 rpm	10	253620	113,85 Kč
30 x 10 x 6	120	40 m/s	25400 rpm	10	253610	113,85 Kč
40 x 20 x 6	60	40 m/s	19000 rpm	10	253616	131,44 Kč
40 x 20 x 6	80	40 m/s	19000 rpm	10	253621	131,44 Kč
40 x 20 x 6	120	40 m/s	19000 rpm	10	253611	131,44 Kč
50 x 20 x 6	60	40 m/s	15200 rpm	10	253617	151,11 Kč
60 x 30 x 6	60	40 m/s	12700 rpm	10	253618	182,16 Kč
60 x 30 x 6	80	40 m/s	12700 rpm	10	253623	182,16 Kč
80 x 40 x 6	60	40 m/s	9500 rpm	10	253619	345,69 Kč
80 x 40 x 6	80	40 m/s	9500 rpm	10	253624	345,69 Kč

Small abrasive mop, cup-shaped

KMT 614



Properties

Bonding agent Resin
Grain Aluminium oxide

Applications:

Metals	●
Wood	○
Plastic	○

Advantages: Can be used in radial and front position

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter x Width x Shaft in mm	Grit	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
60 x 40 x 6	40	40 m/s	12700 rpm	10	13194	226,66 Kč
60 x 40 x 6	60	40 m/s	12700 rpm	10	13195	226,66 Kč

Recommended prices.

Non-woven products

			Machines												Material applications							
Work step	Type	Tool type	Angle grinders	Drilling machine	Die grinder	Flexible shaft grinder	Back stand grinding machine	Hand tool belt grinder	Right angle die grinder	Orbital sander	Satin finishing machine	Floor standing grinder	Random orbital sander	Fillet weld grinder	Hand sanding	Stainless steel	Steel	NF metals	Varnish	Plastic	Wood	Page
Light sanding and creating satin finishes	SMT 850 plus	Combi-abrasive mop disc	●													●	●					184
	SMT 800	Non-woven mop disc	●													●	●	●				184
	SV 484	SCM non-woven web disc (universal)	●													●	●	●	●			172
	NDS 800	SCM non-woven web disc (hard, edge)	●													●	●	●	●			173
	NBS 800	SCM non-woven web belt					●									●	●	●				171
	NBF 800	SCM non-woven file belt						●								●	●	●				170
	QMC/QRC 800	SCM Quick Change Disc							●							●	●	●				175,177
Coarse cleaning, removal of coatings	PW 2000	Power wheel		●	●	●										●	●	●	●			188
	NCD 200	Coarse cleaning disc	●													●	●	●	●			187
	NCD 200 HD	Coarse cleaning disc HD	●													●	●	●	●			188
	QRC 200 HD	Coarse cleaning QCD							●							●	●	●	●			178
Finishing and creating matt finishes	NRO 400	Non-woven web roll, aluminium oxide								●					●	●	●	●	●	●	●	168
	NRO 500	Non-woven web roll, SiC								●					●	●	●	●	●	●	●	169
	NPA 400	Non-woven hand pad, aluminium oxide								●					●	●	●	●	●	●	●	169
	NPA 500	Non-woven hand pad, SiC								●					●	●	●	●	●	●	●	170
	NFW 600 S	Non-woven finishing wheel									●					●	●	●		●		181
	NCW 600 S	Non-woven combi finishing wheel									●					●	●	●		●		181
	NFW 600	Non-woven finishing wheel										●				●	●	●		●		180
	NCW 600	Non-woven combi finishing wheel										●				●	●	●		●		180
	NDS 400 K	Non-woven self-adhesive disc											●			●	●	●	●	●	●	172
	QMC/QRC 400	Non-woven QCD							●							●	●	●	●	●		175,176
	NFS 600	Non-woven mounted wheel		●	●	●										●	●	●		●		183
	NCS 600	Combi non-woven mounted wheel		●	●	●										●	●	●		●		182
Removal of heat tinting, pre-polishing	NUD 500	Unitised compact disc	●													●	●	●				185
	MFW 600	Unitised compact disc / wheel	●											●		●	●	●				185
	QRC 500	Unitised compact QCD							●							●	●	●				177
	NCO 700 DB	Non-woven convolute wheel										●				●	●	●		●		186
	NCO 710 DB	Non-woven convolute wheel										●				●	●	●		●		186

● = main application ○ = possible application

Minimum order quantities for made to order items

Format/style	Product	Width / Diameter	Minimum order quantity
Rolls	NRO 400 / 500	Dimensions and quantities on request	
Sheets	NPA 400 / 500	Dimensions and quantities on request	
Belts	NBF 800	6 – 13 mm	20 pieces
		14 – 30 mm	10 pieces
	NBS 800	31 – 75 mm	5 pieces
		76 – 320 mm	2 pieces
Quick Change Discs	QRC/QMC 800	Ø 38 mm	400 pieces
		Ø 50 mm	350 pieces
		Ø 76 mm	350 pieces
	QRC/QMC 400	Ø 38 mm	700 pieces
		Ø 50 mm	500 pieces
		Ø 76 mm	375 pieces
Abrasive mop wheels/ Abrasive mop rollers	NFW 600 / NCW 600	Ø 100 – 165 mm	20 pieces
		Ø 200 – 300 mm	10 pieces
	NFW 600 S/ NCW 600 S	Ø 100 – 110 mm	20 pieces
Small abrasive mop	NCS 600 / NFS 600	Ø 30, 40, 50, 60 mm	150 pieces
		Ø 80, 100 mm	100 pieces
	MFW 600	Ø 125 + Ø 150 mm	250 pieces
Non-woven compact wheels	NCO 700 / NCO 710	Ø 152,4 + Ø 203,2 mm	10 pieces
		Ø 250 mm + Ø 300 mm	20 pieces



The minimum length for non-woven belts is 270 mm.

We reserve the right to over-deliver or under-deliver production items.

Non-woven web

Rolls

Non-woven web roll, waterproof

NRO 400



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Non-woven material type	Soft non-woven material

Applications:

Stainless steel	●	Paint/Varnish/Filler	①
Metals	●		
Wood	●		
Plastic	①		

Advantages: Very good adaptation to surface contours - No clogging - Ideal for smoothing, cleaning, roughening and for general surface finishing - Can be used wet and dry

Width x Length in mm	Colour	Grade	Packing unit/pcs.	Cat. number	Price/pc. Kč
100 x 10000	maroon	medium	1	258870	2.064,82 Kč
100 x 10000	maroon	fine	1	258872	1.716,03 Kč
100 x 10000	dark green	very fine general purpose	1	258871	1.372,41 Kč
100 x 10000	maroon	very fine	1	258873	1.582,51 Kč
115 x 10000	maroon	coarse	1	271086	2.353,59 Kč
115 x 10000	maroon	medium	1	258885	2.398,09 Kč
115 x 10000	maroon	fine	1	258887	1.985,13 Kč
115 x 10000	dark green	very fine general purpose	1	258886	1.716,03 Kč
115 x 10000	maroon	very fine	1	258888	1.782,27 Kč
150 x 10000	maroon	medium	1	258890	3.089,47 Kč
150 x 10000	maroon	fine	1	258892	2.528,50 Kč
150 x 10000	dark green	very fine general purpose	1	258891	2.064,82 Kč
150 x 10000	maroon	very fine	1	258893	2.325,64 Kč

Recommended prices.

Non-woven web

Rolls / Pads



Non-woven web roll, waterproof

NRO 500



Properties

Bonding agent	Resin
Grain	SiC
Non-woven material type	Soft non-woven material

Applications:

Stainless steel	●	Wood	●
Plastic	●		
Paint/Varnish/Filler	●		
Metals	●		

Advantages: Very good adaptation to surface contours - No clogging - Ideal for smoothing, cleaning, roughening and for general surface finishing - Can be used wet and dry

Width x Length in mm	Colour	Grade	Packing unit/pcs.	Cat. number	Price/pc. Kč
100 x 10000	black	medium	1	260365	2.296,66 Kč
100 x 10000	grey	ultra fine	1	258874	1.908,54 Kč
115 x 10000	black	medium	1	260366	2.669,26 Kč
115 x 10000	grey	ultra fine	1	258889	2.206,62 Kč
150 x 10000	black	medium	1	260367	3.437,23 Kč
150 x 10000	grey	ultra fine	1	258894	2.813,13 Kč

Non-woven web hand pad, waterproof

NPA 400



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Non-woven material type	Soft non-woven material

Applications:

Stainless steel	●	Plastic	●
Metals	●		
Wood	●		
Paint/Varnish	●		

Advantages: Outstanding for surface finishing, e.g. adaptation to an existing surface scratch pattern - Can be used wet and dry

Width x Length in mm	Colour	Grade	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
152 x 229	brown	coarse	20	342852	13.053,42 Kč
152 x 229	maroon	medium	20	342855	5.487,57 Kč
152 x 229	maroon	fine	20	342856	4.509,49 Kč
152 x 229	maroon	very fine	20	342849	4.509,49 Kč
152 x 229	green	very fine heavy duty	20	342853	5.487,57 Kč
152 x 229	dark green	very fine general purpose	20	342854	4.509,49 Kč

Recommended prices.

Non-woven web

Pads / Belts

Non-woven web hand pad, waterproof

NPA 500



Properties

Bonding agent	Resin
Grain	SiC
Non-woven material type	Soft non-woven material

Applications:

Paint/Varnish	●
Plastic	●
Stainless steel	●
Metals	○

Wood	○
------	---

Advantages: Outstanding for surface finishing, e.g. adaptation to an existing surface scratch pattern - Can be used wet and dry

Width x Length in mm	Colour	Grade	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
152 x 229	black	medium	20	342857	6.300,04 Kč
152 x 229	grey	ultra fine	20	342851	6.300,04 Kč
152 x 229	white	without grain	20	342850	5.336,46 Kč

SCM file belt

NBF 800



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Non-woven material type	Non-woven material with fabric lining

Applications:

Stainless steel	●
NF metals	●
Metals	○

Advantages: Special product for surface finishing with hand tool belt grinders - Ideal for removal of discolorations, for light deburring, leveling, matt finishing and roughening - Minimal clogging and long service life - Suitable for dry and wet grinding

Width x Length in mm	Belt joint	Colour	Grade	Packing unit/pcs.	Cat. number	Price/pc. Kč
6 x 520	F4W	maroon	medium	10	258647	142,95 Kč
6 x 520	F4W	blue	very fine	10	258648	142,95 Kč
9 x 533	F4W	brown	coarse	10	258652	168,30 Kč
9 x 533	F4W	maroon	medium	10	258653	143,97 Kč
9 x 533	F4W	blue	very fine	10	258654	143,97 Kč
10 x 330	F4W	brown	coarse	10	258655	125,44 Kč
10 x 330	F4W	maroon	medium	10	258656	108,71 Kč
10 x 330	F4W	blue	very fine	10	258657	108,71 Kč
12 x 520	F4W	brown	coarse	10	258658	173,04 Kč
12 x 520	F4W	maroon	medium	10	258659	141,40 Kč
12 x 520	F4W	blue	very fine	10	258660	141,40 Kč
12 x 533	F4W	maroon	medium	10	258662	143,79 Kč
13 x 457	F4W	brown	coarse	10	258664	167,03 Kč
13 x 457	F4W	maroon	medium	10	258665	136,92 Kč

Recommended prices.




►► Continuation of NBF 800, SCM File belt

Width x Length in mm	Belt joint	Colour	Grade	Packing unit/pcs.	Cat. number	Price/pc. Kč
13 x 457	F4W	blue	very fine	10	258666	136,92 Kč
13 x 610	F4W	maroon	medium	10	258668	166,65 Kč
13 x 610	F4W	blue	very fine	10	258669	166,65 Kč
20 x 520	F4W	brown	coarse	10	258671	256,28 Kč
20 x 520	F4W	maroon	medium	10	258672	203,56 Kč
20 x 520	F4W	blue	very fine	10	258673	203,56 Kč
30 x 533	F4W	brown	coarse	5	258699	392,23 Kč
30 x 533	F4W	maroon	medium	5	258700	311,16 Kč
30 x 533	F4W	blue	very fine	5	258701	311,16 Kč
30 x 610	F4W	maroon	medium	5	258703	345,68 Kč

SCM standard belt

NBS 800



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Non-woven material type	Non-woven material with fabric lining

Applications:

Stainless steel	●
NF metals	●
Metals	①

Advantages: Special product for surface finishing with hand-operated machines (except hand tool belt grinders) and stationary machines - Ideal for removal of discolorations, for light deburring, leveling, matte finishing and roughening - Minimal clogging - Long service life - Suitable for dry and wet grinding

Width x Length in mm	Belt joint	Colour	Grade	Packing unit/pcs.	Cat. number	Price/pc. Kč
40 x 618	F3W	purple	medium	5	258712	363,95 Kč
40 x 618	F3W	blue	very fine	5	258713	363,95 Kč
40 x 760	F3W	grey	coarse	5	659528	560,92 Kč
40 x 760	F3W	purple	medium	5	659535	433,89 Kč
40 x 760	F3W	green	fine	5	372093	433,89 Kč
40 x 820	F3W	purple	medium	5	258715	463,44 Kč
40 x 820	F3W	blue	very fine	5	258716	463,44 Kč
50 x 2000	F3W	purple	medium	5	338943	1.297,56 Kč
75 x 2000	F3W	grey	coarse	5	258729	2.565,19 Kč
75 x 2000	F3W	purple	medium	5	258730	1.938,40 Kč
75 x 2000	F3W	blue	very fine	5	258731	1.938,40 Kč
90 x 395	F3W	blue	very fine	5	336812	509,22 Kč
150 x 2000	F3W	grey	coarse	5	380337	5.056,28 Kč
150 x 2000	F3W	purple	medium	5	380334	3.802,70 Kč


Recommended prices.

Non-woven web

Discs

Non-woven web disc, self-fastening

NDS 400 K



Properties

Bonding agent	Resin
Grain	Aluminium oxide/SiC
Non-woven material type	Soft non-woven material + velour backing

Applications:

Metals	●	Paint/Varnish/Filler	●
Steel	●		
Stainless steel	●		
Plastic	●		

Advantages: Creates an omnidirectional, ultra-fine satin finish on stainless steel surfaces - Effortless cleaning of metal surfaces - Removal of thin layers of oxidation on NF metal - Preparation of surfaces for subsequent coating - Roughening of painted and plastic surfaces - Available in ultra fine (SiC) and very fine (Aluminium oxide)

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter in mm	Grit	Colour	Grade	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
150	320	maroon	very fine	20	342640	17.855,82 Kč
150	600	grey	ultra fine	20	342641	17.855,82 Kč

SCM disc, waterproof

SV 484



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Non-woven material type	Non-woven material with fabric lining

Applications:

Paint/Varnish/Filler	●	Stainless steel	●
Wood	●		
Plastic	●		
Metals	●		

Advantages: Universal non-woven web disc with outstanding price-performance ratio - Soft and elastic grinding - Can be used wet and dry - With center hole for easy mounting, secure hold and smooth running on backing plates with centering - Also suited for backing pads without centering and fiber discs backing plates with clamping screw

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter x Bore in mm	Grit	Grade	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
115 x 22	80	coarse	10	353413	12.639,42 Kč
115 x 22	100	medium	10	353415	11.959,42 Kč
115 x 22	180	medium	10	353409	11.959,42 Kč
115 x 22	280	very fine	10	353410	11.959,42 Kč
125 x 22	80	coarse	10	353414	16.682,13 Kč
125 x 22	100	medium	10	353416	15.827,22 Kč
125 x 22	180	medium	10	353411	15.827,22 Kč
125 x 22	280	very fine	10	353412	15.827,22 Kč

Recommended prices.


Non-woven web

Discs / Backing pads



SCM disc, waterproof

NDS 800



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Non-woven material type	Non-woven material with fabric lining

Applications:

Metals	●	Wood	●
Stainless steel	●		
Paint/Varnish/Filler	○		
Plastic	○		

Advantages: High edge stability - Aggressive abrasive behaviour - Long service life - Can be used for wet and dry grinding - With expressible center hole for easy mounting, secure hold and smooth running on backing plates with centering - Also suited for backing pads without centering and fiber discs backing plates with clamping screw

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter x Bore in mm	Grit	Colour	Grade	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
115 x 22	50	brown	coarse	10	320103	20.934,94 Kč
115 x 22	100	maroon	medium	10	320104	17.481,15 Kč
115 x 22	180	blue	very fine	10	320105	15.732,00 Kč
125 x 22	50	brown	coarse	10	320106	19.913,40 Kč
125 x 22	100	maroon	medium	10	320107	18.081,45 Kč
125 x 22	180	blue	very fine	10	320108	18.081,45 Kč

Self-fastening backing pad for SCM discs

NDS 555



Advantages: Good adhesion for non-woven web discs - For medium-duty grinding and polishing

Diameter in mm	Thread/Shaft	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
115	thread M14	80 m/s	13300 rpm	1	164100	698,62 Kč
125	thread M14	80 m/s	12250 rpm	1	208275	796,95 Kč

Recommended prices.

Non-woven web

Backing pads

Self-fastening backing pad for SCM discs
with center hole

NDS 555 C



Advantages: Easy and always centric positioning of the non-woven web discs by centring aid - Good adhesion due to special self-fastening hooks - Less vibrations, stable running - No loosening of the discs, even with decreasing adhesion - Adaptable, for surfaces and light contours

Diameter in mm	Thread/Shaft	Suitable for	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
115	thread M14	Diameter 115 x 22	80 m/s	13300 rpm	1	358126	484,38 Kč
125	thread M14	Diameter 125 x 22	80 m/s	12250 rpm	1	358127	562,00 Kč

Recommended prices.

Non-woven web

Quick Change Discs



Non-woven web quick change disc

QMC 400



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Non-woven material type	Soft non-woven material

Applications:

Paint/Varnish/Filler	●
Stainless steel	●
Metals	○

Advantages: Suitable for surface finishing work - For cleaning work on metals and painted surfaces

Diameter in mm	Colour	Grade	Max. RPM	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
50	bordeaux	medium	19100 rpm	50	295392	3.192,97 Kč
50	bordeaux	fine	19100 rpm	50	295393	3.064,63 Kč
50	bordeaux	very fine	19100 rpm	50	295394	3.058,42 Kč

Backing pads see page 176 / Adapter see page 179.

SCM quick change disc

QMC 800



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Non-woven material type	Non-woven material with fabric lining

Applications:

Metals	●
Stainless steel	●
Paint/Varnish/Filler	○

Advantages: For light deburring - For removal of rust and paint - Long life due to hard, stable quality of surface conditioning material

Diameter in mm	Colour	Grade	Max. RPM	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
50	grey	coarse	19100 rpm	50	295410	6.189,30 Kč
50	purple	medium	19100 rpm	50	295411	5.877,76 Kč
50	blue	very fine	19100 rpm	50	295412	5.519,65 Kč
76	grey	coarse	12500 rpm	25	295416	10.543,54 Kč
76	purple	medium	12500 rpm	25	295417	9.890,46 Kč
76	blue	very fine	12500 rpm	25	295418	9.157,68 Kč

Backing pads see page 176 / Adapter see page 179.


Recommended prices.

Non-woven web

Backing pads / Quick Change Discs

Backing pad

QMC 555



Advantages: For secure mounting of QMC discs - Optimized abrasive properties (aggressiveness, surface quality) due to three hardnesses - Easy differentiation of the hardnesses through coloured rings - Fixing spindle can be unscrewed, allowing use on right angle grinders with 1/4"-20 thread or with adapter QCA 555 on angle grinders

Diameter in mm	Thread/Shaft	Density	Colour	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
25	Shaft 6 mm	medium	blue	30000 rpm	1	295422	480,24 Kč
38	Shaft 6 mm	soft	grey	30000 rpm	1	300058	701,73 Kč
38	Shaft 6 mm	medium	blue	30000 rpm	1	295424	500,94 Kč
38	Shaft 6 mm	firm	red	30000 rpm	1	300059	549,58 Kč
50	Shaft 6 mm	soft	grey	30000 rpm	1	300060	537,16 Kč
50	Shaft 6 mm	medium	blue	30000 rpm	1	295426	543,37 Kč
50	Shaft 6 mm	firm	red	30000 rpm	1	295427	580,63 Kč
76	Shaft 6 mm	soft	grey	20000 rpm	1	300061	580,63 Kč
76	Shaft 6 mm	medium	blue	20000 rpm	1	295430	576,49 Kč
76	Shaft 6 mm	firm	red	20000 rpm	1	295431	595,12 Kč

Non-woven web quick change disc

QRC 400



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Non-woven material type	Soft non-woven material

Applications:

Paint/Varnish/Filler	●
Stainless steel	●
Metals	○

Advantages: Suitable for surface finishing work - For cleaning work on metals and painted surfaces

All sizes and minimum purchasing quantities available on request

Backing pads see page 178 / Adapter see page 179.

Recommended prices.

SCM quick change disc

QRC 800



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Non-woven material type	Non-woven material with fabric lining

Applications:

Metals	●
Stainless steel	●
Paint/Varnish/Filler	○

Advantages: For light deburring - For removal of rust and paint - Long life due to hard, stable quality of surface conditioning material

Diameter in mm	Colour	Grade	Max. RPM	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
50	grey	coarse	19100 rpm	50	295413	6.926,22 Kč
50	purple	medium	19100 rpm	50	295414	6.313,50 Kč
50	blue	very fine	19100 rpm	50	295415	6.313,50 Kč
76	grey	coarse	12500 rpm	25	295419	12.294,76 Kč
76	purple	medium	12500 rpm	25	295420	11.536,11 Kč

Backing pads see page 178 / Adapter see page 179.

Unitized Quick Change Discs

QRC 500



Properties

Bonding agent	Resin
Grain	Aluminium oxide/SiC
Non-woven material type	Highly compacted material made of compressed non-woven web layers

Applications:

Stainless steel	●	NF metals	●
Titanium	●	Aluminium	●
Steel	●		
High alloy steel	●		

Advantages: Very long service life - Very fine, constant and brilliant surface pattern - Versatile, depending on density and structure (removal to polishing) - Very suitable for hard-to-reach areas (e.g. inside corners) - Can be used on the face and surface - Free of metallic ingredients

Diameter in mm	Colour	Grade	Density	Max. RPM	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
51	grey	fine	2 SF soft	22100 rpm	10	358978	23.474,83 Kč
51	grey	fine	3 SF medium soft	22100 rpm	10	358981	24.618,51 Kč
51	grey	fine	6 SF hard	22100 rpm	10	358979	25.580,02 Kč
51	maroon	coarse	8 AC very hard	22100 rpm	10	358980	33.207,97 Kč
76	grey	fine	2 SF soft	15100 rpm	5	358982	37.215,49 Kč
76	grey	fine	3 SF medium soft	15100 rpm	5	358985	37.215,49 Kč
76	grey	fine	6 SF hard	15100 rpm	5	358983	42.940,08 Kč
76	maroon	coarse	8 AC very hard	15100 rpm	5	358984	49.048,65 Kč

Backing pads see page 178 / Adapter see page 179.


Recommended prices.

Non-woven web

Quick Change Discs / Backing pads

Quick Change Disc, Clean and Strip

QRC 200 HD



Properties

Bonding agent	Resin
Grain	Ceramic coated aluminium oxide
Non-woven material type	Clean and strip material

Applications:

Stainless steel	●
Steel	●
NF metals	●
Paint/Varnish/Filler	●


Advantages: Hard, aggressive cleaning fleece for heavy-duty use - Open structure, no clogging and cool grinding - Fast work progress and long service life - No change in workpiece geometry in metal applications - Can be used on the face and surface

Diameter in mm	Colour	Grade	Max. RPM	Packing unit/pcs.	Cat. number	Price/100 pcs. Kč
51	green	extra coarse	10500 rpm	10	358993	12.353,76 Kč
76	green	extra coarse	7000 rpm	5	358994	15.271,42 Kč

Backing pads see page 178 / Adapter see page 179.

Backing pad

QRC 555



Advantages: For secure mounting of QRC discs - Optimized abrasive properties (aggressiveness, surface quality) due to two hardnesses - Easy differentiation of the hardnesses through coloured rings - Fixing spindle can be unscrewed, allowing use on right angle grinders with 1/4"-20 thread or with adapter QCA 555 on angle grinders

Diameter in mm	Thread/Shaft	Density	Colour	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
25	Shaft 6 mm	medium	blue	30000 rpm	1	295423	776,25 Kč
38	Shaft 6 mm	medium	blue	30000 rpm	1	295425	776,25 Kč
50	Shaft 6 mm	medium	blue	30000 rpm	1	295428	776,25 Kč
50	Shaft 6 mm	firm	red	30000 rpm	1	295429	720,36 Kč
76	Shaft 6 mm	medium	blue	20000 rpm	1	295432	776,25 Kč
76	Shaft 6 mm	firm	red	20000 rpm	1	295433	720,36 Kč

Recommended prices.

Adapter for quick change disc backing pad

QCA 555



Advantages: Quick Change Disc Adapter with M14 female thread and 1/4"-20 male thread - Allows use of quick change discs on a regular angle grinder


Width x Length in mm	Thread/Shaft	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
20 x 30	thread M14	80 m/s	75400 rpm	1	308693	490,59 Kč

Non-woven web

Abrasive mop

Combi non-woven web mop

NCW 600



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Non-woven material type	Soft non-woven material + abrasive cloth flaps

Applications:

Stainless steel	●
Metals	●
Plastic	○


Advantages: Combination of non-woven and abrasive cloth flaps for a fine surface scratch pattern
- Optimal wear properties - High removal rate - Long service life

Diameter x Width x Bore in mm	Grit	Grade	Colour	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
165 x 50 x 43,1	80	coarse	maroon	32 m/s	3700 rpm	3	258909	1.399,00 Kč
165 x 50 x 43,1	100	medium	maroon	32 m/s	3700 rpm	3	258910	1.458,00 Kč
165 x 50 x 43,1	150	medium	maroon	32 m/s	3700 rpm	3	258911	1.458,00 Kč
165 x 50 x 43,1	180	very fine	maroon	32 m/s	3700 rpm	3	258912	1.458,00 Kč
200 x 50 x 68,2	80	coarse	maroon	32 m/s	3050 rpm	2	258913	2.406,00 Kč
200 x 50 x 68,2	100	medium	maroon	32 m/s	3050 rpm	2	258914	2.514,00 Kč
200 x 50 x 68,2	150	medium	maroon	32 m/s	3050 rpm	2	258915	2.514,00 Kč

Use only with mounting plate SMD 612 (page 156)!

Non-woven web mop

NFW 600



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Non-woven material type	Soft non-woven material

Applications:

Metals	●
Stainless steel	●

Advantages: Even finish throughout the entire service life - Optimal tool for creating a matt or satin finish

Diameter x Width x Bore in mm	Grade	Colour	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
165 x 50 x 43,1	coarse	maroon	32 m/s	3700 rpm	3	258898	1.545,00 Kč
165 x 50 x 43,1	medium	maroon	32 m/s	3700 rpm	3	258899	1.545,00 Kč
165 x 50 x 43,1	very fine	maroon	32 m/s	3700 rpm	3	258900	1.545,00 Kč
200 x 50 x 68,2	coarse	maroon	32 m/s	3050 rpm	2	258901	2.662,00 Kč
200 x 50 x 68,2	medium	maroon	32 m/s	3050 rpm	2	258902	2.662,00 Kč
200 x 50 x 68,2	very fine	maroon	32 m/s	3050 rpm	2	258903	2.662,00 Kč

Use only with mounting plate SMD 612 (page 156)!

Recommended prices.

Non-woven web

Abrasive mop



Combi non-woven web drum

NCW 600 S



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Non-woven material type	Soft non-woven material + abrasive cloth flaps

Applications:

Stainless steel	●
Metals	●
Plastic	○

Advantages: High removal rate and fine surface scratch pattern due to combination of non-woven and abrasive cloth flaps - Long service life

Diameter x Width x Bore in mm	Grit	Grade	Colour	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
100 x 50 x 19	80	coarse	maroon	19 m/s	3700 rpm	3	259896	954,00 Kč
100 x 50 x 19	100	medium	maroon	19 m/s	3700 rpm	3	259897	1.012,00 Kč
100 x 50 x 19	150	medium	maroon	19 m/s	3700 rpm	3	259898	1.012,00 Kč
100 x 50 x 19	180	very fine	maroon	19 m/s	3700 rpm	3	259899	1.116,00 Kč
100 x 100 x 19	80	coarse	maroon	19 m/s	3700 rpm	1	258905	1.463,00 Kč
100 x 100 x 19	100	medium	maroon	19 m/s	3700 rpm	1	258906	1.658,00 Kč
100 x 100 x 19	150	medium	maroon	19 m/s	3700 rpm	1	258907	1.658,00 Kč
100 x 100 x 19	180	very fine	maroon	19 m/s	3700 rpm	1	258908	1.658,00 Kč
110 x 100 x 19	80	coarse	maroon	19 m/s	3300 rpm	1	320246	1.882,00 Kč
110 x 100 x 19	100	medium	maroon	19 m/s	3300 rpm	1	320247	1.882,00 Kč
110 x 100 x 19	150	medium	maroon	19 m/s	3300 rpm	1	320248	1.882,00 Kč

Non-woven web drum

NFW 600 S



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Non-woven material type	Soft non-woven material

Applications:

Metals	●
Stainless steel	●

Advantages: Even finish throughout the entire service life - Optimal tool with high quality non-woven flaps for creating a matt or satin finish

Diameter x Width x Bore in mm	Grade	Colour	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
100 x 50 x 19	coarse	maroon	19 m/s	3700 rpm	3	259853	954,00 Kč
100 x 50 x 19	medium	maroon	19 m/s	3700 rpm	3	259854	954,00 Kč
100 x 50 x 19	very fine	maroon	19 m/s	3700 rpm	3	259895	954,00 Kč
100 x 100 x 19	coarse	maroon	19 m/s	3700 rpm	1	258895	1.440,00 Kč
100 x 100 x 19	medium	maroon	19 m/s	3700 rpm	1	258896	1.440,00 Kč

Recommended prices.



Non-woven web


Abrasive mop

► Continuation of NFW 600 S, Non-woven web drum

Diameter x Width x Bore in mm	Grade	Colour	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
100 x 100 x 19	very fine	maroon	19 m/s	3700 rpm	1	258897	1.440,00 Kč
110 x 100 x 19	coarse	maroon	19 m/s	3300 rpm	1	320253	1.982,00 Kč
110 x 100 x 19	medium	maroon	19 m/s	3300 rpm	1	320254	1.982,00 Kč
110 x 100 x 19	very fine	maroon	19 m/s	3300 rpm	1	320255	2.177,00 Kč

Combi non-woven web spindle mop

NCS 600



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Non-woven material type	Soft non-woven material + abra- sive cloth flaps

Applications:

Stainless steel	●
Metals	●
Plastic	●

Advantages: High removal rate and fine surface scratch pattern due to combination of non-woven and abrasive cloth flaps - Long service life

Diameter x Width x Shaft in mm	Grit	Grade	Colour	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
50 x 30 x 6	60	coarse	maroon	32 m/s	12200 rpm	10	258932	242,00 Kč
50 x 30 x 6	100	medium	maroon	32 m/s	12200 rpm	10	258933	242,00 Kč
50 x 30 x 6	150	medium	maroon	32 m/s	12200 rpm	10	258934	242,00 Kč
50 x 30 x 6	240	very fine	maroon	32 m/s	12200 rpm	10	258935	242,00 Kč
60 x 30 x 6	60	coarse	maroon	32 m/s	10200 rpm	10	258936	301,00 Kč
60 x 30 x 6	100	medium	maroon	32 m/s	10200 rpm	10	258937	301,00 Kč
60 x 30 x 6	150	medium	maroon	32 m/s	10200 rpm	10	258938	301,00 Kč
60 x 30 x 6	240	very fine	maroon	32 m/s	10200 rpm	10	258939	301,00 Kč
60 x 50 x 6	60	coarse	maroon	32 m/s	10200 rpm	10	258940	351,00 Kč
60 x 50 x 6	100	medium	maroon	32 m/s	10200 rpm	10	258941	351,00 Kč
60 x 50 x 6	150	medium	maroon	32 m/s	10200 rpm	10	258942	351,00 Kč
60 x 50 x 6	240	very fine	maroon	32 m/s	10200 rpm	10	258943	351,00 Kč
80 x 50 x 6	60	coarse	maroon	32 m/s	7600 rpm	10	258944	465,00 Kč
80 x 50 x 6	100	medium	maroon	32 m/s	7600 rpm	10	258945	465,00 Kč
80 x 50 x 6	150	medium	maroon	32 m/s	7600 rpm	10	258946	465,00 Kč
80 x 50 x 6	240	very fine	maroon	32 m/s	7600 rpm	10	258947	465,00 Kč
100 x 50 x 6	60	coarse	maroon	32 m/s	6100 rpm	4	258948	813,00 Kč
100 x 50 x 6	100	medium	maroon	32 m/s	6100 rpm	4	258949	813,00 Kč
100 x 50 x 6	150	medium	maroon	32 m/s	6100 rpm	4	258950	813,00 Kč
100 x 50 x 6	240	very fine	maroon	32 m/s	6100 rpm	4	258951	813,00 Kč

Recommended prices.


Non-woven web

Abrasive mop



Non-woven web spindle mop

NFS 600



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Non-woven material type	Soft non-woven material

Applications:

Metals	●
Stainless steel	●

Advantages: Even finish throughout the entire service life - Optimal tool with high quality non-woven flaps for creating a matt or satin finish

Diameter x Width x Shaft in mm	Grade	Colour	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
50 x 30 x 6	coarse	maroon	32 m/s	12200 rpm	10	258917	267,00 Kč
50 x 30 x 6	medium	maroon	32 m/s	12200 rpm	10	258918	267,00 Kč
50 x 30 x 6	very fine	maroon	32 m/s	12200 rpm	10	258919	267,00 Kč
60 x 30 x 6	coarse	maroon	32 m/s	10200 rpm	10	258920	309,00 Kč
60 x 30 x 6	medium	maroon	32 m/s	10200 rpm	10	258921	309,00 Kč
60 x 30 x 6	very fine	maroon	32 m/s	10200 rpm	10	258922	309,00 Kč
60 x 50 x 6	coarse	maroon	32 m/s	10200 rpm	10	258923	342,00 Kč
60 x 50 x 6	medium	maroon	32 m/s	10200 rpm	10	258924	342,00 Kč
60 x 50 x 6	very fine	maroon	32 m/s	10200 rpm	10	258925	342,00 Kč
80 x 50 x 6	coarse	maroon	32 m/s	7600 rpm	10	258926	447,00 Kč
80 x 50 x 6	medium	maroon	32 m/s	7600 rpm	10	258927	447,00 Kč
80 x 50 x 6	very fine	maroon	32 m/s	7600 rpm	10	258928	447,00 Kč
100 x 50 x 6	coarse	maroon	32 m/s	6000 rpm	4	258929	756,00 Kč
100 x 50 x 6	medium	maroon	32 m/s	6000 rpm	4	258930	756,00 Kč
100 x 50 x 6	very fine	maroon	32 m/s	6000 rpm	4	258931	756,00 Kč

Recommended prices.

Non-woven web

Abrasive mop discs

Non-woven mop disc

SMT 800 SPECIAL



Properties

Grain	Aluminium oxide
Non-woven material type	Non-woven material with fabric lining
Backing plate	Glass fibre
Design	Convex 12°

Applications:

Stainless steel	●
Steel	●

Advantages: High quality non-woven mop disc for stainless steel finish work - Optimal results when used on variable speed angle grinders - Three grades

Diameter x Bore in mm	Form	Grade	Colour	Max. operating speed	Max. RPM	Recommended operating speed	Recommended RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 22,23		coarse	brown	80 m/s	13300 rpm	42 m/s	7000 rpm	5	278495	285,66 Kč
115 x 22,23		medium	maroon	80 m/s	13300 rpm	42 m/s	7000 rpm	5	278496	285,66 Kč
115 x 22,23		very fine	green	80 m/s	13300 rpm	42 m/s	7000 rpm	5	278497	285,66 Kč
125 x 22,23		coarse	brown	80 m/s	12250 rpm	42 m/s	6400 rpm	5	278498	317,74 Kč
125 x 22,23		medium	maroon	80 m/s	12250 rpm	42 m/s	6400 rpm	5	278499	317,74 Kč
125 x 22,23		very fine	green	80 m/s	12250 rpm	42 m/s	6400 rpm	5	278500	317,74 Kč

Combi-abrasive mop disc

SMT 850 plus SPECIAL



Properties

Grain	Aluminium oxide
Non-woven material type	Non-woven material with fabric lining+abrasive cloth flaps
Backing plate	Glass fibre
Design	Convex 12°

Applications:

Stainless steel	●
-----------------	---


Advantages: High-quality combi surface conditioning mop disc - Specially suited for machining of WIG weld seams on stainless steel components - Even finish throughout the entire service life - Stock removal and finishing in one step

Diameter x Bore in mm	Form	Grit	Grade	Colour	Max. operating speed	Max. RPM	Recommended operating speed	Recommended RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 22,23		60	coarse	brown	80 m/s	13300 rpm	42 m/s	7000 rpm	5	312556	569,10 Kč
115 x 22,23		80	medium	maroon	80 m/s	13300 rpm	42 m/s	7000 rpm	5	312557	569,10 Kč
115 x 22,23		120	very fine	green	80 m/s	13300 rpm	42 m/s	7000 rpm	5	312558	569,10 Kč
125 x 22,23		60	coarse	brown	80 m/s	12250 rpm	42 m/s	6400 rpm	5	312559	638,40 Kč
125 x 22,23		80	medium	maroon	80 m/s	12250 rpm	42 m/s	6400 rpm	5	312560	638,40 Kč
125 x 22,23		120	very fine	green	80 m/s	12250 rpm	42 m/s	6400 rpm	5	312561	638,40 Kč

Recommended prices.

Unitized disc

MFW 600



Properties

Bonding agent	Resin
Grain	Aluminium oxide/SiC
Non-woven material type	Highly compacted material made of compressed non-woven web layers

Applications:

Steel	●
Stainless steel	●
NF metals	●

Advantages: Special product for finishing stainless steel weld seams - 4 different grades for material removal up to high gloss

Diameter x Width x Bore in mm	Grade	Colour	Max. operating speed	Max. RPM	Recommended RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
125 x 6 x 22	coarse	red	59 m/s	8000 rpm	4000 rpm	5	342218	1.156,09 Kč
125 x 6 x 22	medium	grey	59 m/s	8000 rpm	4000 rpm	5	342219	1.039,14 Kč
125 x 6 x 22	fine	grey	39 m/s	8000 rpm	4000 rpm	5	342237	927,36 Kč
150 x 3 x 25,4	coarse	red	59 m/s	6000 rpm	3000 rpm	10	337948	1.091,92 Kč
150 x 3 x 25,4	medium	grey	59 m/s	6000 rpm	3000 rpm	10	337949	987,39 Kč
150 x 6 x 25,4	coarse	red	59 m/s	6000 rpm	3000 rpm	5	337944	1.283,40 Kč
150 x 6 x 25,4	medium	grey	59 m/s	6000 rpm	3000 rpm	5	337945	1.165,41 Kč
150 x 6 x 25,4	fine	grey	39 m/s	6000 rpm	3000 rpm	5	337946	1.012,23 Kč
150 x 6 x 25,4	very fine	grey	39 m/s	6000 rpm	3000 rpm	5	337947	1.012,23 Kč

Unitized disc

NUD 500



Properties

Bonding agent	Resin
Grain	SiC
Non-woven material type	Highly compacted material made of compressed non-woven web layers

Applications:

Alloyed steels	●	Chrome and nickel steels	●
High alloy steel	●	Steel	●
Non-ferrous metals	●	Titanium	●
Light metals	●		

Backing plate Glass fibre

Design Flat

Advantages: For cleaning and pre-polishing surfaces - For smoothing weld seams - Fewer work steps - Precise cleaning, clearing and finishing of surfaces - Achieves an ultra-low scratch depth on the processed material

Diameter x Width x Bore in mm	Grade	Colour	Max. operating speed	Max. RPM	Recommended RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 13 x 22,23	coarse	grey	63 m/s	10450 rpm	5800 rpm	5	337864	2.119,68 Kč
115 x 13 x 22,23	medium	grey	63 m/s	10450 rpm	5800 rpm	5	337865	1.719,13 Kč
115 x 13 x 22,23	very fine	grey	63 m/s	10450 rpm	5800 rpm	5	337866	1.499,71 Kč
125 x 13 x 22,23	coarse	grey	63 m/s	9600 rpm	5300 rpm	5	337861	2.169,36 Kč
125 x 13 x 22,23	medium	grey	63 m/s	9600 rpm	5300 rpm	5	337862	1.741,90 Kč
125 x 13 x 22,23	very fine	grey	63 m/s	9600 rpm	5300 rpm	5	337863	1.509,03 Kč

Recommended prices.

Non-woven web

Convolute wheels

Non-woven convolute wheels

NCO 700 DB



Properties

Bonding agent	Resin
Grain	SiC
Non-woven material type	Highly compacted material made of wound non-woven web layers

Applications:

Stainless steel	●	NF metals	●
Titanium/Alloy	●	Aluminium	●
Steel	●	Plastic	○
High alloy steel	●		

Advantages: Open structure, no clogging - Excellent satin finish with very low surface roughness - Good service life, consistent, reproducible finish - Removal of medium (7SF) to heavy burrs (9SF) without secondary burr formation - Cost-effective version with excellent price/performance ratio for applications with lower rotational speeds

Diameter x Width x Bore in mm	Colour	Grade	Density	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
152,4 x 25,4 x 25,4	grey	fine	7 SF	47 m/s	6000 rpm	2	366498	1.926,13 Kč
152,4 x 25,4 x 25,4	grey	fine	8 SF	47 m/s	6000 rpm	2	366499	2.039,98 Kč
152,4 x 25,4 x 25,4	grey	fine	9 SF	47 m/s	6000 rpm	2	366500	2.131,06 Kč
203,2 x 51 x 76,2	grey	fine	7 SF	36 m/s	3450 rpm	1	367522	4.590,22 Kč
203,2 x 51 x 76,2	grey	fine	8 SF	36 m/s	3450 rpm	1	367523	4.775,49 Kč
203,2 x 51 x 76,2	grey	fine	9 SF	36 m/s	3450 rpm	1	367524	5.022,85 Kč

Reduction flange RF 712 see page 187.

Non-woven convolute wheels

NCO 710 DB



Properties

Bonding agent	Resin
Grain	SiC
Non-woven material type	Highly compacted material made of wound non-woven web layers

Applications:

Stainless steel	●	NF metals	●
Titanium/Alloy	●	Aluminium	●
Steel	●	Plastic	○
High alloy steel	●		

Advantages: Open structure, no clogging - Produces an excellent satin finish with very low surface roughness - Long service life, consistent and reproducible finish - Removal of medium (7SF) to heavy burrs (9SF) without secondary burr formation - Premium version with excellent service life and performance

Diameter x Width x Bore in mm	Colour	Grade	Density	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
152,4 x 25,4 x 25,4	grey	fine	7 SF	47 m/s	6000 rpm	2	366877	3.508,65 Kč
152,4 x 25,4 x 25,4	grey	fine	8 SF	47 m/s	6000 rpm	2	366907	3.810,87 Kč
152,4 x 25,4 x 25,4	grey	fine	9 SF	47 m/s	6000 rpm	2	366909	4.067,55 Kč
203,2 x 51 x 76,2	grey	fine	7 SF	47 m/s	4500 rpm	1	367525	5.762,88 Kč
203,2 x 51 x 76,2	grey	fine	8 SF	47 m/s	4500 rpm	1	367526	6.336,27 Kč
203,2 x 51 x 76,2	grey	fine	9 SF	47 m/s	4500 rpm	1	367527	7.175,65 Kč

Reduction flange RF 712 see page 187.

Recommended prices.

Non-woven web

Reduction flange / Clean and strip discs



Reduction flange

RF 712



Advantages: Wheel flange for clamping non-woven convolute wheels NCO 700/710 on stationary machines - Bore adaptable to required shaft diameter

Packing unit: 2 pieces (1 pair)

Diameter in mm	Suitable for	Packing unit/pcs.	Cat. number	Price/pc. Kč
115	NC0700/710 with 76,2 mm inner bore	2	372122	3.065,67 Kč

Clean and strip disc, extra coarse

NCD 200



Properties

Bonding agent	Resin
Grain	SiC
Non-woven material type	Clean and strip material
Backing plate	Glass fibre
Design	Flat

Applications:

Stainless steel	●
Steel	●
NF metals	●
Paint/Varnish/Filler	●



Plastic	●
---------	---

Advantages: Special SiC non-woven web for cleaning of surfaces and removal of heat tinting/blueing - No clogging due to open structure - For the removal of paint and rust

Diameter x Bore in mm	Form	Colour	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 22,23		black	63 m/s	10450 rpm	5	259043	488,52 Kč
125 x 22,23		black	63 m/s	9600 rpm	5	259044	519,57 Kč

Recommended prices.

Non-woven web

Clean and strip discs / Power Wheel

Clean and strip disc, heavy duty

NCD 200 HD



Properties

Bonding agent	Resin
Grain	Ceramic coated aluminium oxide
Non-woven material type	Clean and strip material
Backing plate	Glass fibre
Design	Flat

Applications:



Stainless steel	●
Steel	●
NF metals	●
Paint/Varnish/Filler	●

Advantages: Hard, aggressive non-woven version for higher loads - Open structure - No clogging - Cool grinding - Fast work progress and long service life - No change in workpiece contour

Diameter x Bore in mm	Form	Grade	Colour	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 22,23		extra coarse	green	63 m/s	10450 rpm	5	358003	586,84 Kč
125 x 22,23		extra coarse	green	63 m/s	9600 rpm	5	358004	626,17 Kč

Clean and Strip Power Wheel, extra coarse

PW 2000



Properties

Bonding agent	Resin
Grain	SiC
Non-woven material type	Clean and strip material

Applications:

Paint/Varnish/Filler	●
Plastic	●
Metals	●
Stone	●

Advantages: Special non-woven web, ideal for removing heat tinting, oxide layers, rust and paint residue - For cleaning of weld seams - No clogging

Diameter x Width x Bore in mm	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
100 x 13 x 13	40 m/s	7600 rpm	10	194625	345,69 Kč
150 x 13 x 13	40 m/s	5000 rpm	10	194626	550,62 Kč

Recommended prices.

Fixing spindle

SD 2000



Advantages: For secure mounting on drilling machines, flexible shafts and stroke grinders and optimal true running of the grinding tool PW 2000

Diameter in mm	Suitable for	Packing unit/pcs.	Cat. number	Price/pc. Kč
6	1 wheel Ø 100 - Ø 200	1	194629	555,79 Kč
8	1-2 wheels Ø 100 - Ø 200	1	194632	624,10 Kč

Recommended prices.

Abrasive mop discs

Type		Material						Application				Page
		Steel	Stainless steel	High alloy stainless steel	NF metals	Aluminium	Wood	Finish grinding	Welded seam work	Edge work, bevelling	Deburring, levelling	
SMT 314 EXTRA		●			●	●	○		●	●		191
SMT 324 EXTRA		●	●	●				●				192
SMT 324 EXTRA		●	●	●					●	●		192
SMT 325 EXTRA		●	●	●				●				193
SMT 325 EXTRA		●	●	●					●	●		193
SMT 624 SUPRA		●	●	●					●	●		194
SMT 626 SUPRA		●	●	●					●	●	●	196
SMT 628 SUPRA		●	●	●				●				195
SMT 636 SUPRA			●	●	○	○		●				
SMT 636 SUPRA			●	●	○	○			●	●		197
SMT 644 SUPRA		●	●	●				●				197
SMT 644 SUPRA		●	●	●					●	●		197
SMT 645 SUPRA		●	●	●				●				198
SMT 674 SUPRA		●	●						●	●		199
SMT 674 SUPRA		●	●					●				199
SMT 924 SPECIAL		●	●						●	●	●	200
SMT 925 SPECIAL		●	●	●				●				201
SMT 925 SPECIAL		●	●	●					●	●		201
SMT 926 SPECIAL		●	●	●					●	●	●	202
SMT 974 SPECIAL		●	●						●	●	●	200
SMT 975 SPECIAL		●	●						●	●	●	202
SMT 976 SPECIAL			●	●	○	○			●	●	●	203
SMT 996 SPECIAL			●	●				●				
SMT 996 SPECIAL			●	●					●	●	●	203
MST 624 SUPRA		●	●						●	●	●	204
MST 924 SPECIAL		●	●						●	●	●	204

● = main application ○ = possible application *on request

Minimum order quantities for made to order items

Diameter	Minimum order quantities
up to 150 mm	320 pieces
180 mm	160 pieces

Abrasive mop disc

SMT 314 EXTRA



Class	EXTRA
Aggression	■ ■ ■ ■ □ □ □
Service life	■ ■ ■ ■ □ □ □

Applications:	
Steel	●
NF metals	●
Wood	○



Properties	
Grain	Aluminium oxide
Backing plate	Glass fibre
Design	Convex 12°

Advantages: Good stock removal rate on unalloyed steels - Also suitable for non-ferrous metals - Good removal rate on angle grinders of all performance classes

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
Diameter x Bore in mm				Form		Grit		Max. operating speed			Max. RPM			Packing unit/pcs.			Cat. number		Price/pc. Kč							
115 x 22,23						36		80 m/s			13300 rpm			10			322808		125,23 Kč							
115 x 22,23						40		80 m/s			13300 rpm			10			322809		125,23 Kč							
115 x 22,23						60		80 m/s			13300 rpm			10			322811		125,23 Kč							
115 x 22,23						80		80 m/s			13300 rpm			10			322812		125,23 Kč							
115 x 22,23						120		80 m/s			13300 rpm			10			322813		125,23 Kč							
125 x 22,23						36		80 m/s			12250 rpm			10			322814		137,65 Kč							
125 x 22,23						40		80 m/s			12250 rpm			10			322815		137,65 Kč							
125 x 22,23						60		80 m/s			12250 rpm			10			322817		137,65 Kč							
125 x 22,23						80		80 m/s			12250 rpm			10			322818		137,65 Kč							
125 x 22,23						120		80 m/s			12250 rpm			10			322819		137,65 Kč							
180 x 22,23						40		80 m/s			8500 rpm			10			322821		304,29 Kč							
180 x 22,23						60		80 m/s			8500 rpm			10			322822		304,29 Kč							

Recommended prices.

Abrasive mop discs

Abrasive mop disc

SMT 324

EXTRA



Class	EXTRA
Aggression	■ ■ ■ ■ ■ □ □
Service life	■ ■ ■ ■ □ □ □

Applications:	
Stainless steel	●
Steel	●



Properties	
Grain	Zirconia alumina
Backing plate	Glass fibre
Design	Convex 12°, flat

Advantages: Universal product for edges and surface work on steel and stainless steel - Good removal rate on angle grinders of all performance classes - No glazing, also under low grinding pressure

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
Diameter x Bore in mm		Form		Grit		Max. operating speed		Max. RPM		Packing unit/pcs.		Cat. number		Price/pc. Kč												
115 x 22,23				40		80 m/s		13300 rpm		10		321509		108,67 Kč												
115 x 22,23				60		80 m/s		13300 rpm		10		321511		108,67 Kč												
115 x 22,23				80		80 m/s		13300 rpm		10		321513		108,67 Kč												
115 x 22,23				40		80 m/s		13300 rpm		10		321645		108,67 Kč												
115 x 22,23				60		80 m/s		13300 rpm		10		321647		108,67 Kč												
115 x 22,23				80		80 m/s		13300 rpm		10		321649		108,67 Kč												
125 x 22,23				40		80 m/s		12250 rpm		10		321510		121,09 Kč												
125 x 22,23				60		80 m/s		12250 rpm		10		321512		121,09 Kč												
125 x 22,23				80		80 m/s		12250 rpm		10		321514		121,09 Kč												
125 x 22,23				40		80 m/s		12250 rpm		10		321646		121,09 Kč												
125 x 22,23				60		80 m/s		12250 rpm		10		321648		121,09 Kč												
125 x 22,23				80		80 m/s		12250 rpm		10		321650		121,09 Kč												


Recommended prices.

Abrasive mop disc

SMT 325 EXTRA



Class	EXTRA
Aggression	■ ■ ■ ■ ■ □ □
Service life	■ ■ ■ ■ □ □ □



Applications:	
Stainless steel	●
Steel	●

XLOCK



Properties	
Grain	Zirconia alumina
Backing plate	Plastic, glass-fibre reinforced
Design	Convex 12°, flat

Advantages: Universal product for edges and surface work on steel and stainless steel - Good removal rate on angle grinders of all performance classes - No glazing, also under low grinding pressure

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter x Bore in mm	Form	Grit	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 22,23		40	80 m/s	13300 rpm	10	321659	108,67 Kč
115 x 22,23		60	80 m/s	13300 rpm	10	321661	108,67 Kč
115 x 22,23		80	80 m/s	13300 rpm	10	321663	108,67 Kč
115 x 22,23		40	80 m/s	13300 rpm	10	321653	108,67 Kč
115 x 22,23		60	80 m/s	13300 rpm	10	321655	108,67 Kč
115 x 22,23		80	80 m/s	13300 rpm	10	321657	108,67 Kč
115 x 22,23 X-LOCK		40	80 m/s	13300 rpm	10	351281	215,28 Kč
115 x 22,23 X-LOCK		60	80 m/s	13300 rpm	10	351280	215,28 Kč
115 x 22,23 X-LOCK		80	80 m/s	13300 rpm	10	351279	215,28 Kč
125 x 22,23		40	80 m/s	12250 rpm	10	321660	121,09 Kč
125 x 22,23		60	80 m/s	12250 rpm	10	321662	121,09 Kč
125 x 22,23		80	80 m/s	12250 rpm	10	321664	121,09 Kč
125 x 22,23		40	80 m/s	12250 rpm	10	321654	121,09 Kč
125 x 22,23		60	80 m/s	12250 rpm	10	321656	121,09 Kč
125 x 22,23		80	80 m/s	12250 rpm	10	321658	121,09 Kč
125 x 22,23 X-LOCK		40	80 m/s	12250 rpm	10	351278	234,94 Kč
125 x 22,23 X-LOCK		60	80 m/s	12250 rpm	10	351277	234,94 Kč
125 x 22,23 X-LOCK		80	80 m/s	12250 rpm	10	351276	234,94 Kč

Recommended prices.

Abrasive mop discs

Abrasive mop disc

SMT 624

SUPRA



Class	SUPRA
Aggression	■■■■■□
Service life	■■■■■□

Applications:	
Stainless steel	●
Steel	●



Properties	
Grain	Zirconia alumina
Backing plate	Glass fibre
Design	Convex 12°

Advantages: Aggressive stock removal rate and comfortable grinding behaviour - For universal use in demanding grinding work on steel and stainless steel - Optimal removal rate when used on high power angle grinders

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter x Bore in mm	Form	Grit	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
100 x 16		36	80 m/s	15300 rpm	10	322758	103,50 Kč
100 x 16		40	80 m/s	15300 rpm	10	322759	103,50 Kč
100 x 16		60	80 m/s	15300 rpm	10	322760	103,50 Kč
100 x 16		80	80 m/s	15300 rpm	10	322761	103,50 Kč
115 x 22,23		36	80 m/s	13300 rpm	10	322764	119,02 Kč
115 x 22,23		40	80 m/s	13300 rpm	10	322765	119,02 Kč
115 x 22,23		50	80 m/s	13300 rpm	10	322766	119,02 Kč
115 x 22,23		60	80 m/s	13300 rpm	10	322767	119,02 Kč
115 x 22,23		80	80 m/s	13300 rpm	10	322768	119,02 Kč
115 x 22,23		120	80 m/s	13300 rpm	10	322769	119,02 Kč
125 x 22,23		36	80 m/s	12250 rpm	10	322771	131,44 Kč
125 x 22,23		40	80 m/s	12250 rpm	10	322772	131,44 Kč
125 x 22,23		50	80 m/s	12250 rpm	10	322773	131,44 Kč
125 x 22,23		60	80 m/s	12250 rpm	10	322774	131,44 Kč
125 x 22,23		80	80 m/s	12250 rpm	10	322775	131,44 Kč
125 x 22,23		120	80 m/s	12250 rpm	10	322776	131,44 Kč
150 x 22,23		40	80 m/s	10200 rpm	10	322778	167,67 Kč
150 x 22,23		60	80 m/s	10200 rpm	10	322779	167,67 Kč
150 x 22,23		80	80 m/s	10200 rpm	10	322780	167,67 Kč
180 x 22,23		36	80 m/s	8500 rpm	10	322782	282,55 Kč
180 x 22,23		40	80 m/s	8500 rpm	10	322783	282,55 Kč
180 x 22,23		60	80 m/s	8500 rpm	10	322785	282,55 Kč
180 x 22,23		80	80 m/s	8500 rpm	10	322786	282,55 Kč
180 x 22,23		120	80 m/s	8500 rpm	10	322787	282,55 Kč

Recommended prices.

Abrasive mop disc

SMT 628 SUPRA



Class	SUPRA
Aggression	■ ■ ■ ■ ■ ■ ■ □
Service life	■ ■ ■ ■ ■ ■ □ □

Applications:	
Stainless steel	●
Steel	●



Properties	
Grain	Zirconia alumina
Backing plate	Glass fibre
Design	Flat

Advantages: Especially suitable for surface grinding of steel and stainless steel - Optimal removal rate when used on high power angle grinders - Aggressive stock removal rate and comfortable grinding behaviour

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
Diameter x Bore in mm					Form	Grit	Max. operating speed		Max. RPM		Packing unit/pcs.		Cat. number		Price/pc. Kč											
115 x 22,23						36	80 m/s		13300 rpm		10		322789		137,65 Kč											
115 x 22,23						40	80 m/s		13300 rpm		10		322790		137,65 Kč											
115 x 22,23						60	80 m/s		13300 rpm		10		322792		137,65 Kč											
115 x 22,23						80	80 m/s		13300 rpm		10		322793		137,65 Kč											
115 x 22,23						120	80 m/s		13300 rpm		10		322794		137,65 Kč											
125 x 22,23						36	80 m/s		12250 rpm		10		322795		151,11 Kč											
125 x 22,23						40	80 m/s		12250 rpm		10		322796		151,11 Kč											
125 x 22,23						60	80 m/s		12250 rpm		10		322798		151,11 Kč											
125 x 22,23						80	80 m/s		12250 rpm		10		322799		151,11 Kč											
125 x 22,23						120	80 m/s		12250 rpm		10		322800		151,11 Kč											
180 x 22,23						36	80 m/s		8500 rpm		10		322802		318,78 Kč											
180 x 22,23						40	80 m/s		8500 rpm		10		322803		318,78 Kč											
180 x 22,23						60	80 m/s		8500 rpm		10		322805		318,78 Kč											
180 x 22,23						80	80 m/s		8500 rpm		10		322806		318,78 Kč											

Recommended prices.

Abrasive mop discs

Abrasive mop disc

SMT 626

SUPRA



Class	SUPRA
Aggression	■■■■■■■□
Service life	■■■■■■■□

Applications:	
Stainless steel	●
Steel	●



Properties	
Grain	Zirconia alumina
Backing plate	Glass fibre
Design	Convex 6°

Advantages: High material removal rates - Considerably longer service life due to unique flap angle

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter x Bore in mm	Form	Grit	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 22,23		36	80 m/s	13300 rpm	10	321686	137,65 Kč
115 x 22,23		40	80 m/s	13300 rpm	10	321689	137,65 Kč
115 x 22,23		50	80 m/s	13300 rpm	10	321692	137,65 Kč
115 x 22,23		60	80 m/s	13300 rpm	10	321694	137,65 Kč
115 x 22,23		80	80 m/s	13300 rpm	10	321697	137,65 Kč
115 x 22,23		120	80 m/s	13300 rpm	10	321683	137,65 Kč
125 x 22,23		36	80 m/s	12250 rpm	10	321687	151,11 Kč
125 x 22,23		40	80 m/s	12250 rpm	10	321690	151,11 Kč
125 x 22,23		50	80 m/s	12250 rpm	10	321693	151,11 Kč
125 x 22,23		60	80 m/s	12250 rpm	10	321695	151,11 Kč
125 x 22,23		80	80 m/s	12250 rpm	10	321698	151,11 Kč
125 x 22,23		120	80 m/s	12250 rpm	10	321684	151,11 Kč
180 x 22,23		36	80 m/s	8500 rpm	10	321688	318,78 Kč
180 x 22,23		40	80 m/s	8500 rpm	10	321691	318,78 Kč
180 x 22,23		60	80 m/s	8500 rpm	10	321696	318,78 Kč
180 x 22,23		80	80 m/s	8500 rpm	10	321699	318,78 Kč

Recommended prices.


Abrasive mop disc, multibond

SMT 636 SUPRA



Class	SUPRA
Aggression	■ ■ ■ ■ ■ ■ □
Service life	■ ■ ■ ■ ■ □ □

Applications:	Stainless steel ●
----------------------	-------------------



Properties	
Grain	Zirconia alumina multibond
Backing plate	Glass fibre
Design	Convex 6°, flat

Advantages: Special product for use on stainless steel - Cool grinding due to multibond - Suitable for use on edges and surfaces - No glazing or clogging

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
Diameter x Bore in mm		Form		Grit		Max. operating speed		Max. RPM		Packing unit/pcs.		Cat. number		Price/pc. Kč												
115 x 22,23				40		80 m/s		13300 rpm		10		322826		148,00 Kč												
115 x 22,23				80		80 m/s		13300 rpm		10		322828		148,00 Kč												
125 x 22,23				40		80 m/s		12250 rpm		10		322831		167,67 Kč												
125 x 22,23				60		80 m/s		12250 rpm		10		322832		167,67 Kč												
125 x 22,23				80		80 m/s		12250 rpm		10		322833		167,67 Kč												


Abrasive mop disc

SMT 644 SUPRA



Class	SUPRA
Aggression	■ ■ ■ ■ ■ ■ □
Service life	■ ■ ■ ■ ■ □ □

Applications:	Steel ● Stainless steel ●
----------------------	------------------------------



Properties	
Grain	Zirconia alumina
Backing plate	Glass fibre
Design	Convex 12°, flat

Advantages: Long service life when used on extremely steep edges - Constant stock removal level even when used on surfaces - No glazing or clogging, even at low machine output or low grinding pressure (<1000W)

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
Diameter x Bore in mm				Form	Grit	Max. operating speed		Max. RPM		Packing unit/pcs.		Cat. number		Price/pc. Kč												
115 x 22,23					40	80 m/s		13300 rpm		10		329993		126,27 Kč												
115 x 22,23					80	80 m/s		13300 rpm		10		329995		126,27 Kč												
115 x 22,23					40	80 m/s		13300 rpm		10		329989		126,27 Kč												
125 x 22,23					40	80 m/s		12250 rpm		10		330005		144,90 Kč												
125 x 22,23					60	80 m/s		12250 rpm		10		330006		144,90 Kč												
125 x 22,23					80	80 m/s		12250 rpm		10		330007		144,90 Kč												

Recommended prices.



Abrasive mop discs

► Continuation of SMT 644, Abrasive mop disc

Diameter x Bore in mm	Form	Grit	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
125 x 22,23		120	80 m/s	12250 rpm	10	330008	144,90 Kč
125 x 22,23		40	80 m/s	12250 rpm	10	329997	144,90 Kč
125 x 22,23		60	80 m/s	12250 rpm	10	330002	144,90 Kč
125 x 22,23		80	80 m/s	12250 rpm	10	330003	144,90 Kč

Abrasive mop disc

SMT 645
SUPRA



Class	SUPRA
Aggression	■■■■■■■□
Service life	■■■■■■■

Applications:	
Stainless steel	●
Steel	●



Properties	
Grain	Zirconia alumina
Backing plate	Plastic, glass-fibre reinforced
Design	Flat

Advantages: High edge stability - Very good removal rate also on low power angle grinders - Long service life due to double grinding flaps

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter x Bore in mm	Form	Grit	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 22,23		40	80 m/s	13300 rpm	10	278590	175,95 Kč
115 x 22,23		60	80 m/s	13300 rpm	10	278591	175,95 Kč
115 x 22,23		80	80 m/s	13300 rpm	10	278592	175,95 Kč

Recommended prices.

Abrasive mop disc CEVOLUTION

SMT 674 SUPRA CEVOLUTION



Class	SUPRA
Aggression	■ ■ ■ ■ ■ ■ ■ ■
Service life	■ ■ ■ ■ ■ ■ □ □

Applications:	
Steel	●
Stainless steel	○



Properties	
Grain	Ceramic Al. oxide
Backing plate	Glass fibre
Design	Convex 12°, flat

Advantages: Universally suitable for all grinding tasks in the steel sector - Also suitable for stainless steel - Optimum price/performance ratio due to ceramic grain - The SMT 674 includes the new CEVOLUTION technology. CEVOLUTION stands for holistically optimized, ceramic abrasives. Klingspor products with CEVOLUTION technology contain, among others, an optimized grit mix, grit sizes and formulation in order to offer the maximum performance in every application.

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter x Bore in mm	Form	Grit	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 22,23		40	80 m/s	13300 rpm	10	369262	110,74 Kč
115 x 22,23		60	80 m/s	13300 rpm	10	369261	110,74 Kč
115 x 22,23		80	80 m/s	13300 rpm	10	369260	110,74 Kč
115 x 22,23		40	80 m/s	13300 rpm	10	369269	110,74 Kč
115 x 22,23		60	80 m/s	13300 rpm	10	369265	110,74 Kč
115 x 22,23		80	80 m/s	13300 rpm	10	369276	110,74 Kč
125 x 22,23		40	80 m/s	12250 rpm	10	369259	121,09 Kč
125 x 22,23		60	80 m/s	12250 rpm	10	369258	121,09 Kč
125 x 22,23		80	80 m/s	12250 rpm	10	369257	121,09 Kč
125 x 22,23		40	80 m/s	12250 rpm	10	369275	121,09 Kč
125 x 22,23		60	80 m/s	12250 rpm	10	369274	121,09 Kč
125 x 22,23		80	80 m/s	12250 rpm	10	369273	121,09 Kč
180 x 22,23		40	80 m/s	8500 rpm	10	369268	234,94 Kč
180 x 22,23		60	80 m/s	8500 rpm	10	369267	234,94 Kč
180 x 22,23		80	80 m/s	8500 rpm	10	369266	234,94 Kč

Recommended prices.

Abrasive mop discs

Abrasive mop disc

SMT 924 SPECIAL



Class	SPECIAL
Aggression	■■■■■■■■
Service life	■■■■■■■■

Applications:	
Stainless steel	●
Steel	●



Properties	
Grain	Ceramic Al. oxide
Backing plate	Glass fibre
Design	Convex 6°

Advantages: Highly aggressive abrasive performance for demanding work on edges - High edge stability - Optimal removal rate when used on high power angle grinders under increased grinding pressure

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter x Bore in mm	Form	Grit	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 22,23		40	80 m/s	13300 rpm	10	322862	171,81 Kč
115 x 22,23		80	80 m/s	13300 rpm	10	322864	171,81 Kč
125 x 22,23		40	80 m/s	12250 rpm	10	322867	197,68 Kč
125 x 22,23		60	80 m/s	12250 rpm	10	322868	197,68 Kč
125 x 22,23		80	80 m/s	12250 rpm	10	322869	197,68 Kč

CEVOLUTION

Abrasive mop disc CEVOLUTION

SMT 974 SPECIAL CEVOLUTION



Class	SPECIAL
Aggression	■■■■■■■■
Service life	■■■■■■■■

Applications:	
Steel	●
Stainless steel	○



Properties	
Grain	Ceramic Al. oxide
Backing plate	Glass fibre
Design	Convex 6°

Advantages: Newly developed abrasive for demanding grinding tasks in the steel sector - Optimal tool for edge and weld seam finishing - Highly economical on powerful angle grinders - The SMT 974 includes the new CEVOLUTION technology. CEVOLUTION stands for holistically optimized, ceramic abrasives. Klingspor products with CEVOLUTION technology contain, among others, an optimized grit mix, grit sizes and formulation in order to offer the maximum performance in every application.

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter x Bore in mm	Form	Grit	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 22,23		40	80 m/s	13300 rpm	10	369283	125,23 Kč
115 x 22,23		60	80 m/s	13300 rpm	10	369282	125,23 Kč
115 x 22,23		80	80 m/s	13300 rpm	10	369281	125,23 Kč
125 x 22,23		40	80 m/s	12250 rpm	10	369280	145,93 Kč
125 x 22,23		60	80 m/s	12250 rpm	10	369279	145,93 Kč
125 x 22,23		80	80 m/s	12250 rpm	10	369278	145,93 Kč

Recommended prices.

Abrasive mop disc

SMT 925 SPECIAL



Class	SPECIAL
Aggression	■■■■■■■■■
Service life	■■■■■■■■□

Applications:	
Stainless steel	●
Steel	●



Properties	
Grain	Zirconia alumina
Backing plate	Plastic, glass-fibre reinforced
Design	Convex 12°, flat

Advantages: Significantly higher abrasive performance and service life - Optimal removal rate when used on high-power angle grinders under increased grinding pressure - High removal rate and long service life

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
Diameter x Bore in mm		Form	Grit	Max. operating speed		Max. RPM		Packing unit/pcs.		Cat. number		Price/pc. Kč														
115 x 22,23			40	80 m/s		13300 rpm		10		321714		183,19 Kč														
115 x 22,23			36	80 m/s		13300 rpm		10		321668		183,19 Kč														
115 x 22,23			40	80 m/s		13300 rpm		10		321670		183,19 Kč														
115 x 22,23			60	80 m/s		13300 rpm		10		321674		183,19 Kč														
115 x 22,23			80	80 m/s		13300 rpm		10		321677		183,19 Kč														
125 x 22,23			40	80 m/s		12250 rpm		10		321719		218,38 Kč														
125 x 22,23			60	80 m/s		12250 rpm		10		321720		218,38 Kč														
125 x 22,23			40	80 m/s		12250 rpm		10		321671		218,38 Kč														
125 x 22,23			60	80 m/s		12250 rpm		10		321675		218,38 Kč														
125 x 22,23			80	80 m/s		12250 rpm		10		321678		218,38 Kč														
180 x 22,23			24	80 m/s		8500 rpm		5		321667		674,82 Kč														
180 x 22,23			40	80 m/s		8500 rpm		5		321672		674,82 Kč														
180 x 22,23			60	80 m/s		8500 rpm		5		321676		674,82 Kč														

Recommended prices.

Abrasive mop discs

CEVOLUTION

Abrasive mop disc CEVOLUTION

SMT 975 SPECIAL CEVOLUTION



Class	SPECIAL
Aggression	■■■■■■■■■
Service life	■■■■■■■■■

Applications:	
Steel	●
Stainless steel	○



Properties	
Grain	Ceramic Al. oxide
Backing plate	Plastic, glass-fibre reinforced
Design	Convex 6°

Advantages: High and fast stock removal due to newly developed abrasive with self-sharpening ceramic grain - Easy mounting due to integrated M14 thread - Very long tool life due to trimable backing plate - The SMT 975 includes the new CEVOLUTION technology. CEVOLUTION stands for holistically optimized, ceramic abrasives. Klingspor products with CEVOLUTION technology contain, among others, an optimized grit mix, grit sizes and formulation in order to offer the maximum performance in every application.

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter x Bore in mm	Form	Grit	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
115		40	80 m/s	13300 rpm	10	369295	144,90 Kč
115		60	80 m/s	13300 rpm	10	369296	144,90 Kč
115		80	80 m/s	13300 rpm	10	369297	144,90 Kč
125		40	80 m/s	12250 rpm	10	369301	182,16 Kč
125		60	80 m/s	12250 rpm	10	369303	182,16 Kč
125		80	80 m/s	12250 rpm	10	369304	182,16 Kč

Abrasive mop disc

SMT 926 SPECIAL



Class	SPECIAL
Aggression	■■■■■■■■□
Service life	■■■■■■■■■

Applications:	
Stainless steel	●
Steel	●



Properties	
Grain	Zirconia alumina
Backing plate	Glass fibre
Design	Convex 6°

Advantages: Maximum removal rate and service life - Especially suitable for rough work on steel and stainless steel - Optimal removal rate when used on high power angle grinders under increased grinding pressure

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter x Bore in mm	Form	Grit	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 22,23		40	80 m/s	13300 rpm	10	321703	161,46 Kč
115 x 22,23		60	80 m/s	13300 rpm	10	321706	161,46 Kč
115 x 22,23		80	80 m/s	13300 rpm	10	321708	161,46 Kč
125 x 22,23		40	80 m/s	12250 rpm	10	321704	189,40 Kč
125 x 22,23		60	80 m/s	12250 rpm	10	321707	189,40 Kč
125 x 22,23		80	80 m/s	12250 rpm	10	321709	189,40 Kč
180 x 22,23		40	80 m/s	8500 rpm	10	321705	349,83 Kč

Recommended prices.


Abrasive mop disc, multibond

SMT 996 SPECIAL



Class	SPECIAL
Aggression	■■■■■■■■■
Service life	■■■■■■■□

Applications:	
Stainless steel	●



Properties	
Grain	Ceramic aluminium oxide multibond
Backing plate	Glass fibre
Design	Convex 6°, flat

Advantages: Aggressive abrasive performance with little expenditure of energy - High edge stability - Cool grinding due to multibond - Optimal removal rate when used on high power angle grinders under increased grinding pressure

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter x Bore in mm	Form	Grit	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 22,23		40	80 m/s	13300 rpm	10	322849	197,68 Kč
115 x 22,23		60	80 m/s	13300 rpm	10	322850	197,68 Kč
115 x 22,23		80	80 m/s	13300 rpm	10	322851	197,68 Kč
125 x 22,23		40	80 m/s	12250 rpm	10	322852	234,94 Kč
125 x 22,23		60	80 m/s	12250 rpm	10	322853	234,94 Kč
125 x 22,23		80	80 m/s	12250 rpm	10	322854	234,94 Kč

CEVOLUTION

Abrasive mop disc, multibond, CEVOLUTION

SMT 976 SPECIAL CEVOLUTION



Class	SPECIAL
Aggression	■■■■■■■■■
Service life	■■■■■■■■■

Applications:	
Stainless steel	●
NF metals	○
Aluminium	○



Properties	
Grain	Ceramic aluminium oxide multibond
Backing plate	Glass fibre
Design	Convex 6°

Advantages: Newly developed abrasive for highest stock removal rates for stainless steel grinding tasks - Reduced grinding temperature due to multibond - Well suited for soft, smearing materials such as non-ferrous metals and aluminium - The SMT 976 includes the new CEVOLUTION technology. CEVOLUTION stands for holistically optimized, ceramic abrasives. Klingspor products with CEVOLUTION technology contain, among others, an optimized grit mix, grit sizes and formulation in order to offer the maximum performance in every application.

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------


Diameter x Bore in mm	Form	Grit	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 22,23		40	80 m/s	13300 rpm	10	369277	135,58 Kč
115 x 22,23		60	80 m/s	13300 rpm	10	369272	135,58 Kč
115 x 22,23		80	80 m/s	13300 rpm	10	369271	135,58 Kč
125 x 22,23		40	80 m/s	12250 rpm	10	369270	157,32 Kč
125 x 22,23		60	80 m/s	12250 rpm	10	369264	157,32 Kč
125 x 22,23		80	80 m/s	12250 rpm	10	369263	157,32 Kč

Recommended prices.

Abrasive mop discs

Mini abrasive mop disc

MST 624 SUPRA



Class SUPRA

Aggression ■■■■■■□

Service life ■■■■■■□

Applications:

Steel ●

Stainless steel ●

Properties

Grain Zirconia alumina

Backing plate Plastic, glass-fibre reinforced

Design Convex 6°

Advantages: Universally usable for demanding grinding tasks in the steel and stainless steel sector - Ideal for working in hard-to-reach areas - Highly economical thanks to fast tool changes

Available grits:


16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter in mm	Form	Grit	Thread/Shaft	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
50		40	Quick Roll Connect	80 m/s	30000 rpm	10	365094	50,71 Kč
50		60	Quick Roll Connect	80 m/s	30000 rpm	10	365147	50,71 Kč
50		80	Quick Roll Connect	80 m/s	30000 rpm	10	365148	50,71 Kč
50		120	Quick Roll Connect	80 m/s	30000 rpm	10	365149	50,71 Kč
75		40	Quick Roll Connect	80 m/s	20000 rpm	10	365150	81,76 Kč
75		60	Quick Roll Connect	80 m/s	20000 rpm	10	365151	81,76 Kč
75		80	Quick Roll Connect	80 m/s	20000 rpm	10	365152	81,76 Kč
75		120	Quick Roll Connect	80 m/s	20000 rpm	10	365153	81,76 Kč

Backing pad see page Seite 151 (QRC 555 firm)

Mini abrasive mop disc

MST 924 SPECIAL



Class SPECIAL

Aggression ■■■■■■

Service life ■■■■■■

Applications:

Steel ●

Stainless steel ●

Properties

Grain Ceramic Al. oxide

Backing plate Plastic, glass-fibre reinforced

Design Convex 6°

Advantages: Aggressive stock removal due to self-sharpening ceramic grain - Ideal for working on hard-to-reach areas - For coarse grinding tasks on high alloy steels and stainless steel materials

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter in mm	Form	Grit	Thread/Shaft	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
50		36	Quick Roll Connect	80 m/s	30000 rpm	10	365095	61,06 Kč
50		40	Quick Roll Connect	80 m/s	30000 rpm	10	365144	61,06 Kč
50		60	Quick Roll Connect	80 m/s	30000 rpm	10	365145	61,06 Kč
50		80	Quick Roll Connect	80 m/s	30000 rpm	10	365146	61,06 Kč

Recommended prices.



Abrasive mop discs



» Continuation of MST 924 Special Mini abrasive mop disc

Diameter in mm	Form	Grit	Thread/Shaft	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
75		36	Quick Roll Connect	80 m/s	20000 rpm	10	365137	137,65 Kč
75		40	Quick Roll Connect	80 m/s	20000 rpm	10	365138	107,64 Kč
75		60	Quick Roll Connect	80 m/s	20000 rpm	10	365143	107,64 Kč
75		80	Quick Roll Connect	80 m/s	20000 rpm	10	365136	107,64 Kč

Backing pad see page Seite 151 (QRC 555 firm)

Recommended prices.

Kronenflex® cutting-off wheels and grinding discs

	Material applications														Page
	Type	Thickness [mm]	Steel	Hardened steel	Tool steel	Stainless steel	High alloy steel	Corrosion and acidproof steels	Aluminium	Bronze	Copper	Brass	Zinc die-casting	Cast iron	
Kronenflex® cutting-off wheels 0,8 – 1,2 mm	A 980 TZ SPECIAL	0,8	●	●	●	●	●	●	○	○	○	○	○	○	208
	A 60 EXTRA	1,0	●	○	○		○	○	○	○	○	○	○	○	208
	A 660 R SUPRA	1,0	●	●	●	○	○	○	○	○	○	○			209
	A 60 TZ SPECIAL	1,0	●	●	●	●	●	●	○	○	○	○			210
	A 960 TZ SPECIAL	1,0	●	●	●	●	●	●	○	○	○	○			210
	A 60 N SUPRA	1,0	○	○	○	○	○	○	●	○	○	○	○	○	209
	K 960 TX SPECIAL	1,0	●	●	●	●	●	●	○	○	○	○			211
	Z 960 TX SPECIAL	1,0	○	●	●	●	●	●	○	○	○	○			211
	EDGE SPECIAL	1,2	●	●	●	●	●	●	●	○	○	○	●	○	212
	A 660 R SUPRA Small cutting-off wheel	1,0–1,6	●	●	●	●	○	○	○	○	○	○	○	○	212

	Material applications														Page
	Type	Thickness [mm]	Steel	Hardened steel	Tool steel	Stainless steel	High alloy steels	Corrosion and acidproof steels	Aluminium	Bronze	Copper	Brass	Die-cast aluminium	Zinc die-casting	
Kronenflex® cutting-off wheels 1,6 – 1,9 mm	A 346 EXTRA	1,6	●	○	○	○	○	○	○	○	○	○	○	○	214
	A 646 R SUPRA	1,6–1,9	●	●	●	○	●	●							214
	A 46 TZ SPECIAL	1,6–1,9	●	●	●	●	●	●	○	○	○	○		●	215
	A 946 TZ SPECIAL	1,6–1,9	●	●	●	●	●	●	○	○	○	○	○	○	216

	Material applications															Page
	Type	Thickness [mm]	Steel	Hardened steels	Tool steel	Stainless steel	High alloy steels	Corrosion and acidproof steels	Aluminium	Bronze	Copper	Brass	Zinc die-casting	Cast iron	Stone / concrete	
Kronenflex® cutting-off wheels 2,0 – 3,2 mm	A 24 EXTRA	2,0–3,2	●	○	●	○	○	○	○	○	○	○	○	○		217
	A 24 R SUPRA	2,5–3,0	●	●	●	○	○	○					○	○		218
	A 24 N SUPRA	2,5–3,0	○	●	○	●	●	●	○	○	○	○				218
	A 36 R SUPRA	2,0–2,5	○	○	●	●	●	●		○	○	○				219
	A 36 TZ SPECIAL	2,0	○	○	●	●	●	●						○		219
	A 24 R/36 SPECIAL	2,5–3,0	○	○	●	●	●	●								220
	A 24 TZ SPECIAL	2,5–3,0	●		○	●	●	●						○		220
	A 46 N SUPRA	2,5–3,0							●	●	●	●	○			221
	A 46 VZ SPECIAL	2,0	○	○	●	●	●	●					○			215
	C 24 EXTRA	2,5–3,0													●	221

Kronenflex® large cutting-off wheels	Machines																	Material applications									
	Type	Thickness [mm]	Handheld machines 80m/s		Handheld machines 100m/s		Bench chop saws	Stationary < 5KW	Steel	Hardened steels	Tool steel	Stainless steel	High alloy steels	Corrosion and aacidproof steels	Aluminium	Cast iron	Stone / concrete	Asphalt	Page								
	A 24 EXTRA	3,5	●						●	○	●	○	○	○		○			222								
	C 24 EXTRA	3,5	●													○	●	○	222								
	A 624 SX SPECIAL	3,5–4,0		●					●	●									223								
	A 924 R SPECIAL	4,0		●					●	●	●	○	○	○					224								
	A 924 SX SPECIAL	3,5–4,0		●					●	●									223								
	A 330 EXTRA	2,5–3,0			●				●	○	○	○	○	○	○				225								
	A 630 N SUPRA	2,5–3,2			●				●	○	○	○	○	○	○				226								
	A 930 N SPECIAL	2,5–3,5			●				●	○	○	○	○	○	○				226								
A 24 R SUPRA	3,0–4,5					●		●	●	●	○	○	○		○			225									

		Material applications														
Type	Thickness [mm]													Page		
		Steel	Hardened steels	Tool steel	Stainless steel	High alloy steels	Corrosion and acidproof steels	Aluminium	Bronze	Copper	Brass	Zinc die-casting	Cast iron		Stone / concrete	
A 24 EXTRA	6,0–8,0	●	○	○	○	○	○						○	○		227
A 24 EXTRA T	6,0–8,0	●	○	○	○	○	○							○		227
A 624 SUPRA	6,0	●	●	●	○	○	○							○		228
A 24 R SUPRA	4,0–10	●	●	●	○	○	○							○		228
A 24 R/01 SPECIAL	4,0	●	●	●	○	○	○									229
A 24 N SUPRA	6,0–8,0	○	●	○	●	●	●									229
A 24 R/36 SPECIAL	6,0	○	○	○	●	●	●									230
A 46 N SUPRA	6,0–8,0							●	○	○	○	○				230
A 624 T SUPRA	6,0	●	●	●	●	○	○					○	●			231
C 24 R SUPRA	6,0												○	●		231
A 16 R SUPRA	55	●												○		232
A 30 R SUPRA	55	●														232
C 16 R SUPRA	55													○	●	233
C 30 R SUPRA	55													○	●	233

● = main application ○ = possible applications

Kronenflex® cutting-off wheels 0,8 - 1,2 mm for angle grinders

Cutting-off wheel

A 980 TZ SPECIAL



Class	SPECIAL
Bond	■■■■■□
Aggression	■■■■■□
Service life	■■■■■□

Applications:	
Stainless steel	●
Steel	●
NF metals	●

Advantages: Free of iron, sulfur and chlorine - Very short cutting times - Very precise and clean cuts - Low thermal load - Minimal burr formation, minimizing finish-machining - 25 pieces delivered in the Kronenflex® box for long-lasting high-performance and moisture protection

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 0,8 x 22,23		80 m/s	13300 rpm	25	322182	81,76 Kč
125 x 0,8 x 22,23		80 m/s	12250 rpm	25	322183	87,97 Kč

Cutting-off wheel

A 60 EXTRA



Class	EXTRA
Bond	■■■■□□
Aggression	■■■■□□
Service life	■■■■□□

Applications:	
Metals	●

Advantages: Minimal burr formation - Low thermal load - Very good price-performance ratio

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 1 x 22,23		80 m/s	13300 rpm	25	262936	41,40 Kč
125 x 1 x 22,23		80 m/s	12250 rpm	25	262937	44,50 Kč

Recommended prices.

Kronenflex® cutting-off wheels 0,8 - 1,2 mm for angle grinders



Cutting-off wheel

A 60 N SUPRA



Class	SUPRA
Bond	■ ■ ■ ■ ■ ■ ■ ■
Aggression	■ ■ ■ ■ ■ ■ ■ ■
Service life	■ ■ ■ ■ ■ ■ ■ ■



Applications:	
Aluminium	●
NF metals	ⓘ

Advantages: Special combination prevents smearing and clogging - Minimal burr formation

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 1 x 22,23	—	80 m/s	13300 rpm	25	264297	47,61 Kč
125 x 1 x 22,23	—	80 m/s	12250 rpm	25	264298	55,89 Kč

Cutting-off wheel

A 660 R SUPRA



Class	SUPRA
Bond	■ ■ ■ ■ ■ ■ ■ ■
Aggression	■ ■ ■ ■ ■ ■ ■ ■
Service life	■ ■ ■ ■ ■ ■ ■ ■



Applications:	
Steel	●
Stainless steel	ⓘ

Advantages: Minimal burr formation - Low thermal load - Highest cutting performance

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 1 x 22,23	—	80 m/s	13300 rpm	25	328905	46,57 Kč
125 x 1 x 22,23	—	80 m/s	12250 rpm	25	328906	52,78 Kč

Recommended prices.

Kronenflex® cutting-off wheels 0,8 - 1,2 mm for angle grinders

Cutting-off wheel

A 60 TZ SPECIAL



Class	<i>SPECIAL</i>
Bond	■■■■■■■□
Aggression	■■■■■■■□
Service life	■■■■■■■□



Applications:	
Stainless steel	●
Steel	●
NF metals	○



Advantages: Free of iron, sulfur and chlorine - Short cutting times - Minimal burr formation - Low thermal load

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
100 x 1 x 16	—	80 m/s	15300 rpm	25	202402	52,78 Kč
115 x 1 x 22,23	—	80 m/s	13300 rpm	25	202400	49,68 Kč
115 x 1 x 22,23	—	80 m/s	13300 rpm	25	233741	49,68 Kč
125 x 1 x 22,23	—	80 m/s	12250 rpm	25	202401	52,78 Kč
125 x 1 x 22,23	—	80 m/s	12250 rpm	25	233742	52,78 Kč
125 x 1 x 22,23 X-LOCK	—	80 m/s	12250 rpm	25	351258	82,80 Kč

Cutting-off wheel

A 960 TZ SPECIAL



Class	<i>SPECIAL</i>
Bond	■■■■■■■
Aggression	■■■■■■■□
Service life	■■■■■■■



Applications:	
Stainless steel	●
Steel	●

Advantages: Free of iron, sulphur and chlorine - Short cutting times and long service life - Low thermal load - Low burr formation - Optimized bonding for considerably longer service life - For diverse applications - 25 pieces delivered in the Kronenflex® box for long lasting high performance and moisture protection

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 1 x 22,23	—	80 m/s	13300 rpm	25	322180	52,78 Kč
125 x 1 x 22,23	—	80 m/s	12250 rpm	25	322181	56,92 Kč

Recommended prices.

Kronenflex® cutting-off wheels 0,8 - 1,2 mm for angle grinders



Ceramic cutting-off wheel

K 960 TX SPECIAL



Class	SPECIAL
Bond	■■■■■■■■
Aggression	■■■■■■■■
Service life	■■■■■■■■



Applications:	
Steel	●
Stainless steel	●
High alloy steel	●
Carbon steel	●

CERAMIC



Advantages: Free of iron, sulfur and chlorine - Outstanding performance in daily use - Highest cutting performance, even with low grinding pressure - 25 pieces delivered in the Kronenflex® box for long lasting high performance and moisture protection

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 1 x 22,23	—	80 m/s	13300 rpm	25	328885	72,45 Kč
125 x 1 x 22,23	—	80 m/s	12250 rpm	25	328886	75,55 Kč

Cutting-off wheel

Z 960 TX SPECIAL



Class	SPECIAL
Bond	■■■■■■■■
Aggression	■■■■■■■■
Service life	■■■■■■■■



Applications:	
Stainless steel	●
Alloys	●
Carbon steel	●

ZIRCONIUM



Advantages: Free of iron, sulphur and chlorine - Ideal for tough/hard materials such as high alloy steels - Short cutting times and long service life due to self-sharpening zirconia alumina - Low thermal load - Low burr formation - 25 pieces delivered in the Kronenflex® box for long lasting high performance and moisture protection

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 1 x 22,23	—	80 m/s	13300 rpm	25	322184	60,03 Kč
125 x 1 x 22,23	—	80 m/s	12250 rpm	25	322185	64,17 Kč

Recommended prices.

Kronenflex® cutting-off wheels 0,8 - 1,2 mm for angle grinders

Cutting-off wheel

EDGE SPECIAL



Class	SPECIAL
Bond	■■■■■■■■■
Aggression	■■■■■■■■■
Service life	■■■■■■■■■




Applications:	
Stainless steel	●
Steel	●
Aluminium	●

Advantages: High-performance cutting-off wheel with self-sharpening abrasive grain - Great cutting performance combined with a long service life - Wide range of applications - Packaged in units of 25 in the Kronenflex® Box to preserve maximum performance and protect against moisture

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 1,2 x 22,23	—	80 m/s	13300 rpm	25	355380	79,69 Kč
125 x 1,2 x 22,23	—	80 m/s	12250 rpm	25	355379	84,87 Kč

Small cutting-off wheel

A 660 R SUPRA



Class	SUPRA
Bond	■■■■■■■■■
Aggression	■■■■■■■■■
Service life	■■■■■■■■■



Applications:	
Steel	●
Stainless steel	●

Advantages: Minimal burr formation - For universal use in hard-to-reach areas - For cutting tins, profiles and solid materials

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
50 x 1 x 6	—	80 m/s	30600 rpm	40	368881	58,99 Kč
76 x 1 x 6	—	80 m/s	20100 rpm	40	368880	62,10 Kč
76 x 1,6 x 6	—	80 m/s	20100 rpm	40	368878	63,13 Kč
76 x 1 x 10	—	80 m/s	20100 rpm	40	368879	60,03 Kč
76 x 1,6 x 10	—	80 m/s	20100 rpm	40	368877	63,13 Kč
100 x 1 x 10	—	80 m/s	15300 rpm	25	368876	60,03 Kč

Recommended prices.

Fixing spindle

SD 660



Advantages: Fixing spindle for clamping on the small A 660 R cutting blades onto straight grinders, flexible shafts, and drilling machines - Fits 6 and 10 mm holes

Diameter in mm	Suitable for	Packing unit/pcs.	Cat. number	Price/pc. Kč
6	6 and 10 mm bore	1	337156	529,92 Kč

Recommended prices.

Kronenflex® cutting-off wheels 1,6 - 1,9 mm

for angle grinders

Cutting-off wheel

A 346

EXTRA



Class	EXTRA
Bond	■ ■ ■ ■ ■ □ □ □
Aggression	■ ■ ■ ■ ■ □ □ □
Service life	■ ■ ■ ■ ■ □ □ □

Applications:	
Metals	●
Aluminium	○

Advantages: Free of iron, sulphur and chlorine - Universal use on steel and stainless steel (INOX) - Cutting disc made of a calcined, cubic aluminium oxide - Minimal burr formation and longer service life - Best suited for cutting thin-walled profiles and pipes

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 1,6 x 22,23	—	80 m/s	13300 rpm	25	340936	41,40 Kč
125 x 1,6 x 22,23	—	80 m/s	12250 rpm	25	340938	44,50 Kč

Cutting-off wheel

A 646 R

SUPRA



Class	SUPRA
Bond	■ ■ ■ ■ ■ □ □ □
Aggression	■ ■ ■ ■ ■ □ □ □
Service life	■ ■ ■ ■ ■ □ □ □

Applications:	
Steel	●
Stainless steel	○

Advantages: Free of iron, sulphur and chlorine - Universal use on steel and stainless steel - Cutting disc made of long-lasting, calcined aluminum oxide - Tremendous aggressiveness when used for cutting solid steel materials

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 1,6 x 22,23	—	80 m/s	13300 rpm	25	340947	47,61 Kč
125 x 1,6 x 22,23	—	80 m/s	12250 rpm	25	340946	51,75 Kč
150 x 1,6 x 22,23	—	80 m/s	10200 rpm	25	340945	67,27 Kč
180 x 1,6 x 22,23	—	80 m/s	8500 rpm	25	340944	73,48 Kč
230 x 1,9 x 22,23	—	80 m/s	6650 rpm	25	340943	105,57 Kč
230 x 1,9 x 22,23	—	80 m/s	6650 rpm	25	340942	105,57 Kč

Recommended prices.

Kronenflex® cutting-off wheels 1,6 - 1,9 mm for angle grinders



Cutting-off wheel

A 46 TZ SPECIAL



Class	<i>SPECIAL</i>
Bond	■■■■■■■□
Aggression	■■■■■■■□
Service life	■■■■■■■□



Applications:	
Stainless steel	●
Steel	●



Advantages: Free of iron, sulphur and chlorine - Universal use on steel and stainless steel - First choice for professional applications and fast cutting of demanding materials

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
100 x 1,6 x 16	—	80 m/s	15300 rpm	25	194071	67,27 Kč
115 x 1,6 x 22,23	—	80 m/s	13300 rpm	25	187170	49,68 Kč
125 x 1,6 x 22,23	—	80 m/s	12250 rpm	25	187171	52,78 Kč
125 x 1,6 x 22,23	—	80 m/s	12250 rpm	25	235379	52,78 Kč
125 x 1,6 x 22,23 X-LOCK	—	80 m/s	12250 rpm	25	351256	82,80 Kč
150 x 1,6 x 22,23	—	80 m/s	10200 rpm	25	241472	78,66 Kč
180 x 1,6 x 22,23	—	80 m/s	8500 rpm	25	221161	86,94 Kč
180 x 1,6 x 22,23	—	80 m/s	8500 rpm	25	312257	86,94 Kč
230 x 1,9 x 22,23	—	80 m/s	6650 rpm	25	224084	134,55 Kč
230 x 1,9 x 22,23	—	80 m/s	6650 rpm	25	265044	134,55 Kč

Thin cutting-off wheel & grinding disc

A 46 VZ SPECIAL



Class	<i>SPECIAL</i>
Bond	■■■■■■■□
Aggression	■■■■■■■□
Service life	■■■■■■■□



Applications:	
Stainless steel	●
Steel	●
NF metals	ⓘ

Advantages: Long service life - Multi-purpose: cutting off and light rough grinding with one wheel - High aggressiveness in cutting - No change of wheel necessary

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 2 x 22,23	—	80 m/s	13300 rpm	25	298176	68,31 Kč
125 x 2 x 22,23	—	80 m/s	12250 rpm	25	298177	76,59 Kč

Recommended prices.

Kronenflex® cutting-off wheels 1,6 - 1,9 mm

for angle grinders

Cutting-off wheel

A 946 TZ

SPECIAL



Class	SPECIAL
Bond	■■■■■■■■■
Aggression	■■■■■■■■■
Service life	■■■■■■■□



Applications:	
Steel	●
Stainless steel	●
NF metals	○
Castings	○

Advantages: Free of iron, sulfur and chlorine - Extra long service life across all applications - For universal use in metal processing - Short cutting times - Low burr formation - Low thermal load - 25 pieces delivered in the Kronenflex® box for long lasting high performance and moisture protection

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 1,6 x 22,23	—	80 m/s	13300 rpm	25	339109	60,03 Kč
125 x 1,6 x 22,23	—	80 m/s	12250 rpm	25	339110	64,17 Kč
150 x 1,6 x 22,23	—	80 m/s	10200 rpm	25	339111	94,18 Kč
180 x 1,6 x 22,23	—	80 m/s	8500 rpm	25	339112	104,53 Kč
230 x 1,9 x 22,23	—	80 m/s	6650 rpm	25	339113	160,42 Kč
230 x 1,9 x 22,23	—	80 m/s	6650 rpm	25	339114	160,42 Kč

Wheel flange

FL 76



Advantages: Use of the wheel flange increases lateral stability with thin cutting-off wheels having a flat form and diameters of 180 and 230 mm

Two-piece set

Diameter in mm	Suitable for	Packing unit/pcs.	Cat. number	Price/pc. Kč
76	A 46 TZ + A 646 R + A 946 TZ	1	236130	3.092,58 Kč

Recommended prices.

Kronenflex® cutting-off wheels 2,0 - 3,2 mm for angle grinders



Cutting-off wheel

A 24 EXTRA



Class	EXTRA
Bond	■ ■ ■ ■ □ □ □ □
Aggression	■ ■ ■ ■ □ □ □ □
Service life	■ ■ ■ ■ □ □ □ □

Applications:	
Metals	●

Advantages: Proven a million times over - Standard wheel with outstanding price-performance ratio - For universal use in metalworking - Fast cutting off of solid material

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
100 x 2,5 x 16		80 m/s	15300 rpm	25	188998	35,19 Kč
115 x 2,5 x 22,23		80 m/s	13300 rpm	25	242137	38,29 Kč
115 x 2,5 x 22,23		80 m/s	13300 rpm	25	188461	36,22 Kč
115 x 3,2 x 22,23		80 m/s	13300 rpm	25	209014	52,78 Kč
125 x 2,5 x 22,23		80 m/s	12250 rpm	25	242138	41,40 Kč
125 x 2,5 x 22,23		80 m/s	12250 rpm	25	188463	41,40 Kč
125 x 3,2 x 22,23		80 m/s	12250 rpm	25	209016	60,03 Kč
150 x 2,5 x 22,23		80 m/s	10200 rpm	25	235375	64,17 Kč
150 x 2,5 x 22,23		80 m/s	10200 rpm	25	235374	67,27 Kč
180 x 2 x 22,23		80 m/s	8500 rpm	25	286455	71,41 Kč
180 x 3 x 22,23		80 m/s	8500 rpm	25	13490	73,48 Kč
180 x 3 x 22,23		80 m/s	8500 rpm	25	189000	73,48 Kč
230 x 2 x 22,23		80 m/s	6650 rpm	25	286456	94,18 Kč
230 x 3 x 22,23		80 m/s	6650 rpm	25	13492	97,29 Kč
230 x 3 x 22,23		80 m/s	6650 rpm	25	189002	97,29 Kč

Recommended prices.

Kronenflex® cutting-off wheels 2,0 - 3,2 mm for angle grinders

Cutting-off wheel

A 24 R SUPRA



Class	SUPRA		Applications:
Bond	■ ■ ■ ■ ■ □ □		Steel ●
Aggression	■ ■ ■ ■ □ □ □		Stainless steel ○
Service life	■ ■ ■ ■ □ □ □		Castings ○

Advantages: Optimized combination for use on steel - Can be used on stainless steel - Good cutting properties

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
100 x 2,5 x 16		80 m/s	15300 rpm	25	13754	58,99 Kč
115 x 2,5 x 22,23		80 m/s	13300 rpm	25	13297	46,57 Kč
115 x 2,5 x 22,23		80 m/s	13300 rpm	25	13466	46,57 Kč
125 x 2,5 x 22,23		80 m/s	12250 rpm	25	13295	52,78 Kč
125 x 2,5 x 22,23		80 m/s	12250 rpm	25	13738	52,78 Kč
150 x 2,5 x 22,23		80 m/s	10200 rpm	25	6667	83,83 Kč
180 x 3 x 22,23		80 m/s	8500 rpm	25	13456	97,29 Kč
180 x 3 x 22,23		80 m/s	8500 rpm	25	13470	97,29 Kč
230 x 3 x 22,23		80 m/s	6650 rpm	25	13464	129,37 Kč
230 x 3 x 22,23		80 m/s	6650 rpm	25	13478	129,37 Kč

Cutting-off wheel

A 24 N SUPRA



Class	SUPRA		Applications:
Bond	■ ■ ■ □ □ □ □		Stainless steel ●
Aggression	■ ■ ■ ■ □ □ □		Aluminium ○
Service life	■ ■ ■ ■ □ □ □		

Advantages: Special recipe prevents smearing and clogging - High removal rate on stainless steel due to hardened aluminium oxide

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 2,5 x 22,23		80 m/s	13300 rpm	25	3020	46,57 Kč
125 x 2,5 x 22,23		80 m/s	12250 rpm	25	2951	51,75 Kč
150 x 2,5 x 22,23		80 m/s	10200 rpm	25	235377	81,76 Kč
180 x 3 x 22,23		80 m/s	8500 rpm	25	13455	95,22 Kč
230 x 3 x 22,23		80 m/s	6650 rpm	25	13463	132,48 Kč
230 x 3 x 22,23		80 m/s	6650 rpm	25	13477	132,48 Kč

Recommended prices.

Kronenflex® cutting-off wheels 2,0 - 3,2 mm for angle grinders



Cutting-off wheel

A 36 R SUPRA



Class	SUPRA
Bond	■ ■ ■ ■ ■ □ □
Aggression	■ ■ ■ ■ ■ □
Service life	■ ■ ■ ■ ■ □

Applications:	
Stainless steel	●

Advantages: Excellent cutting performance - Optimized aggression and service life

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 2 x 22,23	—	80 m/s	13300 rpm	25	123208	43,47 Kč
125 x 2 x 22,23	—	80 m/s	12250 rpm	25	126849	47,61 Kč
150 x 2 x 22,23	—	80 m/s	10200 rpm	25	251752	78,66 Kč
180 x 2,5 x 22,23	—	80 m/s	8500 rpm	25	123209	111,78 Kč
230 x 2,5 x 22,23	—	80 m/s	6650 rpm	25	123833	150,07 Kč

Cutting-off wheel

A 36 TZ SPECIAL



Class	SPECIAL
Bond	■ ■ ■ ■ ■ □
Aggression	■ ■ ■ ■ ■ ■
Service life	■ ■ ■ ■ ■ □

Applications:	
Stainless steel	●
Steel	①

Advantages: Very good cutting performance, even with low grinding pressure

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 2 x 22,23	—	80 m/s	13300 rpm	25	136549	55,89 Kč
125 x 2 x 22,23	—	80 m/s	12250 rpm	25	136550	67,27 Kč
180 x 2 x 22,23	—	80 m/s	8500 rpm	25	136551	123,16 Kč
230 x 2 x 22,23	—	80 m/s	6650 rpm	25	136552	172,84 Kč

Recommended prices.

Kronenflex® cutting-off wheels 2,0 - 3,2 mm for angle grinders

Cutting-off wheel

A 24 TZ SPECIAL



Class	SPECIAL										Applications:
Bond	■	■	■	■	■	■	■	■	■	■	Stainless steel ●
Aggression	■	■	■	■	■	■	■	■	■	■	Steel ●
Service life	■	■	■	■	■	■	■	■	■	■	Castings ○

Advantages: Optimized combination for use on stainless steel - Excellent performance

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 2,5 x 22,23		80 m/s	13300 rpm	25	136554	67,27 Kč
125 x 2,5 x 22,23		80 m/s	12250 rpm	25	136555	75,55 Kč
180 x 3 x 22,23		80 m/s	8500 rpm	25	136558	136,62 Kč
230 x 3 x 22,23		80 m/s	6650 rpm	25	136559	196,65 Kč

Cutting-off wheel

A 24 R/36 SPECIAL



Class	SPECIAL										Applications:
Bond	■	■	■	■	■	■	■	■	■	■	Stainless steel ●
Aggression	■	■	■	■	■	■	■	■	■	■	
Service life	■	■	■	■	■	■	■	■	■	■	

Advantages: Special wheel for the nuclear industry - Free of iron, sulphur and chlorine

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 2,5 x 22,23		80 m/s	13300 rpm	25	60534	41,40 Kč
125 x 2,5 x 22,23		80 m/s	12250 rpm	25	2825	46,57 Kč
180 x 3 x 22,23		80 m/s	8500 rpm	25	60537	100,39 Kč
230 x 3 x 22,23		80 m/s	6650 rpm	25	60061	140,76 Kč

Recommended prices.

Kronenflex® cutting-off wheels 2,0 - 3,2 mm for angle grinders



Cutting-off wheel

A 46 N SUPRA



Class	SUPRA
Bond	■ ■ ■ ■ □ □ □ □
Aggression	■ ■ ■ ■ ■ □ □ □
Service life	■ ■ ■ ■ ■ □ □ □

Applications:	
Aluminium	●
NF metals	○

Advantages: Special combination prevents smearing and clogging - Optimized cutting off performance on non-ferrous metals

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 2,5 x 22,23		80 m/s	13300 rpm	25	170707	49,68 Kč
125 x 2,5 x 22,23		80 m/s	12250 rpm	25	170708	55,89 Kč
180 x 3 x 22,23		80 m/s	8500 rpm	25	170709	126,27 Kč
230 x 3 x 22,23		80 m/s	6650 rpm	25	170710	181,12 Kč

Cutting-off wheel

C 24 EXTRA



Class	EXTRA
Bond	■ ■ ■ ■ □ □ □ □
Aggression	■ ■ ■ ■ □ □ □ □
Service life	■ ■ ■ ■ □ □ □ □

Applications:	
Stone/Concrete	●
Titanium	●

Advantages: Universal cutting-off wheel for all mineral materials - Wide application range due to sharp, coarse SiC grit

SILICON CARBIDE !

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 2,5 x 22,23		80 m/s	13300 rpm	25	242143	52,78 Kč
115 x 2,5 x 22,23		80 m/s	13300 rpm	25	188462	52,78 Kč
125 x 2,5 x 22,23		80 m/s	12250 rpm	25	242144	60,03 Kč
125 x 2,5 x 22,23		80 m/s	12250 rpm	25	188464	60,03 Kč
180 x 3 x 22,23		80 m/s	8500 rpm	25	13489	105,57 Kč
230 x 3 x 22,23		80 m/s	6650 rpm	25	13491	154,21 Kč
230 x 3 x 22,23		80 m/s	6650 rpm	25	189003	154,21 Kč

Recommended prices.

Kronenflex® large cutting-off wheels

for petrol driven saw / cutter

Cutting-off wheel

A 24 EXTRA



Class	EXTRA
Bond	■ ■ ■ ■ □ □ □
Aggression	■ ■ ■ ■ □ □ □
Service life	■ ■ ■ ■ □ □ □

Applications:
Metals ●

Advantages: Standard wheel with outstanding price-performance ratio - For universal use in metalworking - For use on gas powered freehand machines with a cutting speed of 80 m/s

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
300 x 3,5 x 20	—	80 m/s	5100 rpm	10	288221	227,70 Kč
300 x 3,5 x 22,23	—	80 m/s	5100 rpm	10	288222	227,70 Kč

Cutting-off wheel

C 24 EXTRA



Class	EXTRA
Bond	■ ■ ■ ■ □ □ □
Aggression	■ ■ ■ ■ □ □ □
Service life	■ ■ ■ ■ □ □ □

Applications:
Stone/Concrete ●

SILICON CARBIDE



Advantages: Optimal for all mineral materials due to sharp, coarse SiC grit - For use on gas powered freehand machines with a cutting speed of 80 m/s

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
300 x 3,5 x 20	—	80 m/s	5100 rpm	10	288223	307,39 Kč
300 x 3,5 x 22,23	—	80 m/s	5100 rpm	10	288224	307,39 Kč

Recommended prices.

Kronenflex® large cutting-off wheels

for petrol driven saw / cutter with clamping device



Cutting-off wheel

A 624 SX SUPRA



Class SUPRA

Bond	■ ■ ■ ■ ■ □ □
Aggression	■ ■ ■ ■ ■ ■ ■
Service life	■ ■ ■ ■ ■ □ □



Applications:

Steel	●
-------	---

Advantages: For universal use on all rail types - Top performing product for lower powered machines (<5kW) and hard rails - Fast cutting, due to softer bond - For use on gas powered cutting-off machines with a cutting speed of 100 m/s and clamping device

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
305 x 3,5 x 22,23	—	100 m/s	6400 rpm	10	353111	411,93 Kč
356 x 4 x 22,23	—	100 m/s	5500 rpm	10	351433	615,82 Kč
356 x 4 x 25,4	—	100 m/s	5500 rpm	10	340641	615,82 Kč
406 x 4 x 25,4	—	100 m/s	4800 rpm	10	351436	736,92 Kč

Cutting-off wheel

A 924 SX SPECIAL



Class SPECIAL

Bond	■ ■ ■ ■ ■ ■ □
Aggression	■ ■ ■ ■ ■ ■ ■
Service life	■ ■ ■ ■ ■ ■ ■



Applications:

Steel	●
-------	---

Advantages: For universal use on all rail types - Top performing product for high powered machines (>5kW) and hard rails - For use on gas powered cutting-off machines with a cutting speed of 100 m/s and clamping device - Excellent service life

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
305 x 3,5 x 22,23	—	100 m/s	6400 rpm	10	353093	493,69 Kč
356 x 4 x 22,23	—	100 m/s	5500 rpm	10	352325	737,95 Kč
356 x 4 x 25,4	—	100 m/s	5500 rpm	10	353097	737,95 Kč
406 x 4 x 25,4	—	100 m/s	4800 rpm	10	352324	884,92 Kč

Recommended prices.

Kronenflex® large cutting-off wheels

for petrol driven saw / cutter

Cutting-off wheel

A 924 R

SPECIAL



Class	SPECIAL
Bond	■■■■■□□
Aggression	■■■■■□□
Service life	■■■■■

Applications:	
Steel	●
Stainless steel	○

Advantages: Optimised bond for use on steel, also can be used on stainless steel - For use on gas powered free-hand machines with a cutting speed of 100m/s - Free-hand cutting of pipes, rods, profiles and solid materials

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
305 x 4 x 20	—	100 m/s	6400 rpm	10	354419	349,83 Kč
305 x 4 x 22,23	—	100 m/s	6400 rpm	10	354418	349,83 Kč
305 x 4 x 25,4	—	100 m/s	6400 rpm	10	354417	349,83 Kč
356 x 4 x 20	—	100 m/s	5500 rpm	10	354416	506,11 Kč
356 x 4 x 22,23	—	100 m/s	5500 rpm	10	354415	506,11 Kč
356 x 4 x 25,4	—	100 m/s	5500 rpm	10	354414	506,11 Kč
406 x 4,5 x 20	—	100 m/s	4800 rpm	10	384980	615,82 Kč
406 x 4,5 x 25,4	—	100 m/s	4800 rpm	10	369735	615,82 Kč

Recommended prices.

Kronenflex® large cutting-off wheels

for stationary cutting / chop saws



Cutting-off wheel

A 24 R SUPRA



Class SUPRA

Bond	■ ■ ■ ■ ■ ■ ■ □
Aggression	■ ■ ■ ■ ■ □ □ □
Service life	■ ■ ■ ■ ■ ■ □ □

Applications:

Steel	●
Stainless steel	ⓘ
Castings	ⓘ

Advantages: Optimized combination for use on steel - Can be used on stainless steel - Good cutting properties - Optimal for stationary 3 - 5 kW cutting-off machine

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
250 x 3 x 32	—	100 m/s	7650 rpm	10	2465	234,94 Kč
300 x 3 x 22,23	—	100 m/s	6400 rpm	10	71365	273,24 Kč
300 x 3 x 25,4	—	100 m/s	6400 rpm	10	6793	273,24 Kč
300 x 3 x 30	—	100 m/s	6400 rpm	10	13524	273,24 Kč
300 x 3 x 32	—	100 m/s	6400 rpm	10	6807	273,24 Kč
350 x 3,5 x 25,4	—	100 m/s	5500 rpm	10	13528	407,79 Kč
350 x 3,5 x 32	—	100 m/s	5500 rpm	10	13536	407,79 Kč
400 x 4,5 x 25,4	—	100 m/s	4800 rpm	10	292933	724,50 Kč
400 x 4,5 x 32	—	100 m/s	4800 rpm	10	292932	724,50 Kč
400 x 4,5 x 40	—	100 m/s	4800 rpm	10	296567	724,50 Kč

Cutting-off wheel

A 330 EXTRA



Class EXTRA

Bond	■ ■ ■ ■ ■ ■ ■ □
Aggression	■ ■ ■ ■ ■ □ □ □
Service life	■ ■ ■ ■ ■ □ □ □

Applications:

Steel	●
Stainless steel	ⓘ
Aluminium	ⓘ

Advantages: More stability during cutting due to two glass fibre reinforcement mesh - Good cutting speed with a long service life - Recommended for various materials and different profiles - Usable on chop saws in craft and industry

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
305 x 2,5 x 25,4	—	80 m/s	5100 rpm	10	360976	213,21 Kč
356 x 2,5 x 25,4	—	80 m/s	4400 rpm	10	353326	302,22 Kč
406 x 3 x 25,4	—	80 m/s	3850 rpm	10	353329	404,68 Kč

Recommended prices.

Kronenflex® large cutting-off wheels

for chop saws

Cutting-off wheel

A 630 N

SUPRA



Class	SUPRA
Bond	■■■■■□□
Aggression	■■■■■□□
Service life	■■■■■□□



Applications:	
Steel	●
Stainless steel	○
Aluminium	○

Advantages: Aggressive model with an outstanding service life - An exceptional choice for the cutting of solid material - Bond optimized for universal use - Low thermal load - Minimum burr formation

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
356 x 2,5 x 25,4	—	80 m/s	4400 rpm	10	353324	362,25 Kč
406 x 3,2 x 25,4	—	80 m/s	3850 rpm	10	353328	484,38 Kč

Cutting-off wheel

A 930 N

SPECIAL



Class	SPECIAL
Bond	■■■■■□□
Aggression	■■■■■□□
Service life	■■■■■□□



Applications:	
Steel	●
Stainless steel	○
Aluminium	○

Advantages: Ultimate aggression and service life for universal use (pipes, profiles, solid material) - Low thermal load and minimum burr formation due to one glass fibre reinforcement mesh - An exceptional choice for 110 volt machines and the cutting of solid material

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
300 x 2,5 x 25,4	—	80 m/s	5100 rpm	10	322627	379,84 Kč
350 x 3 x 25,4	—	80 m/s	4400 rpm	10	322628	453,33 Kč

Recommended prices.

Grinding disc

A 24 EXTRA



Class	EXTRA
Bond	■ ■ ■ ■ ■ □ □
Aggression	■ ■ ■ ■ □ □ □
Service life	■ ■ ■ ■ □ □ □

Applications:	
Metals	●

XLOCK !

Advantages: Standard disc with excellent price-performance ratio - For universal use in metalworking - Excellent results on all standard angle grinders

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
100 x 6 x 16		80 m/s	15300 rpm	10	189004	53,82 Kč
115 x 6 x 22,23		80 m/s	13300 rpm	10	188465	74,52 Kč
125 x 6 x 22,23		80 m/s	12250 rpm	10	188466	79,69 Kč
125 x 6 x 22,23 X-LOCK		80 m/s	12250 rpm	10	351252	114,88 Kč
150 x 6 x 22,23		80 m/s	10200 rpm	10	235371	109,71 Kč
180 x 6 x 22,23		80 m/s	8500 rpm	10	13444	119,02 Kč
180 x 8 x 22,23		80 m/s	8500 rpm	10	13446	159,39 Kč
230 x 6 x 22,23		80 m/s	6650 rpm	10	13447	184,23 Kč
230 x 8 x 22,23		80 m/s	6650 rpm	10	13448	256,68 Kč

Grinding disc

A 24 EXTRA T



Class	EXTRA
Bond	■ ■ ■ ■ ■ □ □
Aggression	■ ■ ■ □ □ □ □
Service life	■ ■ ■ ■ □ □ □

Applications:	
Metals	●

Advantages: Extra hard grinding disc - Optimal for edge work and for removal of stubborn burrs

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
180 x 6 x 22,23		80 m/s	8500 rpm	10	13794	132,48 Kč
180 x 8 x 22,23		80 m/s	8500 rpm	10	13445	176,98 Kč

Recommended prices.

Kronenflex® grinding discs

Grinding disc

A 624 SUPRA



NEW

Class	SUPRA		Applications:
Bond	■ ■ ■ ■ ■ □ □ □		Steel ●
Aggression	■ ■ ■ ■ ■ □ □ □		Stainless steel ○
Service life	■ ■ ■ ■ ■ □ □ □		Cast iron ○

Advantages: High quality disc with increased grinding comfort - New mixture for particularly long service life - Free of iron, sulfur and chlorine

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 6 x 22,23		80 m/s	13300 rpm	10	701967	84,87 Kč
125 x 6 x 22,23		80 m/s	12250 rpm	10	701968	96,25 Kč
180 x 6 x 22,23		80 m/s	8500 rpm	10	701971	175,95 Kč
230 x 6 x 22,23		80 m/s	6650 rpm	10	701940	260,82 Kč

Grinding disc

A 24 R SUPRA



Class	SUPRA		Applications:
Bond	■ ■ ■ ■ ■ □ □ □		Steel ●
Aggression	■ ■ ■ ■ ■ □ □ □		Stainless steel ○
Service life	■ ■ ■ ■ ■ □ □ □		Castings ○

Advantages: With optimised recipe for use on steel - Also suitable for use on stainless steel - Large product range

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
100 x 4 x 16		80 m/s	15300 rpm	10	13400	90,04 Kč
100 x 6 x 16		80 m/s	15300 rpm	10	6578	97,29 Kč
115 x 4 x 22,23		80 m/s	13300 rpm	10	13746	81,76 Kč
115 x 6 x 22,23		80 m/s	13300 rpm	10	13401	86,94 Kč
125 x 4 x 22,23		80 m/s	12250 rpm	10	240831	87,97 Kč
125 x 6 x 22,23		80 m/s	12250 rpm	10	13402	97,29 Kč
150 x 6 x 22,23		80 m/s	10200 rpm	10	13403	124,20 Kč
180 x 10 x 22,23		80 m/s	8500 rpm	10	13423	251,50 Kč
180 x 4 x 22,23		80 m/s	8500 rpm	10	13408	138,69 Kč
180 x 7 x 22,23		80 m/s	8500 rpm	10	13413	193,54 Kč

Recommended prices.



► Continuation of A 24 R Supra, Grinding disc

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
180 x 8 x 22,23		80 m/s	8500 rpm	10	13418	212,17 Kč
230 x 4 x 22,23		80 m/s	6650 rpm	10	13428	204,93 Kč
230 x 6 x 22,23		80 m/s	6650 rpm	10	13433	287,73 Kč
230 x 8 x 22,23		80 m/s	6650 rpm	10	13438	333,27 Kč

Grinding disc

A 24 R/01 SPECIAL



Class	SPECIAL
Bond	■ ■ ■ ■ □ □ □ □
Aggression	■ ■ ■ ■ ■ □ □ □
Service life	■ ■ ■ □ □ □ □ □

Applications:

Steel	●
Stainless steel	ⓘ

Advantages: Special disc for pipeline and tank construction - Suitable for root seams - For repair of weld seams

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
125 x 4 x 22,23		80 m/s	12250 rpm	10	130825	96,25 Kč
180 x 4 x 22,23		80 m/s	8500 rpm	10	13756	151,11 Kč

Grinding disc INOX

A 24 N SUPRA



Class	SUPRA
Bond	■ ■ ■ □ □ □ □ □
Aggression	■ ■ ■ ■ ■ □ □ □
Service life	■ ■ ■ ■ □ □ □ □

Applications:

Stainless steel	●
Aluminium	ⓘ

Advantages: High removal rate on stainless steel - Optimal ratio between removal and wear

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 6 x 22,23		80 m/s	13300 rpm	10	2923	107,64 Kč
125 x 6 x 22,23		80 m/s	12250 rpm	10	2922	121,09 Kč
180 x 4 x 22,23		80 m/s	8500 rpm	10	13407	171,81 Kč
180 x 6 x 22,23		80 m/s	8500 rpm	10	13412	207,00 Kč
180 x 8 x 22,23		80 m/s	8500 rpm	10	13417	279,45 Kč
230 x 6 x 22,23		80 m/s	6650 rpm	10	13432	317,74 Kč

Recommended prices.

Kronenflex® grinding discs

Grinding disc

A 24 R/36 SPECIAL



Class	SPECIAL
Bond	■ ■ ■ ■ □ □ □ □
Aggression	■ ■ ■ ■ □ □ □ □
Service life	■ ■ ■ ■ □ □ □ □

Applications:	
Stainless steel	●

Advantages: Special wheel for the nuclear industry - Free of iron, sulfur and chlorine - Optimal ratio between removal and wear

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 6 x 22,23		80 m/s	13300 rpm	10	2488	100,39 Kč
125 x 6 x 22,23		80 m/s	12250 rpm	10	2830	113,85 Kč
180 x 6 x 22,23		80 m/s	8500 rpm	10	2463	231,84 Kč

Grinding disc

A 46 N SUPRA



Class	SUPRA
Bond	■ ■ ■ □ □ □ □ □
Aggression	■ ■ ■ ■ □ □ □ □
Service life	■ ■ ■ ■ □ □ □ □

Applications:	
Aluminium	●
NF metals	●

Advantages: No clogging when used on non-ferrous metals - Optimal ratio between removal and wear

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 6 x 22,23		80 m/s	13300 rpm	10	6622	113,85 Kč
125 x 6 x 22,23		80 m/s	12250 rpm	10	2226	126,27 Kč
180 x 6 x 22,23		80 m/s	8500 rpm	10	13410	225,63 Kč
180 x 8 x 22,23		80 m/s	8500 rpm	10	13415	298,08 Kč

Recommended prices.

Grinding disc

A 624 T SUPRA



Class	SUPRA	Applications:
Bond	■■■■■■■□	Steel ●
Aggression	■■■■■□□□	Stainless steel ●
Service life	■■■■■■■□	Castings ●

Advantages: Special recipe for use on various materials - Optimal ratio between removal and wear

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 6 x 22,23		80 m/s	13300 rpm	10	325215	127,30 Kč
125 x 6 x 22,23		80 m/s	12250 rpm	10	325216	149,04 Kč
180 x 6 x 22,23		80 m/s	8500 rpm	10	325217	267,03 Kč
230 x 6 x 22,23		80 m/s	6650 rpm	10	325218	430,56 Kč

Grinding disc

C 24 R SUPRA



Class	SUPRA	Applications:
Bond	■■■□□□□	Stone/Concrete ●
Aggression	■■■■□□□	Castings ○
Service life	■■■■□□□	

Advantages: Ideal for use on stone and mineral materials - High removal rate due to sharp, coarse SiC grain

SILICON CARBIDE !

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
180 x 6 x 22,23		80 m/s	8500 rpm	10	13409	249,43 Kč

Kronenflex® cup grinding wheels

Cup grinding wheel

A 16 R

SUPRA



Class	SUPRA
Bond	■ ■ ■ ■ □ □ □
Aggression	■ ■ ■ ■ □ □ □
Service life	■ ■ ■ □ □ □ □

Applications:	
Steel	●
Castings	○

Advantages: For surface grinding and finish grinding of weld seams - Coarse grain for optimized aggressiveness

Diameter x Height x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
110 x 55 x 22,23		50 m/s	8600 rpm	6	13729	597,19 Kč

Cup grinding wheel

A 30 R

SUPRA



Class	SUPRA
Bond	■ ■ ■ ■ □ □ □
Aggression	■ ■ ■ ■ □ □ □
Service life	■ ■ ■ □ □ □ □

Applications:	
Steel	●

Advantages: For surface grinding and finish grinding of weld seams - Optimized aggressiveness and long service life

Diameter x Height x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
110 x 55 x 22,23		50 m/s	8600 rpm	6	13728	597,19 Kč

Recommended prices.

Cup grinding wheels may only be used on angle grinders diameter 180mm with cup grinding wheel protection!

Cup grinding wheel

C 16 R SUPRA



Class	SUPRA
Bond	■ ■ ■ ■ □ □ □
Aggression	■ ■ ■ ■ □ □ □
Service life	■ ■ ■ □ □ □ □

Applications:	
Stone/Concrete	●
Castings	①

Advantages: For use on surfaces and edges - For stone and mineral materials - Optimized aggressiveness due to sharp, coarse SiC grain

Diameter x Height x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
110 x 55 x 22,23		50 m/s	8600 rpm	6	13727	708,97 Kč

Cup grinding wheel

C 30 R SUPRA



Class	SUPRA
Bond	■ ■ ■ ■ □ □ □
Aggression	■ ■ ■ ■ □ □ □
Service life	■ ■ ■ □ □ □ □

Applications:	
Stone/Concrete	●
Castings	①

Advantages: For use on surfaces and edges - Ideal for stone and mineral materials due to sharp, coarse SiC grain

Diameter x Height x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
110 x 55 x 22,23		50 m/s	8600 rpm	6	13726	708,97 Kč

Recommended prices.

Cup grinding wheels may only be used on angle grinders diameter 180mm with cup grinding wheel protection!

Diamond tools

Product	Machine	Application - Material	SPECIAL *****	SUPRA *****	EXTRA *****	Page
Diamond cutting blades Ø 100 - 230 mm	Angle grinder	Universal	<i>DT 900 U</i>	<i>DT 600 U</i>	<i>DT 300 U</i>	235-239
			<i>DT 900 UT</i>	<i>DT 612 UT</i>	<i>DT 350 U</i>	
			<i>DT 900 UX</i>	<i>DT 650 UD</i>	<i>DT 300 UT</i>	
		Concrete	<i>DT 900 B</i>		<i>DT 310 UT</i>	240-241
			<i>DT 900 BX</i>		<i>DT 350 B</i>	
		Concrete		<i>DT 600 GU</i>	<i>DT 350 BT</i>	242
		Tiles	<i>DT 900 FL</i>	<i>DT 600 F</i>	<i>DT 300 F</i>	242-244
			<i>DT 900 FT</i>			
			<i>DT 900 FP</i>			
		Mortar joints		<i>DN 600 U</i>	<i>DN 300 U</i>	246
Cup grinding wheels	Angle grinder	All Cut Metal		<i>DT 600 ACM</i>		245
		All Cut Rescue	<i>DT 900 ACR</i>			245
		Concrete		<i>DS 600 B</i>	<i>DS 300 B</i>	247-248
				<i>DS 600 S</i>		
		Lime sandstone, screed and abrasive materials		<i>DS 600 A</i>		248
Diamond cutting blades Ø 250 - 500 mm	Petrol powered cutter, Table saw, Joint cutter	Adaptor M14			<i>DZ 114</i>	250
		Epoxy resin, tile adhesive	<i>DS 900 PKD</i>	<i>DS 650 PKD</i>		249
		Universal	<i>DT 900 U</i>	<i>DT 600 U</i>	<i>DT 300 U</i>	251-255
			<i>DT 900 US</i>	<i>DT 612 UT</i>	<i>DT 310 UT</i>	
			<i>DT 900 UX</i>		<i>DT 350 U</i>	
		Granite	<i>DT 900 G</i>			256
		Tiles	<i>DT 900 FL</i>	<i>DT 600 F</i>	<i>DT 300 F</i>	256-257
		All Cut Rescue	<i>DT 900 ACR</i>			258
			<i>DT 900 KHX</i>			
		Clinker		<i>DT 600 KM</i>		258-260
				<i>DT 600 KMS</i>		
				<i>DT 600 KS</i>		
		Asphalt	<i>DT 902 A</i>	<i>DT 602 A</i>	<i>DT 350 A</i>	260-262
				<i>DT 612 A</i>		
		Asphalt / concrete		<i>DT 612 AB</i>	<i>DT 350 AB</i>	262-263
			<i>DT 900 B</i>	<i>DT 602 B</i>	<i>DT 350 B</i>	
		Concrete	<i>DT 900 BX</i>		<i>DT 350 BT</i>	263-266
			<i>DT 902 B</i>			
		Reduction rings			<i>DZ 100 RR</i>	266
Drill bits	Drill stand	Concrete	<i>DR 912 B</i>	<i>DK 612 B</i>		267-269
				<i>DK 654 B</i>		
	Percussion drill	Concrete		<i>DD 600 U</i>		270
		Adaptor kit			<i>ADS 200</i>	270
	Drilling machine	Tiles		<i>DB 600 F</i>		271
	Angle grinder	Tiles		<i>DK 600 F</i>		272-273
		Hole starting aid			<i>ABH 80</i>	273

Diamond cutting blades for angle grinders



Diamond cutting blade

DT 300 U EXTRA



Properties

Design	Sintered
Segmentation	Standard
Aggression	■ ■ ■ □ □ □ □
Service life	■ ■ ■ □ □ □ □



Applications:

Construction materials	●
Concrete, universal	●

Advantages: Product for universal use on general construction materials - Excellent cutting performance - Great price-performance ratio

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 22,23	80 m/s	13300 rpm	8 / 37,3 / 1,6 / 7	1	325345	462,64 Kč
125 x 22,23	80 m/s	12250 rpm	9 / 36,4 / 1,6 / 7	1	325346	515,43 Kč
180 x 22,23	80 m/s	8500 rpm	13 / 38,1 / 2 / 7	1	325347	817,65 Kč
230 x 22,23	80 m/s	6650 rpm	16 / 40,2 / 2,3 / 7	1	325348	1.025,68 Kč

Diamond cutting blade

DT 350 U EXTRA



Properties

Design	Laser welded
Segmentation	Standard
Aggression	■ ■ ■ ■ ■ □ □
Service life	■ ■ ■ ■ ■ □ □



Applications:

Construction materials	●
Concrete, universal	●

Advantages: Product with laser-welded standard segments for universal use on general construction material - Smooth, fast and low-vibration cutting with unmatched service life - Optimum price-performance ratio

XLOCK !

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 22,23	80 m/s	13300 rpm	8 / 33 / 2,4 / 10	1	336214	647,91 Kč
115 x 22,23 X-LOCK	80 m/s	13300 rpm	8 / 33 / 2,4 / 10	1	350463	743,13 Kč
125 x 22,23	80 m/s	12250 rpm	9 / 33 / 2,4 / 10	1	336215	714,15 Kč
125 x 22,23 X-LOCK	80 m/s	12250 rpm	9 / 33 / 2,4 / 10	1	350464	822,82 Kč
150 x 22,23	80 m/s	10200 rpm	11 / 33 / 2,4 / 10	1	336260	933,57 Kč
180 x 22,23	80 m/s	8500 rpm	11 / 42 / 2,6 / 10	1	336216	1.144,71 Kč
230 x 22,23	80 m/s	6650 rpm	15 / 42 / 2,6 / 10	1	336219	1.428,30 Kč

Recommended prices.

Diamond cutting blades for angle grinders

Diamond cutting blade

DT 600 U SUPRA



Properties

Design	Laser welded
Segmentation	Short segments
Aggression	■■■■■□□
Service life	■■■■□□□



Applications:

Construction materials	●
Concrete, universal	●
Cured concrete, reinforced	●
Chalky sandstone	●



Advantages: Suitable for a various range of applications - First-rate cutting performance - Exceptional service life thanks to the use of premium grade raw materials and diamonds - Clean cutting edges

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
100 x 16	80 m/s	15300 rpm	11 / 20 / 2,4 / 9	1	325025	819,72 Kč
115 x 22,23	80 m/s	13300 rpm	13 / 20 / 2,4 / 9	1	322630	919,08 Kč
115 x 22,23 X-LOCK	80 m/s	13300 rpm	13 / 20 / 2,4 / 9	1	350461	1.056,73 Kč
125 x 22,23	80 m/s	12250 rpm	15 / 20 / 2,4 / 9	1	322631	1.025,68 Kč
125 x 22,23 X-LOCK	80 m/s	12250 rpm	15 / 20 / 2,4 / 9	1	350462	1.177,83 Kč
140 x 22,23	80 m/s	10900 rpm	17 / 20 / 2,4 / 9	1	325046	1.225,44 Kč
150 x 22,23	80 m/s	10200 rpm	18 / 20 / 2,4 / 9	1	322632	1.329,97 Kč
180 x 22,23	80 m/s	8500 rpm	22 / 20 / 2,6 / 9	1	322633	1.633,23 Kč
230 x 22,23	80 m/s	6650 rpm	30 / 20 / 2,6 / 9	1	322634	2.036,88 Kč

Diamond cutting blade

DT 612 UT SUPRA



Properties

Design	Laser welded
Segmentation	Turbo
Aggression	■■■■□□□
Service life	■■■■■□□



Applications:

Construction materials	●
Concrete, universal	●
Cured concrete, reinforced	●
Chalky sandstone	●

Advantages: Special turbo segments for an extremely high cutting speed on almost all hard materials - Excellent service life even on reinforced concrete

Diameter x Bore in mm	Thread/Shaft	Max. operating speed	Max. RPM	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 22,23		80 m/s	13300 rpm	8 / 33 / 2,4 / 12	1	334044	859,05 Kč
125 x 22,23		80 m/s	12250 rpm	9 / 33 / 2,4 / 12	1	334045	961,51 Kč
125 x 22,23	thread M14	80 m/s	12250 rpm	10 / 31 / 2,2 / 12	1	383486	961,51 Kč
150 x 22,23		80 m/s	10200 rpm	11 / 33 / 2,4 / 12	1	345388	1.204,74 Kč
180 x 22,23		80 m/s	8500 rpm	11 / 42 / 2,6 / 12	1	334046	1.523,52 Kč
230 x 22,23		80 m/s	6650 rpm	15 / 42 / 2,6 / 12	1	334047	1.907,50 Kč
230 x 22,23	thread M14	80 m/s	6650 rpm	16 / 38 / 2,4 / 12	1	383487	1.907,50 Kč

Recommended prices.

Diamond cutting blades for angle grinders



Diamond cutting blade

DT 650 UD SUPRA



Properties

Design	Laser welded
Segmentation	Turbo
Aggression	■ ■ ■ ■ ■ □ □
Service life	■ ■ ■ ■ ■ □ □



Applications:

Construction materials	●	Hard stone	●
Cured concrete, reinforced	●		
Concrete, universal	●		
Chalky sandstone	●		

Advantages: Ultra fast cutting speed thanks to specially designed turbo segments - Low vibration detenso core for efficient noise reduction - Suitable for use on almost any hard material

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
230 x 22,23	80 m/s	6650 rpm	15 / 42 / 2,6 / 12	1	334061	2.400,16 Kč

Diamond cutting blade

DT 900 U SPECIAL



Properties

Design	Laser welded
Segmentation	Turbo
Aggression	■ ■ ■ ■ ■ ■ ■
Service life	■ ■ ■ ■ ■ ■ ■



Applications:

Construction materials	●	Hard stone	●
Concrete, universal	●		
Cured concrete, reinforced	●		
Chalky sandstone	●		

Advantages: Ultra fast cutting speed on almost any hard material thanks to specially designed turbo segments - Further increased service life thanks to titanium-coated diamonds even on reinforced concrete

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 22,23	80 m/s	13300 rpm	8 / 33 / 2,4 / 12	1	325206	1.556,64 Kč
125 x 22,23	80 m/s	12250 rpm	9 / 33 / 2,4 / 12	1	325209	1.729,48 Kč
180 x 22,23	80 m/s	8500 rpm	11 / 42 / 2,6 / 12	1	325028	2.766,55 Kč
230 x 22,23	80 m/s	6650 rpm	15 / 42 / 2,6 / 12	1	325045	3.453,79 Kč

Recommended prices.

Diamond cutting blades for angle grinders

Diamond cutting blade

DT 900 UX SPECIAL



Properties

Design	Laser welded
Segmentation	Standard
Aggression	■■■■■■■■
Service life	■■■■■■■■



Applications:

Concrete, universal	●
Construction materials	●
Cured concrete, reinforced	●

Advantages: Titanium-coated diamonds for first-rate cutting performance - Specially developed matrix segments with performance-optimized arrangement of the diamonds ensure a very high cutting speed and good service life - Ideally suited for almost all construction materials

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
230 x 22,23	80 m/s	6650 rpm	15 / 42 / 2,7 / 12	1	334043	2.913,52 Kč

Diamond cutting blade

DT 300 UT EXTRA



Properties

Design	Sintered
Segmentation	Turbo continuous rim
Aggression	■■■■□□□□
Service life	■■■■□□□□



Applications:

Construction materials	●
Concrete, universal	●
Roof tiles	●

Advantages: Suitable for a various range of applications - Excellent cutting performance - Great price-performance ratio - Turbo segments for clean and nick-free edges - Ideal for roofers

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
100 x 16 / 22,23	80 m/s	15300 rpm	CR / CR / 1,9 / 7	1	330625	426,42 Kč
115 x 22,23	80 m/s	13300 rpm	CR / CR / 1,9 / 7	1	325353	483,34 Kč
125 x 22,23	80 m/s	12250 rpm	CR / CR / 1,9 / 7	1	325354	536,13 Kč
180 x 22,23	80 m/s	8500 rpm	CR / CR / 2,2 / 7	1	325355	850,77 Kč
230 x 22,23	80 m/s	6650 rpm	CR / CR / 2,5 / 7	1	325356	1.058,80 Kč

Recommended prices.

Diamond cutting blades for angle grinders



Diamond cutting blade

DT 310 UT EXTRA



Properties

Design	Sintered
Segmentation	Turbo continuous rim
Aggression	■■■■■□□
Service life	■■■■■□□



Applications:

Construction materials	●
Concrete, universal	●
Roof tiles	●

Advantages: All-purpose - Excellent cutting performance, great price-performance ratio - Turbo segments for clean and nick-free edges - Ideal for roofers - For cutting clay and roof tiles

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
100 x 16 / 22,23	80 m/s	15300 rpm	CR / CR / 2 / 10	1	334087	475,06 Kč
115 x 22,23	80 m/s	13300 rpm	CR / CR / 2 / 10	1	334088	536,13 Kč
125 x 22,23	80 m/s	12250 rpm	CR / CR / 2 / 10	1	334089	593,05 Kč
180 x 22,23	80 m/s	8500 rpm	CR / CR / 2,5 / 10	1	334090	948,06 Kč
230 x 22,23	80 m/s	6650 rpm	CR / CR / 2,5 / 10	1	334091	1.185,07 Kč

Diamond cutting blade

DT 900 UT SPECIAL



Properties

Design	Sintered
Segmentation	Turbo continuous rim
Aggression	■■■■■■■□
Service life	■■■■■■■□



Applications:

Concrete, universal	●
Construction materials	●
Roof tiles	●

Advantages: Wave-shaped steel core - Use on construction material - Clean cutting edges - High aggressiveness

Diameter x Bore in mm	Thread/Shaft	Max. operating speed	Max. RPM	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
100 x 16 / 22,23		80 m/s	15300 rpm	CR / CR / 2,2 / 10	1	330626	897,34 Kč
115 x 22,23		80 m/s	13300 rpm	CR / CR / 2,2 / 10	1	325364	1.014,30 Kč
125 x 22,23		80 m/s	12250 rpm	CR / CR / 2,2 / 10	1	325365	1.120,90 Kč
125 x 22,23	thread M14	80 m/s	12250 rpm	CR / CR / 2,2 / 10	1	383485	1.120,90 Kč
230 x 22,23		80 m/s	6650 rpm	CR / CR / 2,5 / 10	1	325367	2.243,88 Kč
230 x 22,23	thread M14	80 m/s	6650 rpm	CR / CR / 2,8 / 12	1	383484	2.243,88 Kč

Recommended prices.

Diamond cutting blades for angle grinders

Diamond cutting blade

DT 350 B EXTRA



Properties

Design	Laser welded
Segmentation	Standard
Aggression	■■■■■□□
Service life	■■■■■□□



Applications:

Concrete	●
Cured concrete, reinforced	●

Advantages: Diamond cutting disc with good price-performance ratio for working on concrete materials - Fast cutting with low vibration - Optimum service life

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
125 x 22,23	80 m/s	12250 rpm	9 / 33 / 2,4 / 10	1	339828	714,15 Kč
150 x 22,23	80 m/s	10200 rpm	11 / 33 / 2,4 / 10	1	345382	931,50 Kč
230 x 22,23	80 m/s	6650 rpm	15 / 42 / 2,6 / 10	1	339829	1.428,30 Kč

Diamond cutting blade

DT 350 BT EXTRA



Properties

Design	Laser welded
Segmentation	Turbo
Aggression	■■■■■□□
Service life	■■■■■□□



Applications:

Concrete	●
Cured concrete, reinforced	●

Advantages: Special turbo segments for an extremely high cutting speed on concrete and all concrete products - Fast and easy cutting with low vibration - Optimum service life - Optimum price-performance ratio

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 22,23	80 m/s	13300 rpm	8 / 33 / 2,4 / 10	1	354790	729,67 Kč
125 x 22,23	80 m/s	12250 rpm	9 / 33 / 2,4 / 10	1	354791	812,47 Kč
150 x 22,23	80 m/s	10200 rpm	11 / 33 / 2,4 / 10	1	354792	1.055,70 Kč
180 x 22,23	80 m/s	8500 rpm	11 / 42 / 2,6 / 10	1	354793	1.296,85 Kč
230 x 22,23	80 m/s	6650 rpm	15 / 42 / 2,6 / 10	1	354794	1.617,70 Kč

Recommended prices.

Diamond cutting blades for angle grinders



Diamond cutting blade

DT 900 B SPECIAL



Properties

Design	Laser welded
Segmentation	Standard
Aggression	■■■■■■■■■
Service life	■■■■■■■■■



Applications:

Cured concrete, reinforced	●
Concrete, universal	●
Chalky sandstone	○
Construction materials	○

Advantages: Titanium-coated diamonds for first-rate cutting performance - Fast cutting speed even on reinforced concrete - Unrivalled service life - Designed for professional applications on concrete

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 22,23	80 m/s	13300 rpm	8 / 33 / 2,4 / 12	1	325205	1.356,88 Kč
125 x 22,23	80 m/s	12250 rpm	9 / 33 / 2,4 / 12	1	325208	1.503,85 Kč
180 x 22,23	80 m/s	8500 rpm	11 / 42 / 2,6 / 12	1	325027	2.397,06 Kč
230 x 22,23	80 m/s	6650 rpm	15 / 42 / 2,6 / 12	1	325034	2.997,36 Kč

Diamond cutting blade

DT 900 BX SPECIAL



Properties

Design	Laser welded
Segmentation	Standard
Aggression	■■■■■■■■■
Service life	■■■■■■■■■



Applications:

Cured concrete, reinforced	●
Concrete, universal	●
Construction materials	●
Chalky sandstone	●

Advantages: High performance blade with ultra high cutting speed - Specially engineered for effortless cutting through concrete

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
230 x 22,23	80 m/s	6650 rpm	15 / 42 / 2,7 / 12	1	371785	2.551,27 Kč

Recommended prices.

Diamond cutting blades for angle grinders

Diamond cutting blade

DT 600 GU SUPRA



Properties

Design	Laser welded
Segmentation	Standard
Aggression	■■■■■□□
Service life	■■■■■□□



Applications:

Granite	●
Terrazzo	●

Advantages: High stock removal rate - Excellent service life - Clean cutting - Great price-performance ratio - Suitable for all types of granite

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 22,23	80 m/s	13300 rpm	8 / 33 / 2,4 / 10	1	336614	1.012,23 Kč
125 x 22,23	80 m/s	12250 rpm	9 / 33 / 2,4 / 10	1	336615	1.127,11 Kč
180 x 22,23	80 m/s	8500 rpm	11 / 42 / 2,6 / 10	1	336616	1.800,90 Kč
230 x 22,23	80 m/s	6650 rpm	15 / 42 / 2,6 / 10	1	336617	2.248,02 Kč

Diamond cutting blade

DT 300 F EXTRA



Properties

Design	Sintered
Segmentation	Continuous rim
Aggression	■■■□□□□
Service life	■■■□□□□



Applications:

Tiles	●
Stove tiles	●

Advantages: Clean edges when used for cutting tiles - Attractively priced quality wheel

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
100 x 16 / 22,23	80 m/s	15300 rpm	CR / CR / 1,6 / 7	1	330623	367,42 Kč
115 x 22,23	80 m/s	13300 rpm	CR / CR / 1,6 / 7	1	325357	417,10 Kč
125 x 22,23	80 m/s	12250 rpm	CR / CR / 1,6 / 7	1	325358	462,64 Kč
180 x 22,23	80 m/s	8500 rpm	CR / CR / 1,6 / 7	1	325359	733,81 Kč
230 x 22,23	80 m/s	6650 rpm	CR / CR / 1,9 / 7	1	325360	918,04 Kč

Recommended prices.

Diamond cutting blades for angle grinders



Diamond cutting blade

DT 600 F SUPRA



Properties

Design	Sintered
Segmentation	Continuous rim
Aggression	■■■■■□□□
Service life	■■■■■□□□



Applications:

Stoneware	●
Stove tiles	●
Stove tiles, glazed	●

Advantages: Professional wheel for tiles and feldspat - For precision working - Short cutting-off times - Clean edges

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
100 x 16 / 22,23	80 m/s	15300 rpm	CR / CR / 1,6 / 7	1	330624	534,06 Kč
115 x 22,23	80 m/s	13300 rpm	CR / CR / 1,6 / 7	1	325368	596,16 Kč
125 x 22,23	80 m/s	12250 rpm	CR / CR / 1,6 / 7	1	325369	667,57 Kč
150 x 22,23	80 m/s	10200 rpm	CR / CR / 1,6 / 7	1	325370	865,26 Kč
180 x 22,23	80 m/s	8500 rpm	CR / CR / 1,6 / 7	1	325371	1.058,80 Kč
230 x 22,23	80 m/s	6650 rpm	CR / CR / 1,9 / 7	1	325372	1.329,97 Kč

Diamond cutting blade

DT 900 FL SPECIAL



Properties

Design	Sintered
Segmentation	Continuous rim, with laser-cut slots
Aggression	■■■■■■■□
Service life	■■■■■■■□



Applications:

Wall tiles	●	Marble	●
Floor tiles	●	Stoneware	●
Porcelain	●		
Ceramics	●		

Advantages: High-precision tool for hard wall and floor tiles - Laser-cut slots for exceptionally smooth operation and perfectly cut edges

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 22,23	80 m/s	13300 rpm	CR / CR / 1,4 / 7	1	331042	1.188,18 Kč
125 x 22,23	80 m/s	12250 rpm	CR / CR / 1,4 / 7	1	331043	1.318,59 Kč
180 x 22,23	80 m/s	8500 rpm	CR / CR / 1,6 / 7	1	331044	2.103,12 Kč
230 x 22,23	80 m/s	6650 rpm	CR / CR / 1,8 / 7	1	331041	2.636,14 Kč

Recommended prices.

Diamond cutting blades for angle grinders

Diamond cutting blade

DT 900 FT SPECIAL



Properties

Design	Sintered
Segmentation	Turbo continuous rim
Aggression	■■■■■■■■■
Service life	■■■■■■■■□



Applications:

Stoneware	●	Slate	●
Stove tiles	●		
Stove tiles, glazed	●		
Granite	●		

Advantages: 1,4 mm thin professional blade for extremely demanding applications - Work results of superior quality - Continuous rim with turbo segments - Clean and nick-free edges

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
100 x 16 / 22,23	80 m/s	15300 rpm	CR / CR / 1,4 / 7,5	1	330627	976,00 Kč
115 x 22,23	80 m/s	13300 rpm	CR / CR / 1,4 / 7,5	1	325392	1.103,31 Kč
125 x 22,23	80 m/s	12250 rpm	CR / CR / 1,4 / 7,5	1	325393	1.225,44 Kč
180 x 22,23	80 m/s	8500 rpm	CR / CR / 2 / 7	1	330628	1.946,83 Kč
230 x 22,23	80 m/s	6650 rpm	CR / CR / 2 / 7	1	330629	2.431,21 Kč

Diamond cutting blade

DT 900 FP SPECIAL



Properties

Design	Sintered
Segmentation	Continuous rim, with special geometry
Aggression	■■■■■■■■■
Service life	■■■■■■■■□



Applications:

Hard floor tiles	●	Ceramics	●
Porcelain	●		
Hard wall tiles	●		
Hard fine stoneware	●		

Advantages: Extra thin disc for hard tiles and porcelain - The special geometry allows for superior cutting speeds and perfectly cut edges

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 22,23	80 m/s	13300 rpm	CR / CR / 1,4 / 10	1	331039	1.367,23 Kč
125 x 22,23	80 m/s	12250 rpm	CR / CR / 1,4 / 10	1	331040	1.523,52 Kč

Recommended prices.

Diamond cutting blades for angle grinders



Diamond cutting blade

DT 600 ACM SUPRA



Properties

Design	Vacuum-brazed
Segmentation	Standard
Aggression	■■■■■■■□
Service life	■■■■■■■□



Applications:

Steel	●	Castings	●
Stainless steel	●	Aluminium	○
Metals	●		
NF metals	●		

Advantages: Vacuum-brazed disc for almost all metallic materials - No wear behaviour as with conventional diamond cutting blades and therefore almost odourless and dirt-free - Extra thin blade for high cutting performance and aggressiveness

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 22,23	80 m/s	13300 rpm	8 / 42 / 1,3 / 1,8	1	355720	1.199,10 Kč
125 x 22,23	80 m/s	12250 rpm	10 / 36 / 1,3 / 1,8	1	355722	1.335,60 Kč
230 x 22,23	80 m/s	6650 rpm	16 / 42 / 1,6 / 1,8	1	355721	2.665,60 Kč

Diamond cutting blade

DT 900 ACR SPECIAL



Properties

Design	Vacuum-brazed
Segmentation	Narrow gullet
Aggression	■■■■■■■
Service life	■■■■■■■



Applications:

Construction materials	●	Plastic	●
Concrete, universal	●	Rubber	●
Glass	●	Metal	○
Wood-based materials	●		

Advantages: Vacuum-brazed diamond cutting blade for almost all materials - Very wide range of applications due to special manufacturing process - 10 mm high diamond coating for a good service life and an aggressive cut for very different and demanding materials - Ideal for rescue services

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 22,23	80 m/s	13300 rpm	8 / 56 / 2,8 / 10	1	355723	1.417,50 Kč
125 x 22,23	80 m/s	12250 rpm	10 / 45 / 2,8 / 10	1	355724	1.579,90 Kč
180 x 22,23	80 m/s	8500 rpm	14 / 56 / 3,1 / 10	1	684384	2.516,50 Kč
230 x 22,23	80 m/s	6650 rpm	16 / 56 / 3,1 / 10	1	355725	3.157,70 Kč

Recommended prices.

Diamond cutting blades for angle grinders

Broaching wheel

DN 300 U EXTRA



Properties

Design	Laser welded
Segmentation	Standard
Aggression	■ ■ ■ ■ ■ □ □
Service life	■ ■ ■ ■ □ □ □



Applications:

Screed	●
Plaster	●
Aerated concrete	●

Advantages: Special broaching wheel with robust design for removing mortar - Great price-performance ratio - Specially designed hammer segments - Optimum protection of the steel core

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 22,23	80 m/s	13300 rpm	9 / 32 / 6 / 7	1	666279	2.027,56 Kč
125 x 22,23	80 m/s	12250 rpm	10 / 32 / 6 / 7	1	666280	2.256,30 Kč

Broaching wheel

DN 600 U SUPRA



Properties

Design	Laser welded
Segmentation	Standard
Aggression	■ ■ ■ ■ ■ □ □
Service life	■ ■ ■ ■ □ □ □



Applications:

Mortar joints	●
Plaster	●
Aerated concrete	●

Advantages: Special broaching wheel with robust design for removing mortar from bricks, natural stones and clinker facades - Specially designed hammer segments - Optimum protection of the steel core

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
80 x 22,23	80 m/s	19100 rpm	6 / 30 / 6 / 7	1	330630	2.551,27 Kč
115 x 22,23	80 m/s	13300 rpm	9 / 32 / 6 / 7	1	330631	3.275,77 Kč
115 x 22,23	80 m/s	13300 rpm	9 / 32 / 8 / 7	1	330658	3.825,36 Kč
115 x 22,23	80 m/s	13300 rpm	9 / 32 / 10 / 7	1	330663	4.370,80 Kč
115 x 22,23	80 m/s	13300 rpm	9 / 33 / 4,5 / 7	1	325380	2.748,96 Kč
125 x 22,23	80 m/s	12250 rpm	10 / 32 / 6 / 7	1	330632	3.640,09 Kč
125 x 22,23	80 m/s	12250 rpm	10 / 32 / 8 / 7	1	330662	4.248,67 Kč
125 x 22,23	80 m/s	12250 rpm	10 / 32 / 10 / 7	1	330664	4.854,15 Kč
125 x 22,23	80 m/s	12250 rpm	10 / 33 / 4,5 / 7	1	325381	3.054,28 Kč

Recommended prices.

Diamond cup grinding wheels for angle grinders



Diamond cup grinding wheel

DS 300 B EXTRA



Properties

Design	Brazed
Segmentation	Standard
Aggression	■ ■ ■ ■ □ □ □
Service life	■ ■ ■ ■ □ □ □



Applications:

Concrete	●
Screed	●
Construction materials	●

Advantages: Double row cup grinding wheel with outstanding stock removal performance - High aggressiveness at low force requirements - Exceptional price-performance ratio - M14 adapter available, see DZ 114

Diameter x Bore in mm	Cup grinding wheel height in mm	Max. operating speed	Max. RPM	Segment in mm Number / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
100 x 16 / 22,23	20	80 m/s	15300 rpm	14 / 7 / 5,5	1	330622	1.543,18 Kč
115 x 22,23	20	80 m/s	13300 rpm	14 / 8,2 / 5,5	1	325361	1.745,01 Kč
125 x 22,23	24,5	80 m/s	12250 rpm	18 / 7 / 5	1	325362	2.132,10 Kč
180 x 22,23	30,5	80 m/s	8500 rpm	22 / 8 / 5	1	325363	3.099,82 Kč

Diamond cup grinding wheel

DS 600 B SUPRA



Properties

Design	Brazed
Segmentation	Standard
Aggression	■ ■ ■ ■ ■ □ □
Service life	■ ■ ■ ■ ■ □ □



Applications:

Concrete	●
Screed	●
Construction materials	●

Advantages: Double row cup grinding wheel for machining concrete and abrasive materials - Efficient dust extraction - Aggressive grinding performance - Long service life - M14 adapter available, see DZ 114

Diameter x Bore in mm	Cup grinding wheel height in mm	Max. operating speed	Max. RPM	Segment in mm Number / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
100 x 16 / 22,23	20	80 m/s	15300 rpm	16 / 8,5 / 5,5	1	330621	2.431,21 Kč
115 x 22,23	20	80 m/s	13300 rpm	16 / 8,2 / 5,5	1	325377	2.749,99 Kč
125 x 22,23	23,5	80 m/s	12250 rpm	20 / 7,2 / 5,5	1	325378	3.361,68 Kč
180 x 22,23	30,5	80 m/s	8500 rpm	24 / 8 / 5,5	1	325379	4.887,27 Kč

Recommended prices.

Diamond cup grinding wheels for angle grinders

Diamond cup grinding wheel

DS 600 S SUPRA



Properties

Design	Brazed
Segmentation	Standard
Aggression	■ ■ ■ ■ ■ □ □
Service life	■ ■ ■ ■ ■ □ □



Applications:

Concrete	●	Brickwork	●
Firebrick	●		
Natural stone	●		
Masonry	●		

Advantages: Excellent dust extraction thanks to specially designed (fan-shaped) opening - Low weight thanks to lightweight steel plate - Rugged performance and operation with minimum vibrations - M14 adapter available, see DZ 114

Diameter x Bore in mm	Cup grinding wheel height in mm	Max. operating speed	Max. RPM	Segment in mm Number / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
100 x 16 / 22,23	20,5	80 m/s	15300 rpm	16 / 7,2 / 5,5	1	331022	2.831,76 Kč
115 x 22,23	20,5	80 m/s	13300 rpm	16 / 7,2 / 5,5	1	331023	3.188,83 Kč
125 x 22,23	20,5	80 m/s	12250 rpm	16 / 7,2 / 5,5	1	331024	3.901,95 Kč
180 x 22,23	30,5	80 m/s	8500 rpm	24 / 7,8 / 5,5	1	331025	5.665,59 Kč

Diamond cup grinding wheel

DS 600 A SUPRA



Properties

Design	Brazed
Segmentation	Standard
Aggression	■ ■ ■ ■ ■ □ □
Service life	■ ■ ■ ■ ■ □ □



Applications:

Asphalt	●	Sandstone	●
Abrasive materials	●		
Green concrete	●		
Aerated concrete	●		

Advantages: An ideal match with all types of abrasive materials - Outstanding grinding performance combined with a long service life - Fast and smooth grinding of surfaces thanks to double-row segments - Extended service life thanks to optimized matrix and diamonds - Simple dust extraction through openings in the steel enclosure - M14 adapter available, see DZ 114

Diameter x Bore in mm	Cup grinding wheel height in mm	Max. operating speed	Max. RPM	Segment in mm Number / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
100 x 16 / 22,23	20	80 m/s	15300 rpm	14 / 8,2 / 5,5	1	331026	1.623,91 Kč
115 x 22,23	20	80 m/s	13300 rpm	14 / 8,2 / 5,5	1	331027	1.823,67 Kč
125 x 22,23	24,5	80 m/s	12250 rpm	18 / 7,2 / 5	1	331028	2.229,39 Kč
180 x 22,23	30,5	80 m/s	8500 rpm	22 / 7,8 / 5,3	1	331029	3.237,48 Kč

Recommended prices.

Diamond cup grinding wheels for angle grinders



Diamond cup grinding wheel

DS 650 PKD

SUPRA



Properties

Design	Brazed
Aggression	■■■■■■■□
Service life	■■■■■■■□



Applications:

Epoxy resin	●	Bitumen	●
Adhesive	●	Paint	●
Coatings	●	Glue	●
Filler	●		

Advantages: PCD (Poly Crystalline Diamonds) cup grinding wheel with good stock removal on hard resins and adhesive residues - Good dust removal - Aggressive grinding performance - Support segments for a smooth and low-vibration grinding process - M14 adapter available, see DZ 114

Diameter x Bore in mm	Cup grinding wheel height in mm	Max. operating speed	Max. RPM	Segment in mm Number / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
125 x 22,23	21,6	80 m/s	12250 rpm	6 / 13 / 3,6	1	355953	6.761,65 Kč
180 x 22,23	29	80 m/s	8500 rpm	6 / 13 / 4	1	355940	8.985,87 Kč

Diamond cup grinding wheel

DS 900 PKD

SPECIAL



Properties

Design	Brazed
Aggression	■■■■■■■
Service life	■■■■■■■



Applications:

Adhesive	●	Bitumen	●
Epoxy resin	●	Paint	●
Filler	●	Glue	●
Coatings	●		

Advantages: Ultra-aggressive polycrystalline diamond cutting wedges enable the cup grinding wheel to remove hard and solid coatings - Support segments for a smooth and low-vibration grinding process - M14 adapter available, see DZ 114

Diameter x Bore in mm	Cup grinding wheel height in mm	Max. operating speed	Max. RPM	Segment in mm Number / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
125 x 22,23	21	80 m/s	12250 rpm	6 / 5 / 3,5	1	355941	10.554,93 Kč
180 x 22,23	21,5	80 m/s	8500 rpm	8 / 5 / 3,5	1	355948	14.001,48 Kč

Recommended prices.

Adapter

Adapter M14

DZ 114




Advantages: For retooling diamond cup grinding wheels with a Ø 22.23 mm hole to an M14 spindle size - Suitable for all Klingspor diamond cup grinding wheels

Mounting	Packing unit/pcs.	Cat. number	Price/pc. Kč
thread M14	1	331332	931,50 Kč

Recommended prices.

Diamond cutting blade

DT 300 U EXTRA



Properties

Design	Sintered
Segmentation	Standard
Aggression	■ ■ ■ ■ ■
Service life	■ ■ ■ ■ ■



Applications:


Construction materials	●
------------------------	---

Advantages: Product for universal use on general construction materials - Excellent cutting performance - Great price-performance ratio

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
300 x 20	100 m/s	6400 rpm	17 / 50,1 / 2,8 / 7	1	326831	1.936,48 Kč
300 x 25,4	100 m/s	6400 rpm	17 / 50,1 / 2,8 / 7	1	325349	1.936,48 Kč
300 x 30	100 m/s	6400 rpm	17 / 50,1 / 2,8 / 7	1	325351	1.936,48 Kč
350 x 25,4	100 m/s	5500 rpm	20 / 50,1 / 2,8 / 7	1	325350	2.443,63 Kč
350 x 30	100 m/s	5500 rpm	20 / 50,1 / 2,8 / 7	1	325352	2.443,63 Kč

Diamond cutting blade

DT 310 UT EXTRA



Properties

Design	Sintered
Segmentation	Turbo continuous rim
Aggression	■ ■ ■ ■ ■
Service life	■ ■ ■ ■ ■



Applications:

Construction materials	●
Concrete, universal	●

Advantages: All-purpose - Excellent cutting performance, great price-performance ratio - Continuous rim with turbo segments for clean and nick-free edges - 10 mm tall cutting edge

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
300 x 20	100 m/s	6400 rpm	CR / CR / 3 / 10	1	334092	2.245,95 Kč
300 x 25,4	100 m/s	6400 rpm	CR / CR / 3 / 10	1	339121	2.245,95 Kč
350 x 20	100 m/s	5500 rpm	CR / CR / 3 / 10	1	334093	2.837,97 Kč
350 x 25,4	100 m/s	5500 rpm	CR / CR / 3 / 10	1	339123	2.837,97 Kč

Recommended prices.

Diamond cutting blades for petrol powered cutters, table saws and joint cutters

Diamond cutting blade

DT 350 U EXTRA



Properties

Design	Laser welded
Segmentation	Standard
Aggression	■■■■■□□
Service life	■■■■■□□

Applications:

Construction materials	●
Concrete, universal	●

Advantages: Product with laser-welded standard segments for universal use on general construction materials - Smooth, fast and low-vibration cutting with unmatched service life - Optimum price-performance ratio

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
300 x 20	100 m/s	6400 rpm	21 / 40 / 2,8 / 10	1	336223	2.712,73 Kč
300 x 25,4	100 m/s	6400 rpm	21 / 40 / 2,8 / 10	1	336220	2.712,73 Kč
350 x 20	100 m/s	5500 rpm	24 / 40 / 3 / 10	1	336224	3.425,85 Kč
350 x 25,4	100 m/s	5500 rpm	24 / 40 / 3 / 10	1	336221	3.425,85 Kč
400 x 25,4	100 m/s	4800 rpm	28 / 40 / 3,6 / 10	1	347486	4.566,42 Kč

Diamond cutting blade

DT 600 U SUPRA



Properties

Design	Laser welded
Segmentation	Short segments
Aggression	■■■■■□□
Service life	■■■■■□□

Applications:

Construction materials	●
Concrete, universal	●
Cured concrete, reinforced	●
Chalky sandstone	●

Advantages: High cutting performance - Long service life thanks to the use of premium-grade raw materials and diamonds - Clean cutting edges - Effortless cutting thanks to short serrated segments

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
300 x 20	100 m/s	6400 rpm	32 / 24 / 2,8 / 10	1	325183	3.868,83 Kč
300 x 25,4	100 m/s	6400 rpm	32 / 24 / 2,8 / 10	1	325184	3.868,83 Kč
300 x 30	100 m/s	6400 rpm	32 / 24 / 2,8 / 10	1	325185	3.868,83 Kč
350 x 20	100 m/s	5500 rpm	37 / 24 / 3 / 10	1	325194	4.885,20 Kč
350 x 25,4	100 m/s	5500 rpm	37 / 24 / 3 / 10	1	325195	4.885,20 Kč
350 x 30	100 m/s	5500 rpm	37 / 24 / 3 / 10	1	325196	4.885,20 Kč
400 x 20	100 m/s	4800 rpm	43 / 24 / 3,6 / 10	1	347484	6.517,39 Kč
400 x 25,4	100 m/s	4800 rpm	43 / 24 / 3,6 / 10	1	347485	6.517,39 Kč
400 x 30	100 m/s	4800 rpm	43 / 24 / 3,6 / 10	1	347527	6.517,39 Kč

Recommended prices.



Diamond cutting blades for petrol powered cutters, table saws and joint cutters



►► Continuation of DT 600 U SUPRA, Diamond cutting blade

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
450 x 25,4	100 m/s	4300 rpm	48 / 24 / 3,6 / 10	1	325201	8.145,45 Kč
450 x 30	100 m/s	4300 rpm	48 / 24 / 3,6 / 10	1	325200	8.145,45 Kč
500 x 25,4	100 m/s	3900 rpm	54 / 24 / 3,6 / 10	1	325203	9.772,47 Kč
500 x 30	100 m/s	3900 rpm	54 / 24 / 3,6 / 10	1	325202	9.772,47 Kč

Diamond cutting blade

DT 612 UT SUPRA



Properties

Design	Laser welded
Segmentation	Turbo
Aggression	■ ■ ■ ■ □ □ □ □
Service life	■ ■ ■ ■ ■ □ □

Applications:

Concrete, universal	●
Cured concrete, reinforced	●
Construction materials	●

Advantages: Special turbo segments for an extremely high cutting speed on almost all hard materials - Excellent service life even on reinforced concrete


Diameter x Bore in mm	Max. operating speed	Max. RPM	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
300 x 20	100 m/s	6400 rpm	20 / 40 / 2,8 / 12	1	340224	3.614,22 Kč
300 x 25,4	100 m/s	6400 rpm	20 / 40 / 2,8 / 12	1	340229	3.614,22 Kč
350 x 20	100 m/s	5500 rpm	22 / 40 / 3 / 12	1	340227	4.567,45 Kč
350 x 25,4	100 m/s	5500 rpm	22 / 40 / 3 / 12	1	340230	4.567,45 Kč
400 x 20	100 m/s	4800 rpm	26 / 40 / 3,6 / 12	1	347482	6.072,34 Kč
400 x 25,4	100 m/s	4800 rpm	26 / 40 / 3,6 / 12	1	347493	6.072,34 Kč

Recommended prices.

Diamond cutting blades for petrol powered cutters and table saws

Diamond cutting blade

DT 900 U SPECIAL



Properties

Design	Laser welded
Segmentation	Narrow/wide gullet
Aggression	■■■■■■■■
Service life	■■■■■■■■

Applications:

Construction materials	●	Granite	●
Concrete, universal	●		
Cured concrete, reinforced	●		
Chalky sandstone	●		

Advantages: Suitable for a wide range of applications - Ultra fast cutting speed - Special segment bond for long service life and clean cuts - Titanium-coated diamonds for first-rate cutting performance - Engineered for professional use

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segmentation	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
300 x 25,4	100 m/s	6400 rpm		18 / 40 / 2,8 / 10	1	325053	4.746,51 Kč
300 x 25,4	100 m/s	6400 rpm		21 / 40 / 2,8 / 10	1	325067	5.215,36 Kč
300 x 30	100 m/s	6400 rpm		18 / 40 / 2,8 / 10	1	325052	4.741,33 Kč
300 x 30	100 m/s	6400 rpm		21 / 40 / 2,8 / 10	1	325066	5.215,36 Kč
350 x 25,4	100 m/s	5500 rpm		21 / 40 / 3 / 10	1	325085	5.987,47 Kč
350 x 25,4	100 m/s	5500 rpm		24 / 40 / 3 / 10	1	325100	6.589,84 Kč
350 x 30	100 m/s	5500 rpm		21 / 40 / 3 / 10	1	325084	5.987,47 Kč
350 x 30	100 m/s	5500 rpm		24 / 40 / 3 / 10	1	325099	6.589,84 Kč
400 x 25,4	100 m/s	4800 rpm		28 / 40 / 3,6 / 10	1	349233	8.781,97 Kč
400 x 25,4	100 m/s	4800 rpm		24 / 40 / 3,6 / 10	1	349246	7.983,99 Kč
400 x 30	100 m/s	4800 rpm		28 / 40 / 3,6 / 10	1	349234	8.781,97 Kč
400 x 30	100 m/s	4800 rpm		24 / 40 / 3,6 / 10	1	349245	7.983,99 Kč
450 x 25,4	100 m/s	4300 rpm		26 / 40 / 3,6 / 10	1	325133	9.976,36 Kč
450 x 25,4	100 m/s	4300 rpm		32 / 40 / 3,6 / 10	1	325176	10.974,10 Kč
450 x 30	100 m/s	4300 rpm		26 / 40 / 3,6 / 10	1	325132	9.976,36 Kč
450 x 30	100 m/s	4300 rpm		32 / 40 / 3,6 / 10	1	325175	10.974,10 Kč
500 x 25,4	100 m/s	3900 rpm		36 / 40 / 3,7 / 10	1	325155	13.168,30 Kč
500 x 25,4	100 m/s	3900 rpm		30 / 40 / 3,7 / 10	1	325164	11.971,84 Kč
500 x 30	100 m/s	3900 rpm		36 / 40 / 3,7 / 10	1	325154	13.168,30 Kč
600 x 25,4	100 m/s	3200 rpm		36 / 40 / 3,7 / 10	1	345023	15.565,36 Kč

Recommended prices.

Diamond cutting blades for petrol powered cutters, table saws and joint cutters



Diamond cutting blade

DT 900 UX SPECIAL



Properties

Design	Laser welded
Segmentation	Standard
Aggression	■■■■■■■■
Service life	■■■■■■■■



Applications:

Concrete, universal	●
Construction materials	●
Cured concrete, reinforced	●

Advantages: Titanium-coated diamonds for first-rate cutting performance - Specially developed matrix segments with performance-optimized arrangement of the diamonds ensure a very high cutting speed and good service life - Ideally suited for almost all construction materials

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
300 x 20	100 m/s	6400 rpm	20 / 40 / 2,8 / 12	1	334048	4.894,51 Kč
300 x 25,4	100 m/s	6400 rpm	20 / 40 / 2,8 / 12	1	336609	4.894,51 Kč
350 x 20	100 m/s	5500 rpm	22 / 40 / 3 / 12	1	334049	6.212,07 Kč
350 x 25,4	100 m/s	5500 rpm	22 / 40 / 3 / 12	1	336610	6.212,07 Kč
400 x 20	100 m/s	4800 rpm	26 / 40 / 3,6 / 12	1	334050	8.675,37 Kč
400 x 25,4	100 m/s	4800 rpm	26 / 40 / 3,6 / 12	1	336611	8.675,37 Kč
450 x 25,4	100 m/s	4300 rpm	30 / 40 / 3,6 / 12	1	336612	9.760,05 Kč
500 x 25,4	100 m/s	3900 rpm	34 / 40 / 3,6 / 12	1	336613	12.388,95 Kč

Diamond cutting blade

DT 900 US SPECIAL



Properties

Design	Laser welded
Segmentation	Narrow gullet
Aggression	■■■■■■■■
Service life	■■■■■■■■



Applications:

Cured concrete, reinforced	●
Concrete, universal	●
Construction materials	●
Chalky sandstone	●
Granite	●

Advantages: All-purpose high-performance tool - Extremely high cutting speed - Special segment bond for long service life and clean cuts - Engineered for professional use - Ideally suited for low-noise work environments thanks to sandwich core

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segmen- tation	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
300 x 25,4	100 m/s	6400 rpm		21 / 40 / 2,8 / 10	1	334062	6.811,33 Kč
350 x 25,4	100 m/s	5500 rpm		24 / 40 / 3 / 10	1	334063	8.602,92 Kč
350 x 30	100 m/s	5500 rpm		24 / 40 / 3 / 10	1	336726	8.602,92 Kč
400 x 25,4	100 m/s	4800 rpm		28 / 40 / 3,6 / 10	1	349238	12.064,99 Kč
450 x 25,4	100 m/s	4300 rpm		32 / 40 / 3,6 / 10	1	334065	14.335,78 Kč
500 x 25,4	100 m/s	3900 rpm		36 / 40 / 3,7 / 10	1	334066	17.201,70 Kč

Recommended prices.

Diamond cutting blades for petrol powered cutters and table saws

Diamond cutting blade

DT 900 G SPECIAL



Properties

Design	Laser welded
Segmentation	Narrow gullet
Aggression	■■■■■■■■
Service life	■■■■■■■■

Applications:

Granite	●
Porphyry, quartzite	●
Terrazzo	●

Advantages: Aggressive and clean cut due to very closely toothed segmentation - 14 mm high segments for a long service life - Also the perfect choice for all types of granite including porphyry and quartzite

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
300 x 25,4 / 30	100 m/s	6400 rpm	20 / 40 / 2,8 / 14	1	359079	7.094,92 Kč
350 x 25,4 / 30	100 m/s	5500 rpm	23 / 40 / 3 / 14	1	359081	8.924,80 Kč
400 x 25,4 / 30	100 m/s	4800 rpm	27 / 40 / 3,6 / 14	1	359080	11.989,44 Kč

Diamond cutting blade

DT 300 F EXTRA



Properties

Design	Sintered
Segmentation	Continuous rim
Aggression	■■■■□□□
Service life	■■■■□□□

Applications:

Tiles	●
Stove tiles	●

Advantages: Standard tool for clean and nick-free edges - Good price-performance ratio - Reduction ring from 30 mm to 25,4 mm included

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
200 x 25,4 / 30	80 m/s	7600 rpm	CR / CR / 1,9 / 7	1	325454	874,57 Kč

Recommended prices.

Diamond cutting blades for table saws



Diamond cutting blade

DT 600 F SUPRA



Properties

Design	Sintered
Segmentation	Continuous rim
Aggression	■■■■■□□
Service life	■■■■■□□



Applications:

Stoneware	●
Stove tiles	●
Stove tiles, glazed	●

Advantages: Professional wheel for tiles and feldspar - Continuous rim for clean and nick-free edges - Reduction ring from 30 mm to 25,4 mm included

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
180 x 25,4 / 30	80 m/s	8500 rpm	CR / CR / 1,6 / 7	1	325455	1.058,80 Kč
200 x 25,4 / 30	80 m/s	7600 rpm	CR / CR / 1,9 / 7	1	325373	1.259,59 Kč
250 x 25,4 / 30	80 m/s	6100 rpm	CR / CR / 1,9 / 7	1	325374	1.990,30 Kč
300 x 25,4 / 30	100 m/s	6400 rpm	CR / CR / 2 / 7	1	325375	2.521,26 Kč
350 x 25,4 / 30	100 m/s	5500 rpm	CR / CR / 2 / 7	1	325376	3.177,45 Kč

Diamond cutting blade

DT 900 FL SPECIAL



Properties

Design	Sintered
Segmentation	Continuous rim, with laser-cut slots
Aggression	■■■■■□□
Service life	■■■■■□□



Applications:

Wall tiles	●	Marble	●
Floor tiles	●	Stoneware	●
Porcelain	●		
Ceramics	●		

Advantages: High-precision tool for hard wall and floor tiles - Laser-cut slots for exceptionally smooth operation and perfectly cut edges - Reduction ring from 30 mm to 25,4 mm included

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
180 x 25,4 / 30	100 m/s	10650 rpm	CR / CR / 1,6 / 7	1	331045	2.103,12 Kč
200 x 25,4 / 30	100 m/s	9550 rpm	CR / CR / 1,6 / 7	1	331046	2.498,49 Kč
230 x 25,4 / 30	100 m/s	8350 rpm	CR / CR / 1,8 / 7	1	331048	2.636,14 Kč
250 x 25,4 / 30	63 m/s	4850 rpm	CR / CR / 2 / 7	1	331047	3.944,38 Kč
300 x 25,4 / 30	100 m/s	6400 rpm	CR / CR / 2,2 / 7	1	331049	4.998,01 Kč
350 x 25,4 / 30	100 m/s	5500 rpm	CR / CR / 2,2 / 7	1	331050	6.311,43 Kč

Recommended prices.

Diamond cutting blades for petrol powered cutters and table saws

Diamond cutting blade

DT 900 ACR SPECIAL



Properties

Design	Vacuum-brazed
Segmentation	Narrow gullet
Aggression	■■■■■■■■
Service life	■■■■■■■■



Applications:

Construction materials	●	Plastic	●
Concrete, universal	●	Rubber	●
Glass	●	Metal	○
Wood-based materials	●		

Advantages: Vacuum-brazed diamond cutting blade for almost all materials - Very wide range of applications due to special manufacturing process - 3-6 mm high diamond coating for a good service life and an aggressive cut for very different and demanding materials - Ideal for rescue services

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
300 x 20	100 m/s	6400 rpm	20 / 57 / 3,1 / 6	1	355726	4.662,70 Kč
300 x 25,4	100 m/s	6400 rpm	20 / 57 / 3,1 / 6	1	355727	4.662,70 Kč
350 x 20	100 m/s	5500 rpm	24 / 53 / 3,1 / 6	1	355729	5.870,90 Kč
350 x 25,4	100 m/s	5500 rpm	24 / 53 / 3,1 / 6	1	355728	5.870,90 Kč
400 x 20	100 m/s	4800 rpm	22 / 43 / 3,7 / 3	1	682270	8.247,40 Kč
400 x 25,4	100 m/s	4800 rpm	22 / 43 / 3,7 / 3	1	682271	8.247,40 Kč

Diamond cutting blade

DT 600 KS SUPRA



Properties

Design	Laser welded
Segmentation	Narrow/wide gullet
Aggression	■■■■■■■■
Service life	■■■■■■■■



Applications:

Clinker, soft - medium	●
Clinker, hard-medium	○

Advantages: Good cutting speed and clean cuts due to very narrow gullet - Very good service life due to 10 mm high segments - Especially suitable for soft clinker

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segmen- tation	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
300 x 35	100 m/s	6400 rpm		21 / 40 / 2,8 / 10	1	659773	5.401,66 Kč
350 x 60	100 m/s	5500 rpm		24 / 40 / 3 / 10	1	659742	6.877,57 Kč
450 x 60	100 m/s	4300 rpm		32 / 40 / 3,6 / 10	1	659743	11.339,46 Kč
500 x 60	100 m/s	3900 rpm		36 / 40 / 3,7 / 10	1	659772	13.553,32 Kč

Recommended prices.

Diamond cutting blade

DT 600 KM SUPRA



Properties

Design	Laser welded
Segmentation	Short segments
Aggression	■ ■ ■ ■ ■ ■ □
Service life	■ ■ ■ ■ ■ ■ □



Applications:

Clinker, medium-hard	●
Clinker, soft	○

Advantages: High cutting speed due to short serrated segments - Very good service life due to 15 mm high segments - Particularly suitable for medium-hard to soft clinker

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
350 x 25,4	100 m/s	5500 rpm	38 / 24 / 3 / 15	1	360934	5.832,22 Kč
450 x 25,4 / 60	100 m/s	4300 rpm	50 / 24 / 3,6 / 15	1	360933	9.751,77 Kč

Diamond cutting blade

DT 600 KMS SUPRA



Properties

Design	Laser welded
Segmentation	Short segments
Aggression	■ ■ ■ ■ ■ ■ □
Service life	■ ■ ■ ■ ■ ■ □



Applications:

Clinker, medium-hard	●
Clinker, hard	○

Advantages: High cutting speed due to short serrated segments - Very good service life due to 15 mm high segments - Particularly well suited for medium-hard to soft clinker - Suitable for noise-reduced work thanks to sandwich core

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
350 x 25,4	100 m/s	5500 rpm	38 / 24 / 3 / 15	1	360950	9.161,82 Kč
450 x 25,4 / 60	100 m/s	4300 rpm	50 / 24 / 3,6 / 15	1	360949	15.304,54 Kč
500 x 25,4 / 60	100 m/s	3900 rpm	56 / 24 / 3,6 / 15	1	360951	18.356,76 Kč

Recommended prices.

Diamond cutting blades for petrol powered cutters, table saws and joint cutters

Diamond cutting blade

DT 900 KHX SPECIAL



Properties

Design	Laser welded
Segmentation	Narrow gullet
Aggression	■■■■■■■■
Service life	■■■■■■■■



Applications:


Clinker, hard	●
Clinker, medium-hard	○

Advantages: Special arrangement of the diamonds ensures a very high cutting speed and good service life - Particularly well suited for hard to very hard clinker

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segmen- tation	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
300 x 25,4	100 m/s	6400 rpm		21 / 40 / 2,8 / 12	1	371912	5.731,83 Kč
300 x 35	100 m/s	6400 rpm		21 / 40 / 2,8 / 12	1	371911	5.676,97 Kč
350 x 60	100 m/s	5500 rpm		24 / 40 / 3 / 12	1	372046	6.950,02 Kč
400 x 60	100 m/s	4300 rpm		28 / 40 / 3,6 / 12	1	372047	8.695,03 Kč
400 x 70	63 m/s	3050 rpm		28 / 40 / 3,6 / 12	1	381823	8.695,03 Kč
450 x 60	100 m/s	4300 rpm		31 / 40 / 3,6 / 12	1	672090	9.691,74 Kč
500 x 60	100 m/s	3900 rpm		36 / 40 / 3,6 / 12	1	372048	11.298,06 Kč

Diamond cutting blade

DT 350 A EXTRA



Properties

Design	Laser welded
Segmentation	Wide gullet
Aggression	■■■■□□□□
Service life	■■■■□□□□



Applications:

Asphalt	●
Sandstone	●

Advantages: Diamond cutting blade for general repairs with an outstanding price-performance ratio - Specially engineered for applications on asphalt - Inclined protective segments prevent the premature wearing of the welds which can lead to segment loss on standard blades

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segmen- tation	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
300 x 20	100 m/s	6400 rpm		18 / 40 / 2,8 / 10	1	337731	2.522,29 Kč
300 x 25,4	100 m/s	6400 rpm		18 / 40 / 2,8 / 10	1	337729	2.522,29 Kč
350 x 20	100 m/s	5500 rpm		21 / 40 / 3,2 / 10	1	337732	3.184,69 Kč
350 x 25,4	100 m/s	5500 rpm		21 / 40 / 3,2 / 10	1	337730	3.184,69 Kč
400 x 20	100 m/s	4800 rpm		24 / 40 / 3,6 / 10	1	349236	4.234,18 Kč
400 x 25,4	100 m/s	4800 rpm		24 / 40 / 3,6 / 10	1	349237	4.234,18 Kč
450 x 25,4	100 m/s	4300 rpm		28 / 40 / 3,7 / 10	1	337734	5.283,67 Kč
500 x 25,4	100 m/s	3900 rpm		30 / 40 / 3,7 / 10	1	337735	6.378,70 Kč

Recommended prices.


Diamond cutting blades for petrol powered cutters and joint cutters



Diamond cutting blade

DT 602 A

SUPRA



Properties

Design	Laser welded
Segmentation	Wide gullet
Aggression	■ ■ ■ ■ ■ □ □
Service life	■ ■ ■ ■ □ □ □



Applications:

Asphalt	●
Sandstone	●


Advantages: First-rate cutting performance - Protective segments to guard the blade - Great price-performance ratio - Specially engineered for applications on asphalt - Also suitable for use on electric joint cutters

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segmentation	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
300 x 20	100 m/s	6400 rpm		18 / 40 / 2,8 / 10	1	327025	4.640,94 Kč
300 x 25,4	100 m/s	6400 rpm		18 / 40 / 2,8 / 10	1	325060	4.640,94 Kč
350 x 20	100 m/s	5500 rpm		21 / 40 / 3,2 / 10	1	327026	5.862,24 Kč
350 x 25,4	100 m/s	5500 rpm		21 / 40 / 3,2 / 10	1	325092	5.866,38 Kč
400 x 20	100 m/s	4800 rpm		24 / 40 / 3,6 / 10	1	349228	7.813,21 Kč
400 x 25,4	100 m/s	4800 rpm		24 / 40 / 3,6 / 10	1	349240	7.813,21 Kč
450 x 25,4	100 m/s	4300 rpm		28 / 40 / 3,7 / 10	1	325128	9.783,85 Kč
500 x 25,4	100 m/s	3900 rpm		30 / 40 / 3,7 / 10	1	325171	11.728,62 Kč

Diamond cutting blade

DT 612 A

SUPRA



Properties

Design	Laser welded
Segmentation	Wide gullet
Aggression	■ ■ ■ ■ ■ □ □
Service life	■ ■ ■ ■ □ □ □



Applications:

Asphalt	●
Sandstone	●

Advantages: Titanium-coated diamonds for first-rate cutting performance combined with excellent service life - Protective segments to shield the core - Specially designed for applications on asphalt - Also suitable for use on electric joint cutters

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segmentation	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
300 x 25,4	100 m/s	6400 rpm		18 / 40 / 2,8 / 10	1	330075	5.655,24 Kč
350 x 25,4	100 m/s	5500 rpm		21 / 40 / 3,2 / 10	1	330076	7.138,39 Kč
400 x 25,4	100 m/s	4800 rpm		24 / 40 / 3,6 / 10	1	349227	9.517,86 Kč
450 x 25,4	100 m/s	4300 rpm		28 / 40 / 3,7 / 10	1	330078	11.895,25 Kč
500 x 25,4	100 m/s	3900 rpm		30 / 40 / 3,7 / 10	1	330079	14.277,82 Kč

Recommended prices.

Diamond cutting blades for petrol powered cutters and joint cutters

Diamond cutting blade

DT 902 A SPECIAL



Properties

Design	Laser welded
Segmentation	Wide gullet
Aggression	■■■■■■■■■
Service life	■■■■■■■□

Applications:

Asphalt	●
Sandstone	●
Green concrete	●
Screed	●


Advantages: Very high cutting performance - 12 mm high segments - Protective segments to guard the blade - Increased service life thanks to titanium-coated diamonds

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segmentation	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
300 x 25,4	100 m/s	6400 rpm	■■■■■■■■■	18 / 40 / 2,8 / 12	1	325062	7.561,71 Kč
350 x 25,4	100 m/s	5500 rpm	■■■■■■■■■	21 / 40 / 3,2 / 12	1	325094	9.561,33 Kč
400 x 25,4	100 m/s	4800 rpm	■■■■■■■■■	24 / 40 / 3,6 / 12	1	349239	12.779,14 Kč
450 x 25,4	100 m/s	4300 rpm	■■■■■■■■■	28 / 40 / 3,7 / 12	1	325130	15.949,35 Kč
500 x 25,4	100 m/s	3900 rpm	■■■■■■■■■	30 / 40 / 3,7 / 12	1	325173	19.118,52 Kč

CEVOLUTION

Diamond cutting blade CEVOLUTION

DT 350 AB EXTRA CEVOLUTION



Properties

Design	Laser welded
Segmentation	Wide gullet
Aggression	■■■■■■■■■
Service life	■■■■■■■■■

Applications:

Asphalt	●
Concrete	●

Advantages: Multi-purpose product for all repairs on asphalt and concrete thanks to laser-welded block segments, turbo segments and slanted protective segments - Can be used on gasoline-powered cutters and joint cutters with up to 10 kW- The diamond cutting blade DT 350 AB includes the new CEVOLUTION technology. CEVOLUTION stands for holistically optimized, ceramic abrasives. Klingspor products with CEVOLUTION technology contain, among others, an optimized grit mix, grit sizes and formulation in order to offer the maximum performance in every application.

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segmentation	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
300 x 20	100 m/s	6400 rpm	■■■■■■■■■	18 / 40 / 2,8 / 12	1	340232	3.833,64 Kč
300 x 25,4	100 m/s	6400 rpm	■■■■■■■■■	18 / 40 / 2,8 / 12	1	340241	3.833,64 Kč
350 x 20	100 m/s	5500 rpm	■■■■■■■■■	21 / 40 / 3,2 / 12	1	340236	4.843,80 Kč
350 x 25,4	100 m/s	5500 rpm	■■■■■■■■■	21 / 40 / 3,2 / 12	1	340240	4.843,80 Kč
400 x 25,4	100 m/s	4800 rpm	■■■■■■■■■	24 / 40 / 3,6 / 12	1	349235	6.309,36 Kč
450 x 25,4	100 m/s	4300 rpm	■■■■■■■■■	28 / 40 / 3,7 / 12	1	353717	7.532,73 Kč


Recommended prices.

Diamond cutting blades for petrol powered cutters, table saws and joint cutters



Diamond cutting blade

DT 612 AB SUPRA



Properties

Design	Laser welded
Segmentation	Wide gullet
Aggression	■■■■■□
Service life	■■■■■□



Applications:

Asphalt	●
Concrete	●

Advantages: Suitable for asphalt and concrete - Specially engineered for use on both materials - High cutting speed - Excellent service life - Titanium-coated diamonds

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segmentation	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
300 x 20	100 m/s	6400 rpm		18 / 40 / 2,8 / 10	1	332344	5.840,50 Kč
300 x 25,4	100 m/s	6400 rpm		18 / 40 / 2,8 / 10	1	330080	5.841,54 Kč
350 x 20	100 m/s	5500 rpm		21 / 40 / 3,2 / 10	1	332345	7.377,48 Kč
350 x 25,4	100 m/s	5500 rpm		21 / 40 / 3,2 / 10	1	330081	7.377,48 Kč
400 x 20	100 m/s	4800 rpm		24 / 40 / 3,6 / 10	1	349225	9.834,57 Kč
400 x 25,4	100 m/s	4800 rpm		24 / 40 / 3,6 / 10	1	349226	9.835,60 Kč
450 x 25,4	100 m/s	4300 rpm		28 / 40 / 3,7 / 10	1	330083	12.292,69 Kč
500 x 25,4	100 m/s	3900 rpm		30 / 40 / 3,7 / 10	1	330084	14.753,92 Kč

Diamond cutting blade

DT 350 B EXTRA



Properties

Design	Laser welded
Segmentation	Standard
Aggression	■■■■■□
Service life	■■■■■□



Applications:

Concrete	●
Cured concrete, reinforced	⦿

Advantages: Diamond cutting disc with good price-performance ratio for working on concrete and construction materials - Fast cutting with low vibration - Optimum service life


Diameter x Bore in mm	Max. operating speed	Max. RPM	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
300 x 20	100 m/s	6400 rpm	21 / 40 / 2,8 / 10	1	352749	2.713,77 Kč
350 x 20	100 m/s	5500 rpm	24 / 40 / 3 / 10	1	354663	3.092,58 Kč
350 x 25,4	100 m/s	5500 rpm	24 / 40 / 3 / 10	1	339830	3.425,85 Kč
400 x 25,4	100 m/s	4800 rpm	28 / 40 / 3,6 / 10	1	351133	4.795,15 Kč

Recommended prices.

Diamond cutting blades for petrol powered cutters, table saws and joint cutters

Diamond cutting blade

DT 350 BT EXTRA



Properties

Design	Laser welded
Segmentation	Turbo
Aggression	■■■■■□
Service life	■■■■■□□



Applications:

Concrete	●
Cured concrete, reinforced	●

Advantages: Special turbo segments for an extremely high cutting speed on concrete and all concrete products - Fast and easy cutting with low vibration - Optimum service life - Optimum price-performance ratio

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
300 x 20	100 m/s	6400 rpm	21 / 40 / 2,8 / 10	1	354795	3.076,02 Kč
300 x 25,4	100 m/s	6400 rpm	21 / 40 / 2,8 / 10	1	354796	3.076,02 Kč
350 x 20	100 m/s	5500 rpm	24 / 40 / 3 / 10	1	354797	3.879,18 Kč
350 x 25,4	100 m/s	5500 rpm	24 / 40 / 3 / 10	1	354798	3.879,18 Kč
400 x 25,4	100 m/s	4800 rpm	28 / 40 / 3,6 / 10	1	354799	5.170,86 Kč

Diamond cutting blade

DT 602 B SUPRA



Properties

Design	Laser welded
Segmentation	Wide gullet
Aggression	■■■■■□□
Service life	■■■■■□□□



Applications:

Cured concrete	●
Cured concrete, reinforced	●

Advantages: First-rate cutting performance - Fast cutting speed - Titanium-coated diamonds for first-rate cutting performance - Particularly well suited for concrete with medium reinforcement - Also suitable for use on electric joint cutters

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segmen- tation	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
300 x 25,4	100 m/s	6400 rpm		18 / 40 / 2,8 / 9	1	325056	3.792,24 Kč
350 x 25,4	100 m/s	5500 rpm		21 / 40 / 3,2 / 9	1	325088	4.787,91 Kč
400 x 25,4	100 m/s	4800 rpm		24 / 40 / 3,6 / 9	1	349242	6.393,19 Kč
450 x 25,4	100 m/s	4300 rpm		26 / 40 / 3,7 / 9	1	325136	7.955,01 Kč
500 x 25,4	100 m/s	3900 rpm		30 / 40 / 3,7 / 9	1	325167	9.563,40 Kč

Recommended prices.

Diamond cutting blades for petrol powered cutters



Diamond cutting blade

DT 900 B SPECIAL



Properties

Design	Laser welded
Segmentation	Turbo
Aggression	■■■■■■■■■
Service life	■■■■■■■■■



Applications:

Cured concrete, reinforced	●
Concrete, universal	●
Construction materials	●
Chalky sandstone	ⓘ

Advantages: Titanium-coated diamonds for first-rate cutting performance - Fast cutting speed even on reinforced concrete - Unrivalled service life - Designed for professional applications on concrete

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
300 x 20	100 m/s	6400 rpm	20 / 40 / 2,8 / 12	1	325078	5.326,11 Kč
300 x 25,4	100 m/s	6400 rpm	20 / 40 / 2,8 / 12	1	325079	5.326,11 Kč
350 x 20	100 m/s	5500 rpm	22 / 40 / 3 / 12	1	325080	6.122,02 Kč
350 x 25,4	100 m/s	5500 rpm	22 / 40 / 3 / 12	1	325081	6.122,02 Kč
400 x 20	100 m/s	4800 rpm	26 / 40 / 3,6 / 12	1	347489	8.146,48 Kč
400 x 25,4	100 m/s	4800 rpm	26 / 40 / 3,6 / 12	1	347490	8.146,48 Kč

Diamond cutting blade

DT 900 BX SPECIAL



Properties

Design	Laser welded
Segmentation	Standard
Aggression	■■■■■■■■■
Service life	■■■■■■■■■



Applications:

Cured concrete, reinforced	●
Concrete, universal	●
Construction materials	●
Chalky sandstone	●

Advantages: High performance blade with ultra high cutting speed - Specially engineered for effortless cutting through concrete

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
350 x 25,4	100 m/s	5500 rpm	22 / 40 / 3 / 12	1	369574	5.802,21 Kč
400 x 25,4	100 m/s	4800 rpm	26 / 40 / 3,6 / 12	1	369575	8.108,19 Kč

Recommended prices.

Diamond cutting blades for joint cutters / Reduction rings

Diamond cutting blade

DT 902 B SPECIAL



Properties

Design	Laser welded
Segmentation	Wide gullet
Aggression	■■■■■■■■■
Service life	■■■■■■■■□

Applications:

Cured concrete	●
Cured concrete, reinforced	●

Advantages: Titanium-coated diamonds for first-rate cutting performance - Ultra fast cutting speed - Also suitable for concrete with strong reinforcement

Diameter x Bore in mm	Max. operating speed	Max. RPM	Segmentation	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
300 x 25,4	100 m/s	6400 rpm		18 / 40 / 2,8 / 11	1	325058	5.661,45 Kč
350 x 25,4	100 m/s	5500 rpm		21 / 40 / 3,2 / 11	1	325090	7.177,72 Kč
400 x 25,4	100 m/s	4800 rpm		24 / 40 / 3,6 / 11	1	349241	9.554,08 Kč
450 x 25,4	100 m/s	4300 rpm		26 / 40 / 3,7 / 11	1	325138	11.925,27 Kč
500 x 25,4	100 m/s	3900 rpm		30 / 40 / 3,7 / 11	1	325169	14.350,27 Kč

Reduction rings

DZ 100 RR



Advantages: Reduction rings with serration for enhanced adhesion

Diameter x Width x Bore in mm	Suitable for	Packing unit/pcs.	Cat. number	Price/pc. Kč
22,23 x 1,2 x 15,88	Bore 22,23 mm	1	337148	195,61 Kč
22,23 x 1,2 x 20	Bore 22,23 mm	1	337282	370,53 Kč
25,4 x 2 x 20	Bore 25,4 mm	1	328933	367,42 Kč
25,4 x 2,5 x 20	Bore 25,4 mm	1	328934	317,74 Kč
25,4 x 9 x 20	Bore 25,4 mm	1	339133	441,94 Kč
25,4 x 2 x 22,23	Bore 25,4 mm	1	353265	441,94 Kč
30 x 2 x 25,4	Bore 30,00 mm	1	337344	379,84 Kč
30 x 2,5 x 25,4	Bore 30,00 mm	1	353266	441,94 Kč
30 x 2,5 x 20	Bore 30,00 mm	1	353267	441,94 Kč
30 x 2 x 22,23	Bore 30,00 mm	1	353268	441,94 Kč
30 x 2 x 20	Bore 30,00 mm	1	353269	441,94 Kč

Recommended prices.

Drill bits with R 1/2" connection



R 1/2" BSP Male drill bit

DK 612 B
SUPRA



Properties

Design	Laser welded
Segmentation	Standard
Aggression	■ ■ ■ ■ ■ □
Service life	■ ■ ■ ■ ■ □



Applications:

Concrete, universal	●
---------------------	---

Advantages: Drill bits for universal applications - High cutting speed and service life - Can be used on electric drilling machines

Diameter in mm	Thread/Shaft	Overall length in mm	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
51	thread 1/2"	300	5 / 24 / 2,5 / 10	1	325720	4.188,00 Kč
56	thread 1/2"	300	5 / 24 / 2,5 / 10	1	325721	4.254,00 Kč
61	thread 1/2"	300	5 / 24 / 2,5 / 10	1	325722	4.509,75 Kč
71	thread 1/2"	300	7 / 24 / 2,5 / 10	1	325724	4.959,00 Kč
81	thread 1/2"	300	8 / 24 / 2,5 / 10	1	325755	5.670,00 Kč
91	thread 1/2"	300	8 / 24 / 2,5 / 10	1	325756	6.057,00 Kč
101	thread 1/2"	300	9 / 24 / 2,5 / 10	1	325757	6.441,00 Kč
111	thread 1/2"	300	9 / 24 / 2,5 / 10	1	325758	7.086,00 Kč
121	thread 1/2"	300	10 / 24 / 2,5 / 10	1	325759	7.729,50 Kč
131	thread 1/2"	300	10 / 24 / 2,5 / 10	1	325761	9.210,00 Kč
141	thread 1/2"	300	11 / 24 / 2,5 / 10	1	325762	9.468,00 Kč
151	thread 1/2"	300	12 / 24 / 2,5 / 10	1	325763	10.302,75 Kč
161	thread 1/2"	300	12 / 24 / 2,5 / 10	1	325764	10.950,00 Kč
171	thread 1/2"	300	12 / 24 / 2,5 / 10	1	325765	11.399,25 Kč
180	thread 1/2"	300	13 / 24 / 2,5 / 10	1	325766	12.233,25 Kč
201	thread 1/2"	300	15 / 24 / 2,5 / 10	1	325768	14.165,25 Kč

Recommended prices.

Drill bits with 1 1/4" UNC connection

1 1/4" UNC Female drill bit

DK 654 B

SUPRA



Properties

Design	Laser welded
Segmentation	Standard
Aggression	■■■■■■■□
Service life	■■■■■■■□



Applications:

Concrete, universal	●
---------------------	---

Advantages: Drill bits for universal applications - Very fast cutting - Long service life - Roof-shaped segments - Can be used on electric and hydraulic machines

Diameter in mm	Thread/Shaft	Overall length in mm	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
52	thread 1 1/4"	450	5 / 24 / 3,5 / 11	1	325769	4.114,60 Kč
56	thread 1 1/4"	450	5 / 24 / 3,5 / 11	1	325770	4.176,90 Kč
61	thread 1 1/4"	450	5 / 24 / 3,5 / 11	1	325771	4.431,00 Kč
62	thread 1 1/4"	450	5 / 24 / 3,5 / 11	1	325772	4.494,00 Kč
66	thread 1 1/4"	450	5 / 24 / 3,5 / 11	1	325773	4.683,70 Kč
72	thread 1 1/4"	450	6 / 24 / 3,5 / 11	1	325774	4.937,80 Kč
82	thread 1 1/4"	450	7 / 24 / 3,5 / 11	1	325775	5.695,90 Kč
92	thread 1 1/4"	450	8 / 24 / 3,5 / 11	1	325776	6.011,60 Kč
102	thread 1 1/4"	450	9 / 24 / 3,5 / 11	1	325777	6.330,80 Kč
112	thread 1 1/4"	450	10 / 24 / 3,5 / 11	1	325778	7.277,90 Kč
122	thread 1 1/4"	450	10 / 24 / 4 / 11	1	325779	8.227,10 Kč
132	thread 1 1/4"	450	10 / 24 / 4 / 11	1	325781	9.176,30 Kč
142	thread 1 1/4"	450	11 / 24 / 4 / 11	1	325782	9.490,60 Kč
152	thread 1 1/4"	450	12 / 24 / 4 / 11	1	325783	10.313,80 Kč
162	thread 1 1/4"	450	13 / 24 / 4 / 11	1	325784	10.943,10 Kč
172	thread 1 1/4"	450	13 / 24 / 4 / 11	1	325785	11.578,00 Kč
182	thread 1 1/4"	450	14 / 24 / 4 / 11	1	325786	12.527,90 Kč
202	thread 1 1/4"	450	15 / 24 / 4,5 / 11	1	325787	14.231,70 Kč
225	thread 1 1/4"	450	16 / 24 / 4,5 / 11	1	325788	17.393,60 Kč
250	thread 1 1/4"	450	17 / 24 / 4,5 / 11	1	325789	18.027,80 Kč
300	thread 1 1/4"	450	22 / 20 / 5 / 11	1	325790	22.453,90 Kč

Recommended prices.

Drill bits with ring segments, R 1/2" connection



R 1/2" BSP Male drill bit

DR 912 B SPECIAL



Properties

Design	Laser welded
Segmentation	Standard
Aggression	■ ■ ■ ■ ■ ■ ■ ■
Service life	■ ■ ■ ■ ■ ■ ■ ■



Applications:

Concrete, universal	●
---------------------	---

Advantages: Fast cutting - Long service life on reinforced concrete - Suitable for drill stand or handheld drilling

Diameter in mm	Thread/Shaft	Overall length in mm	Segment in mm Number / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
8	thread 1/2"	300	1 / 2 / 10	1	325791	2.455,60 Kč
10	thread 1/2"	300	1 / 2 / 10	1	325792	2.507,40 Kč
12	thread 1/2"	300	1 / 2 / 10	1	325793	2.613,80 Kč
14	thread 1/2"	300	1 / 2 / 10	1	325794	2.822,40 Kč
15	thread 1/2"	300	1 / 2,5 / 10	1	325795	2.979,90 Kč
16	thread 1/2"	300	1 / 2,5 / 10	1	325796	3.028,20 Kč
18	thread 1/2"	300	1 / 2,5 / 10	1	325797	3.134,60 Kč
20	thread 1/2"	300	1 / 2,5 / 10	1	325798	3.239,60 Kč
22	thread 1/2"	300	1 / 2,5 / 10	1	325799	3.552,50 Kč
24	thread 1/2"	300	1 / 2,5 / 10	1	325800	3.605,00 Kč
25	thread 1/2"	300	1 / 2,5 / 10	1	325801	3.656,80 Kč
26	thread 1/2"	300	1 / 2,5 / 10	1	325802	3.864,70 Kč
28	thread 1/2"	300	1 / 2,5 / 10	1	325803	3.970,40 Kč
30	thread 1/2"	300	1 / 2,5 / 10	1	325804	4.176,90 Kč
32	thread 1/2"	300	1 / 2,5 / 10	1	325805	4.804,10 Kč
35	thread 1/2"	300	1 / 3 / 10	1	325806	5.219,20 Kč
40	thread 1/2"	300	1 / 3 / 10	1	325807	5.537,70 Kč
42	thread 1/2"	300	1 / 3,5 / 10	1	325808	6.157,90 Kč
52	thread 1/2"	300	1 / 3,5 / 10	1	325811	6.786,50 Kč

Core cutter and adapter kit

Core cutter for switch boxes

DD 600 U SUPRA



Properties

Design	Laser welded
Edge	Segmented
Aggression	■ ■ ■ ■ □ □ □
Service life	■ ■ ■ ■ ■ ■ □



Applications:

Masonry	●
Construction materials	●
Chalky sandstone	●

Advantages: For machining soft and medium-hard materials such as brick, clinker and firebrick - Hexagon mounting with center drill bit are separately available (see ADS 200)


Diameter in mm	Thread/Shaft	Max. operating speed	Max. RPM	Overall length in mm	Segment in mm Number / Length / Width / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
68	thread M16	8 m/s	2000 rpm	70	3 / 24 / 3,5 / 7	1	325390	2.514,01 Kč
82	thread M16	8 m/s	1600 rpm	70	4 / 24 / 3,5 / 7	1	325391	3.014,95 Kč

Adapter kit

ADS 200



SDS



Advantages: SDS / hexagon adapter with 8 mm centre bit for article DD 600 U

Size in mm	Thread/Shaft	Suitable for	Packing unit/pcs.	Cat. number	Price/pc. Kč
115	SDS holding device	DD 600 U	1	236588	1.407,60 Kč
115	hexagonal	DD 600 U	1	236442	856,98 Kč

Recommended prices.

Diamond drill

DB 600 F SUPRA



Properties

Design	Vacuum-brazed
Edge	Closed
Aggression	■■■■■□□
Service life	■■■■■□□



Applications:

Stoneware	●
Stove tiles	●
Stove tiles, glazed	●

Advantages: Dry cutting drill bit for drilling with pinpoint accuracy on hard materials such as fine stoneware, granite floor tiles and stove tiles - Clean edges - Precise holes - No bursting, cracking, or splintering - Integrated cooling wax - No water required - Excellent price-performance ratio

Diameter in mm	Thread/Shaft	Max. RPM	Overall length in mm	Segment in mm Number / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
6	1/3" bit, hexagonal	3000 rpm	32	1 / 10	1	325382	1.681,87 Kč
7	1/4" bit, hexagonal	3000 rpm	35	1 / 10	1	383481	1.682,00 Kč
8	1/3" bit, hexagonal	3000 rpm	40	1 / 10	1	325527	1.848,51 Kč
10	1/3" bit, hexagonal	3000 rpm	40	1 / 10	1	325383	2.016,18 Kč
12	1/3" bit, hexagonal	3000 rpm	40	1 / 10	1	325384	2.349,45 Kč
14	1/3" bit, hexagonal	3000 rpm	40	1 / 10	1	325528	2.682,72 Kč

Diamond drill set

DB 600 F SUPRA Set



Properties

Design	Vacuum-brazed
Edge	Closed
Aggression	■■■■■□□
Service life	■■■■■□□



Applications:

Stoneware	●
Stove tiles	●
Stove tiles, glazed	●

Properties: 7 piece diamond drill set in a Klingspor case

Contents: 2x Ø 6 mm (325382), 1x Ø 8 mm (325527), 1x Ø 10 mm (325383), 1x Ø 12 mm (325384), 1x Ø 14 mm (325528), 1x hole starting aid (313807)

Advantages: Diamond drill bits and stainless steel centring aids in a convenient and sturdy aluminium case

Size in mm	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
200 x 140 x 55	3000 rpm	1	331021	9.106,96 Kč

Recommended prices.

Dry drill bit for stoneware

Dry drill bit

DK 600 F SUPRA



Properties

Design	Vacuum-brazed
Edge	Closed



Applications:

Stoneware	●
Tiles	●
Stove tiles	●

Advantages: Dry drill bit for all standard angle grinders - Suitable for the hardest of tiles, masonry and stoneware - Freehand centering - Precise and accurate drilling - Clean edges, precise holes - No splitting, cracking or chipping - No water needed

Diameter in mm	Thread/Shaft	Max. RPM	Overall length in mm	Segment in mm Number / Height	Packing unit/pcs.	Cat. number	Price/pc. Kč
6	thread M14	13300 rpm	35	1 / 10	1	330670	1.060,50 Kč
8	thread M14	13300 rpm	35	1 / 10	1	330671	1.104,60 Kč
10	thread M14	13300 rpm	35	1 / 10	1	330672	1.155,70 Kč
12	thread M14	13300 rpm	35	1 / 10	1	330673	1.204,00 Kč
14	thread M14	13300 rpm	35	1 / 10	1	330674	1.347,50 Kč
20	thread M14	13300 rpm	45	1 / 15	1	330675	1.394,40 Kč
22	thread M14	13300 rpm	45	1 / 15	1	330676	1.443,40 Kč
25	thread M14	13300 rpm	45	1 / 15	1	330677	1.682,10 Kč
26	thread M14	13300 rpm	45	1 / 15	1	325385	1.790,60 Kč
30	thread M14	13300 rpm	45	1 / 15	1	330678	1.922,20 Kč
35	thread M14	13300 rpm	45	1 / 15	1	330679	2.161,60 Kč
38	thread M14	13300 rpm	45	1 / 15	1	325386	2.513,70 Kč
40	thread M14	13300 rpm	45	1 / 15	1	330680	2.640,40 Kč
45	thread M14	13300 rpm	45	1 / 15	1	330681	2.885,40 Kč
50	thread M14	13300 rpm	45	1 / 15	1	330682	3.123,40 Kč
58	thread M14	13300 rpm	45	1 / 15	1	325387	3.285,80 Kč
65	thread M14	13300 rpm	45	1 / 15	1	325388	3.528,00 Kč
68	thread M14	13300 rpm	45	1 / 15	1	330683	3.602,20 Kč
70	thread M14	13300 rpm	45	1 / 15	1	325389	3.670,80 Kč
82	thread M14	13300 rpm	50	1 / 15	1	330685	3.745,70 Kč
112	thread M14	13300 rpm	50	1 / 15	1	330684	4.319,70 Kč

Recommended prices.

Dry drill bit set

DK 600 F SUPRA Set



Properties

Design	Vacuum-brazed
Edge	Closed



Applications:

Stoneware	●
Tiles	●
Stove tiles	●

Properties: 6-piece dry drill bit set in a Klingspor case

Contents: 2x Ø 6 mm (330670), 2x Ø 8 mm (330671), 1x Ø 10 mm (330672), 1x Ø 12 mm (330673)

Advantages: Dry drill bits in a convenient and sturdy aluminium case

Size in mm	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
110 x 130 x 100	13300 rpm	1	331076	6.129,90 Kč

Hole starting aid

ABH 80



Advantages: Hole starting aid for professional diamond dry drill DB 600 F

Size in mm	Suitable for	Packing unit/pcs.	Cat. number	Price/pc. Kč
55	DB 600 F	1	313807	2.479,86 Kč

Recommended prices.

Flexible abrasives

Description	Type	Material applications												Page
		Iron	Steel	Stainless steel	NF metals	Wood	Paint / Varnish	Glass / Stone	Plastic	Leather	Paper	Ceramic	Porcelain	
R-Flex	<i>RFS 651 bond E</i>			●	●									275
	<i>RFM 652 bond E</i>				●									275
	<i>RFR 654 bond Z/E</i>	●	●	●	●	○	○	○	●			○	○	277
Sandflex	<i>SFM 656 bond T</i>			●										276
	<i>SFK 655 block</i>	●	●	●	●	●	●	●	●	●	●	●	●	276

● = main application ○ = possible application

Dimensions R-Flex point RFS 651

Ø [mm]	Possible widths [mm]	Grit size	Minimum order quantities	Requested grit type / grit size
15	15, 20, 25, 30	60, 120, 240	10	from 450 pieces
20	15, 20, 25, 30	60, 120, 240	10	from 450 pieces
25	10, 15, 20, 25, 30	60, 120, 240	10	from 250 pieces
30	10, 15, 20, 25, 30	60, 120, 240	10	from 250 pieces
40	10, 15, 20, 30, 40	60, 120, 240	10	from 160 pieces
50	10, 20, 30, 40	60, 120, 240	10	from 110 pieces
60	30, 40	60, 120, 240	10	from 90 pieces

Dimensions R-Flex wheel RFR 654

Ø [mm]	Possible widths [mm]	Grit size	Minimum order quantities	Requested grit type / grit size
100	10, 15, 20, 25, 30, 35	60, 120, 240	6	from 15 pieces
125	10, 15, 20, 25, 30, 35	60, 120, 240	6	from 12 pieces
150	10, 15, 20, 25, 30, 35	60, 120, 240	6	from 6 pieces
175	15, 20, 25, 30, 35	60, 120, 240	6	from 6 pieces
200	15, 20, 25, 30, 35	60, 120, 240	6	from 6 pieces

Other grit sizes on request

Flexible abrasives

Mounted points, mottling points



R-Flex mounted points

RFS 651



Properties

Bonding agent	Plastic
Grain	SiC

Applications:

Aluminium	●
Stainless steel	●
NF metals	●

Advantages: Versatile mounted points for finishing and cleaning in circumferential grinding - Soft abrasion due to elastic structure

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter x Height x Shaft in mm	Grit	Bonding agent	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
40 x 15 x 6	60	E	16 m/s	7650 rpm	10	14006	320,85 Kč
40 x 15 x 6	120	E	16 m/s	7650 rpm	10	14007	320,85 Kč
40 x 15 x 6	240	E	16 m/s	7650 rpm	10	14008	320,85 Kč
60 x 30 x 6	60	E	16 m/s	5000 rpm	10	14030	472,99 Kč
60 x 30 x 6	120	E	16 m/s	5000 rpm	10	14031	472,99 Kč

R-Flex mottling points

RFM 652



Properties

Bonding agent	Plastic
Grain	SiC

Applications:

Aluminium	●
NF metals	●

Advantages: Produces a satin surface scratch pattern - Soft abrasion due to elastic structure - Available in two executions: with full length round shaft (standard execution, stock items) or with flattened shaft for simple and secure clamping in tool holders with clamping screw (made to order items)

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter x Height x Shaft in mm	Grit	Bonding agent	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
30 x 30 x 6	60	E	8 m/s	5000 rpm	10	14033	304,20 Kč
30 x 30 x 6	120	E	8 m/s	5000 rpm	10	14034	304,20 Kč
50 x 30 x 6	60	E	8 m/s	3000 rpm	10	14037	335,40 Kč
50 x 30 x 6	120	E	8 m/s	3000 rpm	10	14038	335,40 Kč

Flexible abrasives

Mottling points / Hand block

Sandflex mottling points

SFM 656



Properties

Bonding agent Plastic

Grain SiC

Applications:

Stainless steel ●

Advantages: Produces a glossy finish on stainless steel surfaces - Soft abrasion due to elastic structure - Available in two executions: with flattened shaft for simple and secure clamping (standard execution, stock items) and with full length round shaft (made to order items)

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
Diameter x Height x Shaft in mm						Grit	Bonding agent	Max. operating speed		Max. RPM		Packing unit/pcs.		Cat. number		Price/pc. Kč										
30 x 30 x 6						60	T	5 m/s		3200 rpm		10		334988		484,38 Kč										
30 x 30 x 6						120	T	5 m/s		3200 rpm		10		334990		484,38 Kč										
40 x 30 x 6						60	T	5 m/s		2400 rpm		10		334991		510,25 Kč										
40 x 30 x 6						120	T	5 m/s		2400 rpm		10		334992		510,25 Kč										
50 x 30 x 6						60	T	5 m/s		1900 rpm		10		334993		534,06 Kč										
50 x 30 x 6						120	T	5 m/s		1900 rpm		10		334994		534,06 Kč										
60 x 30 x 6						60	T	5 m/s		1600 rpm		10		334995		548,55 Kč										

Hand block

SFK 655



Properties

Bonding agent Plastic

Grain SiC

Applications:

Paint/Varnish ●

Glass/Stone ●

Wood ●

Plastic ●

Leather ●

Metals ●

Advantages: Universal hand block for cleaning and finishing - Can be used on many materials - Cleaning performance is significantly increased by use of additives - Soft abrasion due to elastic structure - Can be used until completely worn down - Easy to cut to desired shape

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
Width x Length x Height in mm									Grit		Packing unit/pcs.				Cat. number				Price/pc. Kč							
80 x 50 x 20									30		18				13800				168,70 Kč							
80 x 50 x 20									60		18				13801				168,70 Kč							
80 x 50 x 20									120		18				13802				168,70 Kč							
80 x 50 x 20									240		18				13803				168,70 Kč							



Flexible abrasives

Hand block / R-Flex wheel



►► Continuation of SFK 655 Hand block

Width x Length x Height in mm	Grit	Packing unit/pcs.	Cat. number	Price/pc. Kč
150 x 80 x 20	30	1	13804	417,10 Kč
150 x 80 x 20	60	1	13805	417,10 Kč
150 x 80 x 20	120	1	63231	417,10 Kč
150 x 80 x 20	240	1	13807	417,10 Kč

Hand block

SFK 655 Set



Properties

Bonding agent	Plastic
Grain	SiC

Applications:

Paint/Varnish	●	Leather	●
Glass/Stone	●	Metals	●
Wood	●		
Plastic	●		

Advantages: Universal hand block for cleaning and finishing - Can be used on many materials - Cleaning performance is significantly increased by use of additives - Soft abrasion due to elastic structure - Can be used until completely worn down - Easy to cut to desired shape

Contents: 18 pcs. / 6 pieces in grit 60, 120, 240 each

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length x Height in mm	Packing unit/pcs.	Cat. number	Price/pc. Kč
80 x 50 x 20	1	72129	2.945,61 Kč

R-flex wheel

RFR 654



Properties

Bonding agent	Plastic
Grain	Aluminium oxide/SiC

Applications:

Stainless steel	●	Plastic	●
Steel	●	Glass	○
NF metals	●		
Aluminium	●		

Advantages: Versatile abrasive wheel - Deburring, matt finishing and finishing with one tool - Good adaptation to workpiece contour - Soft abrasion due to elastic structure - Can be used until completely worn down - Available in 2 bond hardnesses: medium (E) and hard (Z)

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

All sizes and minimum purchasing quantities available on request

Carbide burrs

Type		Form	Page
HF 100 A	(ZYA)	Cylindrical	279
HF 100 B	(Zyas)	Cylindrical with end cut	279
HF 100 C	(WRC)	Cylindrical with spherical head	280
HF 100 D	(KUD)	Spherical shape	281
HF 100 E	(TRE)	Oval shape	281
HF 100 F	(RBF)	Conical shape	282
HF 100 G	(SPG)	Arch shape	282
HF 100 H		Flame shape	283

Type		Form	Page
HF 100 J	(KSJ)	Conical shape, pointed nose (60°)	283
HF 100 K	(KSK)	Conical shape, pointed nose (90°)	284
HF 100 L	(KEL)	Conical shape, round nose	284
HF 100 M	(SKM)	Conical shape, pointed nose	285
HF 100 N	(WKN)	Dovetail	285
Sets of burrs			
HF 100	Set, 40 carbide burrs		286
HF 100	Set, 5 carbide burrs		286
HF 100 Steel	Set, 5 carbide burrs		287
HF 100 INOX	Set, 5 carbide burrs		287


Cut	Materials																							
	Steel							Soft NF metals			Hard NF metals			Creep resistant materials	Cast iron	Plastics								
	Carbon steel	Tool steel	Non-alloyed steel	Case-hardened steel	Cast steel	Alloyed steel	Hardened steel	Aluminium	Messing	Copper	Zinc	Bronze	Titanium	Titanium alloy	Aluminium alloy (high SiC contingent)	Nickel based alloy	Cobalt based alloy	Grey cast iron	White cast iron	GRP	CFRP	Ebonite / Hard rubber	Thermoplastic material	Thermosets
2	●	●	●	●	●	●	●		●	●	●	●	●	●	●	●	●	●	●					●
3								●	●	●	●											●	●	
6	●	●	●	●	●	●	●		●	●		●	●	●	●	●	●	●	●	●	●			●
10	●	●	●	●	●	●	●											●	●					
11																●	●							

● = main application ● = possible application

● = main application ● = possible application

Carbide burr

HF 100 A



Properties: Cylindrical burr without end-cut - Designation in accordance with DIN 8032: ZYA


Advantages: For universal use - Especially suitable for surface grinding



Diameter in mm	Height in mm	Total length in mm	Shaft diameter in mm	Cut	Packing unit/pcs.	Cat. number	Price/pc. Kč
3	14	38	3	6	5	295482	370,53 Kč
12,7	25	70	6	3	1	295604	1.698,43 Kč
6	18	50	6	6	1	295531	624,10 Kč
8	19	64	6	6	1	295552	812,47 Kč
9,6	19	64	6	6	1	295568	878,71 Kč
12,7	19	64	6	6	1	295594	1.331,01 Kč
12,7	25	70	6	6	1	295609	1.356,88 Kč
16	25	70	6	6	1	295621	1.706,71 Kč
8	19	64	6	11	1	334119	999,81 Kč

Carbide burr

HF 100 B



Properties: Cylindrical burr with end cut - Designation in accordance with DIN 8032: ZYAS

Advantages: The end cut makes it suitable for blind holes and faces on inner contours



Diameter in mm	Height in mm	Total length in mm	Shaft diameter in mm	Cut	Packing unit/pcs.	Cat. number	Price/pc. Kč
3	14	38	3	6	5	295483	402,61 Kč
6,3	12,7	55	3	6	5	295507	659,29 Kč
6	18	50	6	2	1	295522	688,27 Kč
12,7	25	70	6	2	1	295603	1.491,43 Kč
6	18	50	6	3	1	295526	856,98 Kč
9,6	19	64	6	3	1	295564	1.204,74 Kč
12,7	25	70	6	3	1	295605	1.867,14 Kč
6	18	50	6	6	1	295532	688,27 Kč

Recommended prices.




Carbide Burrs

► Continuation of 100 B, Carbide burr

Diameter in mm	Height in mm	Total length in mm	Shaft diameter in mm	Cut	Packing unit/pcs.	Cat. number	Price/pc. Kč
8	19	64	6	6	1	295553	889,06 Kč
9,6	19	64	6	6	1	295569	962,55 Kč
12,7	19	64	6	6	1	295595	1.463,49 Kč
12,7	25	70	6	6	1	295610	1.491,43 Kč
16	25	70	6	6	1	295622	1.876,45 Kč
6	18	50	6	10	1	334124	773,14 Kč
8	19	64	6	10	1	334125	1.006,02 Kč
9,6	19	64	6	10	1	334131	1.082,61 Kč
12,7	25	70	6	10	1	334132	1.686,01 Kč

Carbide burr

HF 100 C



Properties: Cylindrical burr with ball end - Designation in accordance with DIN 8032: WRC

Advantages: For universal use on surfaces, contours and radiuses




Diameter in mm	Height in mm	Total length in mm	Shaft diameter in mm	Cut	Packing unit/pcs.	Cat. number	Price/pc. Kč
3	14	38	3	2	5	295649	370,53 Kč
3	14	38	3	6	5	295654	370,53 Kč
6	18	50	6	2	1	295686	719,32 Kč
12,7	25	70	6	2	1	295747	1.520,41 Kč
6	18	50	6	3	1	295688	901,48 Kč
9,6	19	63	6	3	1	295725	1.218,19 Kč
12,7	25	70	6	3	1	295750	1.903,36 Kč
6	18	50	6	6	1	295694	719,32 Kč
8	19	63	6	6	1	295713	885,96 Kč
9,6	19	63	6	6	1	295727	973,93 Kč
12,7	19	64	6	6	1	295741	1.505,92 Kč
12,7	25	70	6	6	1	295753	1.520,41 Kč
16	25	70	6	6	1	295763	1.910,61 Kč
6	18	50	6	10	1	334133	813,51 Kč
8	19	64	6	10	1	334135	998,77 Kč
9,6	19	64	6	10	1	334137	1.097,10 Kč
12,7	25	70	6	10	1	334140	1.721,20 Kč
6	18	50	6	11	1	334134	888,03 Kč
8	19	64	6	11	1	334136	1.088,82 Kč
9,6	19	64	6	11	1	334138	1.195,42 Kč
12,7	25	70	6	11	1	334139	1.875,42 Kč

Recommended prices.

Carbide burr

HF 100 D



Properties: Ball-shaped burr - Designation in accordance with DIN 8032: KUD

Advantages: For use on contours - For deburring bore holes



Diameter in mm	Height in mm	Total length in mm	Shaft diameter in mm	Cut	Packing unit/pcs.	Cat. number	Price/pc. Kč
3	2,5	38	3	6	5	295784	370,53 Kč
9,6	8	54	6	3	1	300054	1.000,84 Kč
6	4,7	50	6	6	1	295819	670,68 Kč
8	6	52	6	6	1	295831	713,11 Kč
9,6	8	54	6	6	1	295843	801,09 Kč
12,7	11	56	6	6	1	295859	1.076,40 Kč
6	4,7	50	6	11	1	334142	814,54 Kč

Carbide burr

HF 100 E



Properties: Drop-shaped burr - Designation in accordance with DIN 8032: TRE

Advantages: For milling out fillet welds - Suitable for working on moulded parts




Diameter in mm	Height in mm	Total length in mm	Shaft diameter in mm	Cut	Packing unit/pcs.	Cat. number	Price/pc. Kč
8	15	60	6	6	1	295909	889,06 Kč
9,6	16	60	6	6	1	295916	973,93 Kč
12,7	22	67	6	6	1	295925	1.416,91 Kč
12,7	22	67	6	11	1	334150	1.749,15 Kč

Recommended prices.

Carbide Burrs

Carbide burr

HF 100 F



Properties: Semi-circular burr - Designation in accordance with DIN 8032: RBF


Advantages: Well suited for working on moulded parts



Diameter in mm	Height in mm	Total length in mm	Shaft diameter in mm	Cut	Packing unit/pcs.	Cat. number	Price/pc. Kč
3	14	38	3	6	5	295951	370,53 Kč
9,6	19	64	6	3	1	295985	1.190,25 Kč
12,7	25	70	6	3	1	296007	1.754,32 Kč
6	18	50	6	6	1	295971	757,62 Kč
9,6	19	64	6	6	1	295987	952,20 Kč
8	20	65	6	6	1	295978	889,06 Kč
12,7	25	70	6	6	1	296010	1.400,35 Kč
9,6	19	64	6	10	1	334155	1.071,22 Kč
12,7	25	70	6	10	1	334157	1.583,55 Kč
9,6	19	64	6	11	1	334156	1.168,51 Kč

Carbide burr

HF 100 G



Properties: Pointed arch-shaped burr with flattened tip - Designation in accordance with DIN 8032: SPG

Advantages: Ideal for chamfering - For deburring bore holes



Diameter in mm	Height in mm	Total length in mm	Shaft diameter in mm	Cut	Packing unit/pcs.	Cat. number	Price/pc. Kč
3	14	38	3	2	5	296043	370,53 Kč
3	14	38	3	6	5	296047	370,53 Kč
6,3	12,7	45	3	6	5	296055	596,16 Kč
6	18	50	6	6	1	296062	757,62 Kč
8	19	64	6	6	1	296066	919,08 Kč
9,6	19	64	6	6	1	296074	1.016,37 Kč
12,7	19	64	6	6	1	296079	1.373,44 Kč

Recommended prices.




►► Continuation of 100 G, Carbide burr

Diameter in mm	Height in mm	Total length in mm	Shaft diameter in mm	Cut	Packing unit/pcs.	Cat. number	Price/pc. Kč
12,7	25	70	6	6	1	296086	1.373,44 Kč
8	19	64	6	10	1	334161	1.035,00 Kč
12,7	25	70	6	10	1	334165	1.550,43 Kč
8	19	64	6	11	1	334162	1.125,04 Kč


Carbide burr

HF 100 H



Properties: Flame-shaped burr - No designation in accordance with DIN 8032


Advantages: Well suited for working on moulded parts



Diameter in mm	Height in mm	Total length in mm	Shaft diameter in mm	Cut	Packing unit/pcs.	Cat. number	Price/pc. Kč
8	19	64	6	6	1	296193	1.000,84 Kč
9,6	19	65	6	6	1	297074	1.726,38 Kč
12,7	32	77	6	6	1	296194	2.024,46 Kč

Carbide burr

HF 100 J



Properties: Conical burr - 60° angle - Designation in accordance with DIN 8032: KSJ

Advantages: Suitable for chamfering or bevelling




All sizes and minimum purchasing quantities available on request

Recommended prices.

Carbide Burrs

Carbide burr

HF 100 K



Properties: Conical burr - 90° angle - Designation in accordance with DIN 8032: KSK


Advantages: For deburring bore holes - For chamfering or bevelling



All sizes and minimum purchasing quantities available on request

Carbide burr

HF 100 L



Properties: Conical round-nosed burr - Designation in accordance with DIN 8032: KEL

Advantages: For difficult-to-access areas




Diameter in mm	Height in mm	Total length in mm	Shaft diameter in mm	Cut	Packing unit/pcs.	Cat. number	Price/pc. Kč
3	14	38	3	6	5	296199	388,12 Kč
9,6	30	76	6	3	1	300055	1.586,65 Kč
12,7	32	77	6	3	1	297470	2.161,08 Kč
6	18	50	6	6	1	296200	809,37 Kč
8	25,4	70	6	6	1	296205	1.058,80 Kč
9,6	30	76	6	6	1	296201	1.267,87 Kč
12,7	32	77	6	6	1	296192	1.547,32 Kč
9,6	30	76	6	10	1	334172	1.369,30 Kč
12,7	32	77	6	10	1	334173	1.672,56 Kč
12,7	32	77	6	11	1	334174	1.823,67 Kč

Recommended prices.

Carbide burr

HF 100 M



Properties: Pointed cone burr - Designation in accordance with DIN 8032: SKM


Advantages: For deburring tasks - For conical holes and grooves - Ideal for model building



Diameter in mm	Height in mm	Total length in mm	Shaft diameter in mm	Cut	Packing unit/pcs.	Cat. number	Price/pc. Kč
3	11	38	3	6	5	296114	388,12 Kč
6	20	50	6	6	1	296136	809,37 Kč
8	18	64	6	6	1	300052	1.171,62 Kč
9,6	16	64	6	6	1	296144	1.272,01 Kč
12,7	22	71	6	6	1	296148	1.586,65 Kč

Carbide burr

HF 100 N



Properties: Angular burr without end cut - Designation in accordance with DIN 8032: WKN

Advantages: Suitable for difficult-to-access areas, inner edges or conical profiles




All sizes and minimum purchasing quantities available on request

Recommended prices.

Carbide Burrs

Carbide burr

HF 100 set



Properties: 40 piece burr set, cut 6, in lockable Klingspor presentation box


Contents: 2 x HF 100 B 6x18x6 (295532), 2 x HF 100 C 6x18x6 (295694), 2 x HF100 F 6x18x6 (295971), 2 x HF100 G 6x18x6 (296062), 2 x HF 100 L 6x18x6 (296200), 2 x HF 100 B 8x19x6 (295553), 2 x HF 100 C 8x19x6 (295713), 2 x HF 100 F 8x20x6 (295978), 2 x HF 100 G 8x19x6 (296066), 2 x HF 100 L 8x25,4x6 (296205), 2 x HF 100 B 9,6x19x6 (295569), 2 x HF 100 C 9,6x19x6 (295727), 2 x HF 100 F 9,6x19x6 (295987), 2 x HF 100 G 9,6x19x6 (296074), 2 x HF 100 L 9,6x30x6 (296201), 2 x HF 100 B 12,7x25x6 (295610), 2 x HF 100 C 12,7x25x6 (295753), 2 x HF 100 F 12,7x25x6 (296010), 2 x HF 100 G 12,7x25x6 (296086), 2 x HF 100 L 12,7x32x6 (296192)

Advantages: All top sellers at a glance

Size in mm	Shaft diameter in mm	Cut	Packing unit/pcs.	Cat. number	Price/pc. Kč
335 x 225 x 380	6	6	1	300627	49.513,36 Kč

Carbide burr

HF 100 set



Properties: 5 piece burr set, cut 6, in a Klingspor screw lid container

Contents: HF 100 B 9,6x19x6 (295569), HF 100 C 9,6x19x6 (295727), HF 100 D 9,6x8x6 (295843), HF 100 E 9,6x16x6 (295916), HF 100 F 9,6x19x6 (295987)


Advantages: Presentation of the top sellers - Practical and safe storage of the burrs

Size in mm	Shaft diameter in mm	Cut	Packing unit/pcs.	Cat. number	Price/pc. Kč
70 x 70 x 100	6	6	1	336927	5.792,89 Kč

Recommended prices.

Carbide burr

HF 100 Steel



Properties: 5 piece burr set, cut 10, in Klingspor screw box


Contents: HF 100 A 9.6x19x6 (334120), HF 100 C 9.6x19x6 (334137), HF 100 D 9.6x8x6 (334146), HF 100 F 9.6x19x6 (334155), HF 100 L 9.6x30x6 (334172)

Advantages: Presentation of high performance Steel tooth geometry (Cut 10), safe and convenient storage of the burrs - Toothing optimised for processing steel and cast steel - Strikingly improved stock removal performance by contrast with standard cross-cut tooth geometries

Size in mm	Shaft diameter in mm	Cut	Packing unit/pcs.	Cat. number	Price/pc. Kč
70 x 70 x 100	6	10	1	337154	6.636,42 Kč

Carbide burr

HF 100 Inox



Properties: 5 piece burr set, cut 11, in a Klingspor screw box

Contents: HF 100 A 9,6x19,0x6 (334121), HF 100 C 9,6x19x6 (334138), HF 100 D 9,6x8x6 (334145), HF 100 F 9,6x19x6 (334156), HF 100 L 10x20x6 (334204)

Advantages: Presentation of the high performance Inox cut - Practical and safe storage of the burrs - Optimized cut for working on austenitic, corrosion and acid-proof stainless steels - Considerably higher stock removal rate compared to the standard double cut

Size in mm	Shaft diameter in mm	Cut	Packing unit/pcs.	Cat. number	Price/pc. Kč
70 x 70 x 100	6	11	1	334221	6.479,10 Kč

Recommended prices.

Wire brushes

				Material applications											
Machines	Type of wire brush	Wire style	Bristle material	Construction steel	Carbon steel	Alloyed steels	Cast iron	Stainless steel	Aluminium	Copper	Brass	Wood	Type	Page	
	Wheel brush	knotted	Steel wire	●	●	●	●						BR 600 Z	289	
			INOX wire					●	●	●	●				
	Pipeline brush	knotted	Steel wire	●	●	●	●						BRP 600 Z	289	
			INOX wire	●	●	●	●								
	Cone brush	knotted	Steel wire	●	●	●	●						BK 600 Z	290	
			INOX wire					●	●	●	●				
		crimped	Steel wire	●	●	●	●						BK 600 W	290	
			INOX wire	●	●	●	●								
	Cup-shaped brush	knotted	Steel wire	●	●	●	●						BT 600 Z	291	
			INOX wire					●	●	●	●				
		crimped	Steel wire	●	●	●	●						BT 600 W	291	
			INOX wire					●	●	●	●				
	Wheel brush	crimped	Steel wire	●	●	●	●						BR 600 W	292	
			INOX wire					●	●	●	●				
	Wheel brush with shaft Ø 6 mm	crimped	Steel wire	●	●	●	●						BRS 300 W	293	
			INOX wire												
	Wheel brush with shaft Ø 6 mm	knotted	Steel wire	●	●	●	●						BRS 600 Z	292	
			INOX wire					●	●	●	●				
	Wheel brush with shaft Ø 6 mm	crimped	Steel wire	●	●	●	●						BRS 600 W	293	
			INOX wire					●	●	●	●				
	Wheel brush with shaft Ø 6 mm	abrasive bristle	SIC	●		●		●	●	●	●	●	BRS 600 P	294	
	Cup-shaped brush with shaft Ø 6 mm	crimped	Steel wire	●	●	●	●						BTS 600 W	294	
			INOX wire					●	●	●	●				
	End brush with shaft Ø 6 mm	knotted	Steel wire	●	●	●	●						BPS 600 Z	295	
			INOX wire					●	●	●	●				
	End brush with shaft Ø 6 mm	crimped	Steel wire	●	●	●	●						BPS 600 W	295	
			INOX wire					●	●	●	●				
	Handheld brush with wooden handpiece	straight	Steel wire	●	●	●	●						BH 600	296	
			INOX wire					●	●	●	●				
			Brass wire						●	●	●	●			
	Handheld brush with plastic handpiece	crimped	Steel wire	●	●	●	●						BHP 600	296	
			INOX wire					●	●	●	●				
			Brass wire						●	●	●	●			
	Handheld brush fillet weld	straight	Steel wire	●	●	●	●						BHK 600	297	
			INOX wire					●	●	●	●				
	Spark plug brush	crimped	INOX wire					●	●	●	●		BHZ 600	297	
			Brass wire						●	●	●				

● = main application

Wheel brush, knotted wire

BR 600 Z



Applications:

Stainless steel	●
Steel	●

Advantages: Wheel brush for pre- and post-processing of welding seams - For aggressive removal of scale, rust, slag - For heavy brushing and deburring work

Diameter x Width x Bore in mm	Thread/Shaft	Fill material	Wire thickness in mm	Filament length in mm	Number of knots	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 14 x 22,23		Steel	0,50	22	20	12500 rpm	1	358311	340,51 Kč
115 x 14 x 22,23		Stainless steel	0,50	22	20	12500 rpm	1	358342	510,25 Kč
115 x 14	thread M14	Steel	0,50	22	22	12500 rpm	1	370717	409,86 Kč
115 x 14	thread M14	Stainless steel	0,50	22	22	12500 rpm	1	370718	599,26 Kč
125 x 14 x 22,23		Steel	0,50	22	24	12500 rpm	1	358312	364,32 Kč
125 x 14 x 22,23		Stainless steel	0,50	22	24	12500 rpm	1	358343	546,48 Kč
125 x 14	thread M14	Steel	0,50	22	26	12500 rpm	1	370719	425,38 Kč
178 x 14 x 22,23		Steel	0,50	42	30	9000 rpm	1	358313	730,71 Kč
178 x 14 x 22,23		Stainless steel	0,50	42	30	9000 rpm	1	363720	1.095,03 Kč
178 x 14	thread M14	Steel	0,50	39	36	9000 rpm	1	370720	677,92 Kč

Pipeline brush, knotted wire

BRP 600 Z



Applications:

Steel	●
Stainless steel	●

Advantages: Ideal tool for the professional processing of U / V-type welds in pipeline, pipework and container construction - Thanks to its slim overall width it is also well suited for working on hard-to-reach areas (e.g. root or narrow fillet welds) - Cleaning of all welding seams on pipe connections

Diameter x Width x Bore in mm	Fill material	Wire thickness in mm	Filament length in mm	Number of knots	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 6 x 22,23	Steel	0,50	28	36	15000 rpm	1	358314	364,32 Kč
125 x 6 x 22,23	Steel	0,50	22	36	12500 rpm	1	358315	391,23 Kč
125 x 6 x 22,23	Stainless steel	0,50	22	36	12500 rpm	1	363992	585,81 Kč
178 x 6 x 22,23	Steel	0,50	42	48	9000 rpm	1	358319	781,42 Kč

Recommended prices.

Wire brushes

Bevel brush with thread, knotted wire

BK 600 Z



Applications:

Steel	●
Stainless steel	●

Advantages: Ideal tool for working on hard-to-reach areas, inside corners and bevels - High brushing capacity due to knotted wire design - Excellent for cleaning larger surfaces - Removal of scale, rust, paint and slag, etc.

Diameter x Width in mm	Thread/Shaft	Fill material	Wire thickness in mm	Filament length in mm	Number of knots	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
100 x 14	thread M14	Steel	0,50	20	18	12500 rpm	1	358327	277,38 Kč
100 x 14	thread M14	Stainless steel	0,50	20	18	12500 rpm	1	358329	414,00 Kč
115 x 14	thread M14	Steel	0,50	22	18	12500 rpm	1	358328	382,95 Kč
115 x 14	thread M14	Stainless steel	0,50	22	20	12500 rpm	1	358330	576,49 Kč

Bevel brush with thread, crimped wire

BK 600 W



Applications:

Steel	●
-------	---

Advantages: Ideal tool for working on hard-to-reach areas, inside corners and bevels - Material-protecting brushing due to crimped wire design - Excellent for cleaning larger surfaces - For removing rust, dirt, paint residue, etc.

Diameter in mm	Thread/Shaft	Fill material	Wire thickness in mm	Filament length in mm	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
115	thread M14	Steel	0,30	26	12500 rpm	1	364822	214,24 Kč
125	thread M14	Steel	0,30	26	12500 rpm	1	370724	323,95 Kč

Recommended prices.

Cup brush with thread, knotted wire

BT 600 Z



Applications:

Steel	●
Stainless steel	●

Advantages: For aggressive brushing work on large, flat surfaces - For preparing metal surfaces before varnishing - Stable knotted wire design for easy cleaning and removal of slag, rust, scale and concrete residues

Diameter in mm	Thread/Shaft	Fill material	Wire thickness in mm	Filament length in mm	Number of knots	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
65	thread M14	Steel	0,35	22	18	12500 rpm	1	358334	237,01 Kč
65	thread M14	Steel	0,50	22	18	12500 rpm	1	358335	245,29 Kč
65	thread M14	Stainless steel	0,50	22	18	12500 rpm	1	358340	366,39 Kč
80	thread M14	Steel	0,50	22	20	8500 rpm	1	358337	321,88 Kč
100	thread M14	Steel	0,50	27	22	8500 rpm	1	358338	430,56 Kč

Cup-shaped brush, crimped wire

BT 600 W



Applications:

Steel	●
Stainless steel	●

Advantages: Ideal tool for cleaning and clearing profiled or uneven surfaces, e.g. checker plate - For medium-duty brushing work, derusting, and removing paint impurities and paint residues - Material-saving work - For processing very thin sheet metal, e.g. car workshops and restoration companies


Diameter in mm	Thread/Shaft	Fill material	Wire thickness in mm	Filament length in mm	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
65	thread M14	Steel	0,30	21	12500 rpm	1	358372	184,23 Kč
65	thread M14	Stainless steel	0,30	21	12500 rpm	1	358377	276,34 Kč
80	thread M14	Steel	0,30	24	8500 rpm	1	358373	242,19 Kč
80	thread M14	Stainless steel	0,30	24	8500 rpm	1	358326	361,21 Kč
100	thread M14	Steel	0,30	27	8500 rpm	1	358375	322,92 Kč

Recommended prices.

Wire brushes

Wheel brush, crimped wire

BR 600 W



Applications:

Steel	●
Stainless steel	●


Advantages: Suitable for low to medium duty brushing and deburring of cut edges, tubes or small parts - Ø150-200 mm for use on stationary machines - Ø115/Ø125 mm for use on angle grinders - High fill density for a long service life

Incl. adapter set for brushes Ø 150 - 200 mm to reduce the mounting hole (12,7 mm, 16 mm, 19 mm, 22,2 mm, 25,4 mm)

Diameter x Width x Bore in mm	Thread/Shaft	Fill material	Wire thickness in mm	Filament length in mm	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
115 x 15	thread M14	Steel	0,30	24	15000 rpm	1	370722	381,91 Kč
125 x 15	thread M14	Steel	0,30	29	15000 rpm	1	370723	442,98 Kč
150 x 25 x 32		Steel	0,30	30	6000 rpm	1	363997	661,36 Kč
150 x 25 x 32		Stainless steel	0,30	30	6000 rpm	1	364000	991,53 Kč
178 x 25 x 32		Steel	0,30	42	6000 rpm	1	363998	816,61 Kč
178 x 25 x 32		Stainless steel	0,30	42	6000 rpm	1	364001	1.224,40 Kč
200 x 25 x 32		Steel	0,30	45	4500 rpm	1	363999	1.006,02 Kč
200 x 25 x 32		Stainless steel	0,30	45	4500 rpm	1	364002	1.506,96 Kč

Wheel brush with shaft, knotted wire

BRS 600 Z



Applications:

Steel	●
Stainless steel	●

Advantages: Knotted design for rough brushing work and long service life - For efficient work in hard-to-reach areas such as grooves, flutes, depressions - Deburring of cut edges, removal of scale, paint, slag

Diameter x Width x Shaft in mm	Total length in mm	Fill material	Wire thickness in mm	Filament length in mm	Number of knots	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
75 x 12 x 6	37	Steel	0,50	19	15	25000 rpm	10	358320	217,35 Kč
75 x 12 x 6	37	Stainless steel	0,50	19	15	25000 rpm	10	358321	324,99 Kč

Recommended prices.

Wheel brush with shaft, crimped wire

BRS 300 W



NEW !

Applications:

Steel ●


Advantages: Soft and gentle brushing effect - For sensitive surfaces and soft materials - Good adaptability to the workpiece contour - Designed for machines with low rpm



Diameter x Width x Shaft in mm	Total length in mm	Fill material	Wire thickness in mm	Filament length in mm	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
40 x 6 x 6	35	Steel	0,30	9,5	4500 rpm	10	713910	65,20 Kč
50 x 8 x 6	33	Steel	0,30	12,5	4500 rpm	10	713912	73,48 Kč
63 x 9 x 6	33	Steel	0,30	16,5	4500 rpm	10	713914	86,94 Kč
75 x 10 x 6	34	Steel	0,30	18,5	4500 rpm	10	713925	86,94 Kč
80 x 10 x 6	34	Steel	0,30	18,5	4500 rpm	10	713926	93,15 Kč
100 x 10 x 6	34	Steel	0,30	24	4500 rpm	10	713927	121,09 Kč
125 x 11 x 6	34	Steel	0,30	29	4500 rpm	10	713928	198,72 Kč

Wheel brush with shaft, crimped wire

BRS 600 W



Applications:

Steel ●

Stainless steel ●

Advantages: Crimped wire design for gentle cleaning of small to medium surfaces - Excellently suitable for components with difficult access such as beads, flanged edges - Good brushing performance even with profiled workpieces




Diameter x Width x Shaft in mm	Total length in mm	Fill material	Wire thickness in mm	Filament length in mm	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
30 x 9 x 6	40	Steel	0,20	6	20000 rpm	20	358346	84,87 Kč
30 x 9 x 6	40	Stainless steel	0,20	6	20000 rpm	20	358357	131,44 Kč
40 x 9 x 6	40	Steel	0,20	11	18000 rpm	20	358348	110,74 Kč
40 x 9 x 6	40	Stainless steel	0,20	11	18000 rpm	20	358358	166,63 Kč
50 x 9 x 6	40	Steel	0,30	13	15000 rpm	10	358354	132,48 Kč
50 x 9 x 6	40	Stainless steel	0,30	13	15000 rpm	10	358359	194,58 Kč
60 x 14 x 6	44	Steel	0,30	18	15000 rpm	10	358355	162,49 Kč
60 x 14 x 6	44	Stainless steel	0,30	18	15000 rpm	10	358360	243,22 Kč
70 x 16 x 6	48	Steel	0,30	20	15000 rpm	10	358356	173,88 Kč
70 x 16 x 6	48	Stainless steel	0,30	20	15000 rpm	10	358362	259,78 Kč

Recommended prices.

Wire brushes

Wheel brush with shaft, polyamide bristles

BRS 600 P



Applications:


Stainless steel	●
NF metals	●
Wood	●

Advantages: Abrasive bristles of polyamide interspersed with silicon carbide (SiC) grain for working with light contact pressure - Ideal for structuring and paint stripping of wooden components - Removal of oxide layers on non-ferrous metals or of tarnish colours on stainless steel components, e.g. filled rods on stainless steel railings

Diameter x Width x Shaft in mm	Total length in mm	Fill material	Filament length in mm	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
50 x 9 x 6	45	Polyamide SiC grit 120	10	6000 rpm	10	358364	260,82 Kč
50 x 9 x 6	45	Polyamide SiC grit 320	10	6000 rpm	10	358366	260,82 Kč
70 x 12 x 6	45	Polyamide SiC grit 120	14	4500 rpm	10	358367	489,55 Kč
70 x 12 x 6	45	Polyamide SiC grit 320	14	4500 rpm	10	358369	489,55 Kč

Cup brush with shaft, crimped wire

BTS 600 W



Applications:

Steel	●
Stainless steel	●


Advantages: Ideal tool for cleaning small and medium-sized surfaces - Crimped wire ideal for fine machining or surface preparation of steel or stainless steel - Removes paint, rust and incrustations

Diameter x Shaft in mm	Total length in mm	Fill material	Wire thickness in mm	Filament length in mm	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
50 x 6	70	Steel	0,30	24	13000 rpm	20	358331	116,95 Kč
50 x 6	70	Stainless steel	0,30	24	13000 rpm	20	358332	174,91 Kč

Recommended prices.

End brush with shaft, knotted wire

BPS 600 Z



Applications:

Steel	●
Stainless steel	●


Advantages: Tool diameter changes depending on the rotation speed - Perfectly suited for working on pipe inner surfaces or bores - High brushing effect due to knotted wire design



Diameter x Shaft in mm	Total length in mm	Fill material	Wire thickness in mm	Filament length in mm	Number of knots	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
19 x 6	70	Steel	0,35	25	6	20000 rpm	20	358333	218,38 Kč
19 x 6	70	Stainless steel	0,35	25	6	20000 rpm	20	358336	326,02 Kč
22 x 6	70	Steel	0,35	25	8	20000 rpm	10	358339	297,04 Kč
22 x 6	70	Stainless steel	0,35	25	8	20000 rpm	10	358341	446,08 Kč
30 x 6	72	Steel	0,35	25	12	20000 rpm	10	358344	356,04 Kč
30 x 6	72	Stainless steel	0,35	25	12	20000 rpm	10	358345	534,06 Kč

End brush with shaft, crimped wire

BPS 600 W



Applications:

Steel	●
Stainless steel	●

Advantages: For fine machining and removal of light burrs in pipes or bores - Well suited for processing and cleaning moulds and die-cast parts - Very soft and adaptable tool



Diameter x Shaft in mm	Total length in mm	Fill material	Wire thickness in mm	Filament length in mm	Max. RPM	Packing unit/pcs.	Cat. number	Price/pc. Kč
12 x 6	70	Steel	0,30	25	20000 rpm	30	358350	126,27 Kč
12 x 6	70	Stainless steel	0,30	25	20000 rpm	30	358351	188,37 Kč
25 x 6	75	Steel	0,30	25	18000 rpm	10	358347	138,69 Kč
25 x 6	75	Stainless steel	0,30	25	18000 rpm	10	358352	209,07 Kč
30 x 6	75	Steel	0,30	25	18000 rpm	10	358349	151,11 Kč
30 x 6	75	Stainless steel	0,30	25	18000 rpm	10	358353	225,63 Kč

Recommended prices.

Wire brushes

Hand brush with wooden body

BH 600



Applications:

Steel	●
Stainless steel	●
NF metals	●

Advantages: Hand brush with wooden handle for manual removal of rust, dirt, paint

Length in mm	Overall length in mm	Filament length in mm	Fill material	Structure	Number of rows	Wire thickness in mm	Packing unit/pcs.	Cat. number	Price/pc. Kč
290	125	25	Steel	Straight	2	0,35	12	358361	42,43 Kč
290	125	25	Steel	Straight	3	0,35	12	358376	60,03 Kč
290	125	25	Steel	Straight	4	0,35	12	358365	74,52 Kč
290	125	25	Steel	Straight	5	0,35	12	358363	82,80 Kč
290	125	25	Stainless steel	Straight	3	0,30	12	358368	117,99 Kč
290	125	25	Stainless steel	Straight	4	0,30	12	358370	148,00 Kč
290	125	25	Brass	Crimped	3	0,35	12	358371	140,76 Kč
290	125	25	Brass	Crimped	4	0,35	12	358374	173,88 Kč

Hand brush with plastic handle

BHP 600



Applications:

Steel	●
Stainless steel	●
NF metals	●

Advantages: Comfortable handling due to ergonomically shaped plastic handle - Crimped wire design for gentle cleaning of steel, stainless steel or non-ferrous metals

Length in mm	Overall length in mm	Filament length in mm	Fill material	Structure	Wire thickness in mm	Packing unit/pcs.	Cat. number	Price/pc. Kč
265	140	25	Steel	Crimped	0,30	24	358323	69,34 Kč
265	140	25	Stainless steel	Crimped	0,30	24	358324	138,69 Kč
265	140	25	Brass	Crimped	0,30	24	358325	162,49 Kč

Recommended prices.

V Shaped scratch brush

BHK 600



Applications:

Steel	●
Stainless steel	●
NF metals	●

Advantages: V-shaped wire fill ideal for cleaning and cleansing fillet and V-type welds - Well suited for working in hard-to-reach areas, e.g. corners or angles

Length in mm	Overall length in mm	Filament length in mm	Fill material	Structure	Number of rows	Wire thickness in mm	Packing unit/pcs.	Cat. number	Price/pc. Kč
290	125	25	Steel	Straight	3	0,35	12	358378	138,69 Kč
290	125	25	Stainless steel	Straight	3	0,30	12	358379	274,27 Kč

Spark plug brush

BHZ 600



Applications:

Steel	●
Stainless steel	●
NF metals	●

Advantages: Soft brass or stainless steel wire suitable for fine brushing work - Ideal for the gentle cleaning of contact surfaces, e.g. spark plugs or electrodes

Length in mm	Overall length in mm	Filament length in mm	Fill material	Structure	Number of rows	Wire thickness in mm	Packing unit/pcs.	Cat. number	Price/pc. Kč
145	45	17	Brass	Crimped	3	0,17	25	358322	50,71 Kč
145	45	17	Stainless steel	Crimped	3	0,17	25	358463	44,50 Kč

Recommended prices.

Jigsaw blades

			Wood													Metal						Plastic and others								
Type			Softwood	Hardwood	HPL boards*	Construction wood	Coated boards	Countertop boards	Plywood	Multiplex	Core boards	MDF	Chipboards	Trespa® boards	Wood with nails	Laminate	Sheet metal	Steel	Stainless steel	Steel sheets	Non-ferrous metal	Aluminium	Sandwich material	Plastic	Fibre-reinforced plastics	FRP	Epoxy	PC boards	Page	
JS 302 WQ	EXTRA	★★★★☆	Wood	●		●		●	●	●	●	●	●	●																300
JS 352 WQ	EXTRA	★★★★☆	Wood	●		●		●	●	●	●	●	●	●																300
JS 601 WF	SUPRA	★★★★☆	Wood	●		●			●	●	●	●	●	●																301
JS 601 WQ	SUPRA	★★★★☆	Wood	●		●			●	●	●	●	●	●																301
JS 941 WF	SPECIAL	★★★★★	Wood	●		●			●	●	●	●	●	●																302
JS 931 WF	SPECIAL	★★★★★	Wood	●		●			●	●	●	●	●	●																302
JS 901 WQ	SPECIAL	★★★★★	Wood		●	●				●		●		●	●															303
JS 661 WF	SUPRA	★★★★☆	Wood	●		●	●	●	●	●	●	●																		303
JS 971 WF	SPECIAL	★★★★★	Wood	●		●	●	●	●	●	●	●																		304
JS 951 WF	SPECIAL	★★★★★	Wood	●		●	●		●							●														304
JS 901 WF	SPECIAL	★★★★★	Wood	●		●			●	●	●	●																		305
JS 981 WA	SPECIAL	★★★★★	Wood	●		●		●	●	●	●	●	●																	306
JS 941 LF	SPECIAL	★★★★★	Laminate				●									●									●			●		305
JS 601 LF	SUPRA	★★★★☆	Laminate				●									●									●			●		306
JS 994 MT	SPECIAL	★★★★★	Metal														●	●	●	●										307
JS 904 MF	SPECIAL	★★★★★	Metal												●		●	●	●	●	●	●	●							307
JS 994 MF	SPECIAL	★★★★★	Metal														●	●	●	●										308
JS 993 MF	SPECIAL	★★★★★	Metal														●	●	●	●	●	●	●							308
JS 904 MT	SPECIAL	★★★★★	Metal															●				●	●		●					309
JS 993 MT	SPECIAL	★★★★★	Metal															●	●		●	●				●				309
JS 993 AX	SPECIAL	★★★★★	All Cut		●										●		●	●		●	●		●	●	●	●	●	●		310

● = Main applications * High Pressure Laminate

Reciprocating saw blades

			Wood										Metal					Plastic and others						
Type			Softwood	Hardwood	Greenwood	Firewood	Construction wood	Plywood	Multiplex	Core boards	Chipboards	Wood with nails	Pallets	Sheet metal	Steel	Stainless steel	Non-ferrous metal	Aluminium	Plastic	Fibre-reinforced plastics	Epoxy	Aerated concrete	Masonry/brick	Page
RS 652 WF	SUPRA *****	Wood	●				●	●	●	●	●													311
RS 603 WF	SUPRA *****	Wood	●				●	●			●								●					311
RS 603 WR	SUPRA *****	Wood	●		●	●	●																	312
RS 902 WF	SPECIAL *****	Wood	●						●	●	●								●					312
RS 902 WQ	SPECIAL *****	Wood	●		●	●	●																	313
RS 903 MF	SPECIAL *****	Metal												●	●	●	●	●						314
RS 903 MQ	SPECIAL *****	Metal												●	●	●								315
RS 993 MA	SPECIAL *****	Metal												●	●	●								315
RS 983 MS	SPECIAL *****	Metal												●	●									317
RS 993 PQ	SPECIAL *****	Pallets										●	●		●	●	●	●		●	●			316
RS 915 CX	SPECIAL *****	Mineral-based materials																				●	●	318
RS 953 AQ	SPECIAL *****	All Cut									●	●								●	●			313
RS 903 AF	SPECIAL *****	All Cut										●					●	●						314
RS 993 AQ	SPECIAL *****	All Cut										●	●		●	●	●	●		●	●			316
RS 983 AS	SPECIAL *****	All Cut	●	●																●	●			317

● = Main applications

Jigsaw blades

Cr-V jigsaw blade crossground, set

JS 302 WQ EXTRA



Properties

Thread/Shaft	T-shaft
Design	Crossground, set
Material	Chromium-vanadium

Applications:

Softwood	●	Chipboard	●
Construction wood	●	Blockboards	●
Kitchen worktop	●	Multiplex boards	●
Plywood	●	MDF	●

Advantages: Very fast, rough cuts in almost all wood materials - Top seller with very good price/performance ratio

Width x Length x Thickness in mm	Overall length in mm	Teeth per inch	For material thickness in mm	Packing unit/pcs.	Cat. number	Price/pack Kč
8 x 100 x 1,25	75	6	5 - 50	5	670547	176,98 Kč
8 x 130 x 1,25	110	6	5 - 100	5	670548	283,59 Kč

Cr-V jigsaw blade crossground, set

JS 352 WQ EXTRA



Properties

Thread/Shaft	T-shaft
Design	Crossground, set
Material	Chromium-vanadium

Applications:

Softwood	●	Blockboards	●
Construction wood	●	Chipboard	●
Kitchen worktop	●	Multiplex boards	●
Plywood	●		

Advantages: Very fast, rough curved cuts in almost all wood materials - Top seller with very good price/performance ratio

Width x Length x Thickness in mm	Overall length in mm	Teeth per inch	For material thickness in mm	Packing unit/pcs.	Cat. number	Price/pack Kč
8 x 100 x 1,25	75	6	5 - 50	5	670549	212,17 Kč

Recommended prices.

Cr-V jigsaw blade crossground, tapered

JS 601 WF SUPRA



Properties

Thread/Shaft	T-shaft
Design	Crossground, tapered
Material	Chromium-vanadium

Applications:

Construction wood	●	Chipboard	●
Softwood	●	Multiplex boards	●
Plywood	●	MDF	●
Blockboards	●		

Advantages: Very clean, straight cuts in wood and wood-based materials

Width x Length x Thickness in mm	Overall length in mm	Teeth per inch	For material thickness in mm	Packing unit/pcs.	Cat. number	Price/pack Kč
8 x 100 x 1,45	75	10	3 - 30	5	670540	195,61 Kč
8 x 130 x 1,45	110	10	4 - 80	5	670517	260,82 Kč

Cr-V jigsaw blade crossground, tapered

JS 601 WQ SUPRA



Properties

Thread/Shaft	T-shaft
Design	Crossground, tapered
Material	Chromium-vanadium

Applications:

Softwood	●	Chipboard	●
Construction wood	●	Multiplex boards	●
Plywood	●	MDF	●
Blockboards	●		

Advantages: Very clean, straight and fast cuts in wood and wood-based materials


Width x Length x Thickness in mm	Overall length in mm	Teeth per inch	For material thickness in mm	Packing unit/pcs.	Cat. number	Price/pack Kč
8 x 100 x 1,45	75	6	10 - 45	5	670538	197,68 Kč
8 x 115 x 1,45	90	8	10 - 65	5	670542	219,42 Kč
8 x 115 x 1,45	95	6	6 - 70	5	669581	252,54 Kč

Recommended prices.

Jigsaw blades

Cr-V jigsaw blade crossground, tapered

JS 941 WF SPECIAL



Properties

Thread/Shaft	T-shaft
Design	Crossground, tapered
Material	Chromium-vanadium

Applications:


Softwood	●	Chipboard	●
Construction wood	●	Multiplex boards	●
Plywood	●	MDF	●
Blockboards	●		

Advantages: Saw blade with back serration for clean curved cuts in wood and wood materials of all kinds - Fine, very clean cutting edges

Width x Length x Thickness in mm	Overall length in mm	Teeth per inch	For material thickness in mm	Packing unit/pcs.	Cat. number	Price/pack Kč
5 x 100 x 1,45	75	10-18	4 - 30	5	670544	283,59 Kč

Cr-V jigsaw blade crossground, tapered

JS 931 WF SPECIAL



Properties

Thread/Shaft	T-shaft
Design	Crossground, tapered
Material	Chromium-vanadium

Applications:

Softwood	●	Blockboards	●
Construction wood	●		
Chipboard	●		
Plywood	●		

Advantages: Top product with double-sided serration for extreme curved cuts in wood and wood-based materials - Fine and clean cutting edges - Suitable for thin and thick material

Width x Length x Thickness in mm	Overall length in mm	Teeth per inch	For material thickness in mm	Packing unit/pcs.	Cat. number	Price/pack Kč
5 x 115 x 1,45	95	8-11	3 - 60	5	670541	435,73 Kč

Recommended prices.

Bi-metal jigsaw blade crossground, tapered

JS 901 WQ SPECIAL



Properties

Thread/Shaft	T-shaft
Design	Crossground, tapered
Material	Bi-metal

Applications:

Hardwood	●	Chipboard	●
HPL (High Pressure Laminate)	●		
Plywood	●		
Blockboards	●		

Advantages: Very fast, straight and clean cuts in hard materials such as hardwood, laminate and HPL boards - Particularly long service life due to bi-metal construction

Width x Length x Thickness in mm	Overall length in mm	Teeth per inch	For material thickness in mm	Packing unit/pcs.	Cat. number	Price/pack Kč
8 x 100 x 1,27	75	6	10 - 45	5	670551	442,98 Kč

Cr-V jigsaw blade crossground, tapered

JS 661 WF SUPRA



Properties

Thread/Shaft	T-shaft
Design	Crossground, tapered
Material	Chromium-vanadium

Applications:

Softwood	●	Plywood	●
Construction wood	●	Multiplex boards	●
Coated panels	●		
Kitchen worktop	●		

Advantages: Very clean, straight cuts in wood and wood-based materials - Clean edges on the visible side due to butt serration - Especially for coated boards and kitchen worktops

Width x Length x Thickness in mm	Overall length in mm	Teeth per inch	For material thickness in mm	Packing unit/pcs.	Cat. number	Price/pack Kč
8 x 100 x 1,45	75	10	3 - 30	5	670546	210,10 Kč

Jigsaw blades

Cr-V jigsaw blade crossground, tapered

JS 971 WF SPECIAL



Properties

Thread/Shaft	T-shaft
Design	Crossground, tapered
Material	Chromium-vanadium

Applications:


Kitchen worktop	●
Coated panels	●
Softwood	●
Construction wood	●

Advantages: Chip-free and clean cut on both sides due to tooth tips radially aligned to the centre of the saw blade - Extra long blade, therefore particularly suitable for kitchen worktops

Width x Length x Thickness in mm	Overall length in mm	Teeth per inch	For material thickness in mm	Packing unit/pcs.	Cat. number	Price/pack Kč
8 x 132 x 1,45	110	12	3 - 60	5	670533	293,94 Kč

Cr-V jigsaw blade crossground, tapered

JS 951 WF SPECIAL



Properties

Thread/Shaft	T-shaft
Design	Crossground, tapered
Material	Chromium-vanadium

Applications:

Softwood	●
Construction wood	●
Coated panels	●
Laminate	●

Advantages: Fine and clean curved cuts in softwood and coated panels thanks to pointed toothing - Also perfectly suited for cutting laminate

Width x Length x Thickness in mm	Overall length in mm	Teeth per inch	For material thickness in mm	Packing unit/pcs.	Cat. number	Price/pack Kč
8 x 100 x 1,45	75	18	2 - 20	5	670537	271,17 Kč

Recommended prices.

Cr-V jigsaw blade crossground, tapered

JS 901 WF SPECIAL



Properties

Thread/Shaft	T-shaft
Design	Crossground, tapered
Material	Chromium-vanadium

Applications:

Softwood	●	Multiplex boards	●
Construction wood	●	MDF	●
Plywood	●		
Blockboards	●		

Advantages: Very clean, straight and fast cuts in wood and wood-based materials - Particularly clean cuts due to special tooth geometry ground on three sides - Also suitable for thick material up to 65 mm

Width x Length x Thickness in mm	Overall length in mm	Teeth per inch	For material thickness in mm	Packing unit/pcs.	Cat. number	Price/pack Kč
8 x 115 x 1,45	90	9	3 - 65	5	670539	238,05 Kč

Cr-V jigsaw blade crossground, tapered

JS 941 LF SPECIAL



Properties

Thread/Shaft	T-shaft
Design	Crossground, tapered
Material	Chromium-vanadium

Applications:

Laminate	●
Coated panels	●
Plastic	●

Advantages: Top product with back serration for curved cuts in laminate, vinyl parquet, plastic and plastic-coated panels - Fine serration for clean and tear-free cutting edges on all sides

Width x Length x Thickness in mm	Overall length in mm	Teeth per inch	For material thickness in mm	Packing unit/pcs.	Cat. number	Price/pack Kč
5 x 100 x 1,45	75	17-19	3 - 30	5	670543	404,68 Kč

Jigsaw blades

Cr-V jigsaw blade crossground, tapered

JS 601 LF SUPRA



Properties

Thread/Shaft	T-shaft
Design	Crossground, tapered
Material	Chromium-vanadium

Applications:


Laminate	●
Plastic	●
Coated panels	●

Advantages: Very clean, straight and chip-free cuts on both sides in plastic and plastic-coated materials - Top seller for laminate and vinyl parquet flooring

Width x Length x Thickness in mm	Overall length in mm	Teeth per inch	For material thickness in mm	Packing unit/pcs.	Cat. number	Price/pack Kč
8 x 100 x 1,45	75	17	3 - 30	5	670550	242,19 Kč

Cr-V jigsaw blade crossground, tapered

JS 981 WA SPECIAL



Properties

Thread/Shaft	T-shaft
Design	Crossground, tapered
Material	Chromium-vanadium

Applications:

Softwood	●	Chipboard	●
Construction wood	●	Multiplex boards	●
Kitchen worktop	●	MDF	●
Blockboards	●		


Advantages: Very clean, straight and fast cuts in wood and wood-based materials - Particularly clean cuts due to special tooth geometry ground on three sides - Extra strong blade for cuts with precise angles

Width x Length x Thickness in mm	Overall length in mm	Teeth per inch	For material thickness in mm	Packing unit/pcs.	Cat. number	Price/pack Kč
8 x 100 x 1,7	75	9	3 - 45	5	670556	353,97 Kč
8 x 130 x 1,7	105	9	3 - 80	5	670535	445,05 Kč
8 x 170 x 1,7	145	9	3 - 120	5	670545	529,92 Kč

Recommended prices.

Bi-metal jigsaw blade milled, wavy

JS 994 MT SPECIAL



Properties

Thread/Shaft	T-shaft
Design	Milled, wavy set
Material	Bi-metal

Applications:

Sheet metal	●
Metal	●
Steel	●
Stainless steel	●

Advantages: Special blade with Vario toothing for steel and stainless steel sheets - Finer toothing (as JS 994 MF) for thinner material thicknesses - Straight cut - Long service life due to bi-metal construction

Width x Length x Thickness in mm	Overall length in mm	Teeth per inch	For material thickness in mm	Packing unit/pcs.	Cat. number	Price/pack Kč
8 x 90 x 1	63	23-28	1 - 3	5	670498	268,06 Kč

Bi-metal jigsaw blade milled, wavy

JS 904 MF SPECIAL



Properties

Thread/Shaft	T-shaft
Design	Milled, wavy set
Material	Bi-metal

Applications:

Sheet metal	●	Non-ferrous metals	●
Metal	●	Aluminium	●
Steel	●	Wood with nails	●
Stainless steel	●		

Advantages: Top seller for metalworking - Straight cuts in all types of sheet metal and metals of all kinds, also stainless steel - Long service life due to bi-metal construction


Width x Length x Thickness in mm	Overall length in mm	Teeth per inch	For material thickness in mm	Packing unit/pcs.	Cat. number	Price/pack Kč
8 x 100 x 1	75	12	2,5 - 6	5	669417	278,41 Kč

Recommended prices.

Jigsaw blades

Bi-metal jigsaw blade milled, wavy

JS 994 MF SPECIAL



Properties

Thread/Shaft	T-shaft
Design	Milled, wavy set
Material	Bi-metal

Applications:


Sheet metal	●
Metal	●
Steel	●
Stainless steel	●

Advantages: Special blade with Vario toothing for steel and stainless steel sheets - Straight cut - Long service life due to bi-metal construction

Width x Length x Thickness in mm	Overall length in mm	Teeth per inch	For material thickness in mm	Packing unit/pcs.	Cat. number	Price/pack Kč
8 x 90 x 1	63	11-13	2,5 - 6	5	670323	268,06 Kč

Bi-metal jigsaw blade milled, set

JS 993 MF SPECIAL



Properties

Thread/Shaft	T-shaft
Design	Milled, set
Material	Bi-metal

Applications:

Sheet metal	●	Non-ferrous metals	●
Metal	●	Aluminium	●
Steel	●		
Stainless steel	●		

Advantages: Special blade with progressive toothing for profiles and sheets made of stainless steel, steel and other metals - For thin and thick material (up to 10mm thickness) - Very fast and straight cut - Long service life due to bi-metal construction

Width x Length x Thickness in mm	Overall length in mm	Teeth per inch	For material thickness in mm	Packing unit/pcs.	Cat. number	Price/pack Kč
8 x 100 x 1	75	10-16	1,5 - 10	5	670530	294,97 Kč

Recommended prices.

Bi-metal jigsaw blade milled, wavy

JS 904 MT SPECIAL



Properties

Thread/Shaft	T-shaft
Design	Milled, wavy set
Material	Bi-metal



Applications:

Metal	●
Sandwich material	●
Aluminium	●
Fibre reinforced plastics	●

Advantages: Particularly long saw blade for pipes and larger profile cross-sections made of metal - Specially suitable for thin-walled profiles due to fine toothing - Straight cut

Width x Length x Thickness in mm	Overall length in mm	Teeth per inch	For material thickness in mm	Packing unit/pcs.	Cat. number	Price/pack Kč
8 x 130 x 1	110	21	1 - 3	5	670532	406,75 Kč


Bi-metal jigsaw blade milled, set

JS 993 MT SPECIAL



Properties

Thread/Shaft	T-shaft
Design	Milled, set
Material	Bi-metal



Applications:

Aluminium	●	Non-ferrous metals	●
Fibre reinforced plastics	●		
Steel	●		
Stainless steel	●		

Advantages: Universally versatile blade with Vario toothing for metal and plastic processing - For cutting tubes, profiles, sheets in low to medium material thickness - Also excellently suited for plastics and sandwich multi layered material - Straight, fast cuts - Extra long blade for larger workpiece cross-sections - Long service life due to bi-metal construction


Width x Length x Thickness in mm	Overall length in mm	Teeth per inch	For material thickness in mm	Packing unit/pcs.	Cat. number	Price/pack Kč
8 x 132 x 1	110	16-25	1,2 - 6	5	670505	409,86 Kč

Recommended prices.

Jigsaw blades

Bi-metal jigsaw blade milled, set

JS 993 AX SPECIAL



Properties

Thread/Shaft	T-shaft
Design	Milled, set
Material	Bi-metal

Applications:

Hardwood	●	Metal	●
Fibre reinforced plastics	●	Stainless steel	●
Epoxy resin	●	Non-ferrous metals	●
Steel	●	Wood with nails	●


Advantages: Universal saw blade with Vario toothing in bi-metal execution suitable for cutting all materials, also for wood with nails - Extra thick, stable and long blade for large workpiece cross-sections

Width x Length x Thickness in mm	Overall length in mm	Teeth per inch	For material thickness in mm	Packing unit/pcs.	Cat. number	Price/pack Kč
8 x 132 x 1,27	110	10-14	3 - 80	5	670527	486,45 Kč

Recommended prices.

Cr-V reciprocating saw blade crossground, set

RS 652 WF SUPRA



Properties

Thread/Shaft	Universal shaft 1/2"
Design	Crossground, set
Material	Chromium- vanadium

Applications:


Softwood	●	Blockboards	●
Construction wood	●	Chipboard	●
Plywood	●		
Multiplex boards	●		

Advantages: Universal saw blade for wooden beams and construction timber up to 100 mm material thickness - Fine cutting edges - Also for curved cuts in wood-based material and kitchen worktops - Good price/performance ratio

Width x Length x Thickness in mm	Overall length in mm	Teeth per inch	For material thickness in mm	Packing unit/pcs.	Cat. number	Price/pack Kč
19 x 150 x 1,2	130	6	6 - 100	5	670493	448,15 Kč

Cr-V reciprocating saw blade milled and set

RS 603 WF SUPRA



Properties

Thread/Shaft	Universal shaft 1/2"
Design	Milled, set
Material	Chromium- vanadium

Applications:

Softwood	●
Construction wood	●
Plywood	●
Chipboard	●

Advantages: Universal saw blade for wooden beams and construction timber with larger material cross-sections - Fine cutting edges - Also for curved cuts in wood-based material and kitchen worktops - Also suitable for cutting plastic tubes

Width x Length x Thickness in mm	Overall length in mm	Teeth per inch	For material thickness in mm	Packing unit/pcs.	Cat. number	Price/pack Kč
19 x 230 x 1,2	210	6	6 - 180	5	670464	434,70 Kč
19 x 300 x 1,2	280	6	6 - 250	5	670476	554,76 Kč

Reciprocating saw blades

Cr-V reciprocating saw blade milled and set

RS 603 WR SUPRA



Properties

Thread/Shaft	Universal shaft 1/2"
Design	Milled, set
Material	Chromium- vanadium

Applications:

Softwood	●
Construction wood	●
Greenwood	●
Firewood	●

Advantages: Cr-V saw blade with coarse toothing - For fast, rough cuts in wood, wood materials and kitchen worktops - Also suitable for green wood and firewood

Width x Length x Thickness in mm	Overall length in mm	Teeth per inch	For material thickness in mm	Packing unit/pcs.	Cat. number	Price/pack Kč
19 x 150 x 1,2	130	4	15 - 100	5	670496	351,90 Kč
19 x 230 x 1,2	210	3	20 - 170	5	670479	434,70 Kč
19 x 300 x 1,2	280	3	20 - 250	5	670472	554,76 Kč

Cr-V reciprocating saw blade crossground, tapered

RS 902 WF SPECIAL



Properties

Thread/Shaft	Universal shaft 1/2"
Design	Crossground, tapered
Material	Chromium- vanadium

Applications:

Plywood	●
Multiplex boards	●
Blockboards	●
Chipboard	●

Advantages: Cr-V saw blade with special three edge diamond ground toothing - Clean cuts in wood, wood materials and kitchen worktops - Also suitable for cutting plastic tubes

Width x Length x Thickness in mm	Overall length in mm	Teeth per inch	For material thickness in mm	Packing unit/pcs.	Cat. number	Price/pack Kč
19 x 240 x 1,2	210	7	6 - 100	5	670469	757,62 Kč

Recommended prices.

Cr-V reciprocating saw blade crossground, set

RS 902 WQ SPECIAL



Properties

Thread/Shaft	Universal shaft 1/2"
Design	Crossground, set
Material	Chromium- vanadium

Applications:

Softwood	●
Construction wood	●
Greenwood	●
Firewood	●

Advantages: Long saw blade with special, coarse toothing - Particularly suitable for softwood, greenwood and firewood - Very fast cut - No jamming in thicker branches and pieces of wood

Width x Length x Thickness in mm	Overall length in mm	Teeth per inch	For material thickness in mm	Packing unit/pcs.	Cat. number	Price/pack Kč
19 x 240 x 1,2	210	5	15 - 190	5	670475	567,18 Kč

Bi-metal reciprocating saw blade milled and set

RS 953 AQ SPECIAL



Properties

Thread/Shaft	Universal shaft 1/2"
Design	Milled, set
Material	Bi-metal

Applications:

Wood with nails	●
Chipboard	●
Fibre reinforced plastics	●
Epoxy resin	●

Advantages: Universal bi-metal blade for wood, wood with metal (nails, screws, fittings) and plastics - Ideal for demolition work, renovation of old buildings - Fast cuts - Also suitable for rough curve cutting

Width x Length x Thickness in mm	Overall length in mm	Teeth per inch	For material thickness in mm	Packing unit/pcs.	Cat. number	Price/pack Kč
19 x 150 x 1,27	130	6	6 - 100	5	670435	673,78 Kč
19 x 230 x 1,27	210	6	6 - 170	5	670421	911,83 Kč

Recommended prices.

Reciprocating saw blades

Bi-metal reciprocating saw blade milled and set

RS 903 AF SPECIAL



Properties

Thread/Shaft	Universal shaft 1/2"
Design	Milled, set
Material	Bi-metal

Applications:

Wood with nails	●
Non-ferrous metals	●
Aluminium	●

Advantages: Bi-metal blade with finer toothing for wood with nails and for sheet metal, tubes and profiles made of various metals - For open profiles and medium-thick steel tubes

Width x Length x Thickness in mm	Overall length in mm	Teeth per inch	For material thickness in mm	Packing unit/pcs.	Cat. number	Price/pack Kč
19 x 150 x 0,9	130	10	3 - 12	5	670432	506,11 Kč
19 x 200 x 0,9	180	10	3 - 12	5	670362	634,45 Kč

Bi-metal reciprocating saw blade milled and set

RS 903 MF SPECIAL



Properties

Thread/Shaft	Universal shaft 1/2"
Design	Milled, set
Material	Bi-metal

Applications:

Steel	●
Stainless steel	●
Non-ferrous metals	●
Aluminium	●

Advantages: Bi-metal blade for cutting steel, stainless steel, aluminium and non-ferrous metals - Particularly suitable for thin-walled sheet metal, profiles and pipes due to the fine toothing - Top seller for the heating and plumbing sector

Width x Length x Thickness in mm	Overall length in mm	Teeth per inch	For material thickness in mm	Packing unit/pcs.	Cat. number	Price/pack Kč
19 x 150 x 0,9	130	18	1,5 - 4	5	670415	506,11 Kč
19 x 230 x 0,9	210	18	1,5 - 4	5	670434	656,19 Kč

Recommended prices.

Bi-metal reciprocating saw blade milled and set

RS 903 MQ SPECIAL



Properties

Thread/Shaft	Universal shaft 1/2"
Design	Milled, set
Material	Bi-metal

Applications:


Sheet metal	●
Steel	●
Stainless steel	●

Advantages: Bi-metal blade for cutting all types of metal, including stainless steel - Particularly suitable for medium to thick sheet metal and profiles - Top product for the heating and plumbing sector

Width x Length x Thickness in mm	Overall length in mm	Teeth per inch	For material thickness in mm	Packing unit/pcs.	Cat. number	Price/pack Kč
19 x 150 x 0,9	130	14	2 - 8	5	670322	511,29 Kč
19 x 230 x 0,9	210	14	2 - 8	5	670429	707,94 Kč

Bi-metal reciprocating saw blade milled and set

RS 993 MA SPECIAL



Properties

Thread/Shaft	Universal shaft 1/2"
Design	Milled, set
Material	Bi-metal

Applications:

Sheet metal	●
Steel	●
Stainless steel	●

Advantages: Bi-metal blade with Vario toothing for all types of metal, including stainless steel - Particularly suitable for medium to thick sheets and profiles - Broad blade for precise rectangular and straight cuts - Particularly suitable for use in the heating and plumbing sector


Width x Length x Thickness in mm	Overall length in mm	Teeth per inch	For material thickness in mm	Packing unit/pcs.	Cat. number	Price/pack Kč
25,4 x 150 x 0,9	130	10-14	4 - 12	5	670428	660,33 Kč
25,4 x 225 x 0,9	205	10-14	4 - 12	5	670338	755,55 Kč

Recommended prices.

Reciprocating saw blades

Bi-metal reciprocating saw blade milled and set

RS 993 AQ SPECIAL



Properties

Thread/Shaft	Universal shaft 1/2"
Design	Milled, set
Material	Bi-metal

Applications:


Fibre reinforced plastics	●	Non-ferrous metals	●
Epoxy resin	●	Wood with nails	●
Steel	●		
Stainless steel	●		

Advantages: Saw blade in bi-metal construction and with Vario toothing - Universally suitable for metal, non-ferrous metals, wood and plastics - Fast cuts - Very well suited for wood with nails

Width x Length x Thickness in mm	Overall length in mm	Teeth per inch	For material thickness in mm	Packing unit/pcs.	Cat. number	Price/pack Kč
19 x 150 x 0,9	130	10-14	3 - 10	5	670341	512,32 Kč
19 x 300 x 0,9	280	10-14	3 - 10	5	670352	943,92 Kč

Bi-metal reciprocating saw blade milled and set

RS 993 PQ SPECIAL



Properties

Thread/Shaft	Universal shaft 1/2"
Design	Milled, set
Material	Bi-metal

Applications:

Fibre reinforced plastics	●	Non-ferrous metals	●
Epoxy resin	●	Aluminium	●
Steel	●	Wood with nails	●
Stainless steel	●		


Advantages: Saw blade in bi-metal construction and with Vario toothing - Universally suitable for metal, non-ferrous metals, wood and plastics - Fast cut - Top seller for pallets (wood with nails)

Width x Length x Thickness in mm	Overall length in mm	Teeth per inch	For material thickness in mm	Packing unit/pcs.	Cat. number	Price/pack Kč
19 x 230 x 0,9	210	10-14	3 - 160	5	670359	736,92 Kč

Recommended prices.

Bi-metal reciprocating saw blade milled and set

RS 983 MS SPECIAL



Properties

Thread/Shaft	Universal shaft 1/2"
Design	Milled, set
Material	Bi-metal

Applications:

Sheet metal	●
Steel	●

Advantages: Special blade in bi-metal construction with and Vario toothing for stainless steel, steel and other metals - Particularly suitable for pipes, profiles and sheets with large material cross-sections (e.g. steel beams) - Precise angular cuts due to increased saw blade thickness

Width x Length x Thickness in mm	Overall length in mm	Teeth per inch	For material thickness in mm	Packing unit/pcs.	Cat. number	Price/pack Kč
19 x 230 x 1,57	210	8-10	4 - 12	5	670345	1.118,83 Kč

Bi-metal reciprocating saw blade milled and set

RS 983 AS SPECIAL



Properties

Thread/Shaft	Universal shaft 1/2"
Design	Milled, set
Material	Bi-metal

Applications:

Hardwood	●
Softwood	●
Fibre reinforced plastics	●
Epoxy resin	●

Advantages: Bi-metal blade for demolition work and renovation of old buildings - Effortless cutting of wood, wood with nails, wood materials and plastics of all kinds - Straight and precise rectangular cuts due to increased saw blade thickness

Width x Length x Thickness in mm	Overall length in mm	Teeth per inch	For material thickness in mm	Packing unit/pcs.	Cat. number	Price/pack Kč
25,4 x 230 x 1,57	210	4-6	20 - 190	5	670324	1.188,18 Kč

Recommended prices.

Reciprocating saw blades

Tungsten carbide tipped reciprocating saw blade

RS 915 CX SPECIAL



Properties

Thread/Shaft	Universal shaft 1/2"
Design	Special form
Material	Hard-metal

Applications:

Aerated concrete	●
Masonry	●

Advantages: Special saw blade with tungsten carbide tipped teeth especially for abrasive materials - Long service life and aggressive cut in aerated concrete and masonry

Width x Length x Thickness in mm	Overall length in mm	Teeth per inch	For material thickness in mm	Packing unit/pcs.	Cat. number	Price/pack Kč
50 x 325 x 2,5	254	1,95	30 - 200	1	670042	1.438,65 Kč
50 x 460 x 2,5	388	1,95	30 - 360	1	670319	2.282,17 Kč

Recommended prices.



A large grid of small squares, resembling graph paper, intended for taking notes.

Retail range

Machine	Application / Material	Product type	Page
		FP 77 K T-ACT	324
		PS 77 CK T-ACT	324,325
		PS 21 FK	326
		PS 18 EK	327
		AN 400	328,329
		PS 33 B/C K	330,331
		PS 22 K	332,344
	Hand pads, self-fastening for abrasive discs 125/150 mm	HBD 125/150	335
	Protection pad, self-fastening for abrasive discs	PP 555	334
		PS 21 FK	326
		AN 400	336
		PS 33 B/C K	337,338
		PS 22 K	339
		AN 400	336
		PS 33 B/C K	337,338
		PS 22 K	339
		PS 22 K	332



Stainless steel



Metal



Wood



Paint



Filler



Plastic



Steel



NF metals



Hardwood



Varnish



Glass



Aluminium



Stone



Concrete



Titanium



Carbon steel




High alloy steel

Machine	Application / Material	Product type	Page
	   	AN 400	340
	  	PS 33 B/C K	341
	 	PS 22 K	342
	   	AN 400	329
	  	PS 33 B/C K	343
	 	PS 22 K	344
	  	PS 19 E/F K	327,328
	  	PS 33 B/C K	330,331
	   	AN 400	328
	  	LS 309 XH	345,346
	   	CS 310 XF	347
	 	KM 613	347
	  	CS 561	348
		FS 966	349

	Random orbital sander		Portable orbital sander		Long neck sander		Die grinder		Off-hand sanding
	Angle grinder		Mouse sander		Handheld belt sander		Drilling machine		Hand block
	Orbital sander		Delta sander		Hand tool belt grinder		Flexible shaft		Bench grinder
	Right-angle die grinder								

Retail range

Machine	Application / Material	Product type	Page
	 	KL 375 J	349
	 	PL 31 B	340,350
	  	PS 33 B/C	350,351
	  	PS 30 D	351
	 	KL 371 X	352
	 	PL 31 B	352
	 	PS 33 B/C	353
	   	PS 11 A	354
		PS 11 C	354
	  	NPA 400	355
	    	NPA 500	355
	 	SK 500	356
		SK 700 A	356
		SW 501	357



Stainless steel



Metal



Wood



Paint



Filler



Plastic



Steel



NF metals



Hardwood



Varnish



Glass



Aluminium



Stone



Concrete



Titanium



Carbon steel



High alloy steel

Machine	Thickness in mm	Application / Material	Product type	Page
	0,8	  	A 980 TZ Special	357
			A 60 Extra	358
	1,0		A 660 R Supra	359
		 	A 60 TZ Special	359
	1,2	  	EDGE	360
			A 346 Extra	360
	1,6		A 646 R Supra	361
		 	A 946 TZ Special	361



Random orbital sander



Portable orbital sander



Long neck sander



Die grinder



Off-hand sanding



Angle grinder



Mouse sander



Handheld belt sander



Drilling machine



Hand block



Orbital sander



Delta sander



Hand tool belt grinder



Flexible shaft



Bench grinder



Right-angle die grinder

Retail range

Abrasive film, self-fastening, waterproof

FP 77 K T-ACT Retail packs Set



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	Foil

Applications:

Paint/Varnish/Filler	●	Composite materials	●
Primer	●	Plastic	●
Filler	●		
Gel coats	●		

Advantages: High performance disc with optimised clogging behaviour - Increased service life due to the new coating, which prevents the adhesion of paint and dust particles - With a highly flexible and perfectly flat foil backing for high quality surface finishing

Set discs: Assortments in two pieces grit 240, two pieces grit 320 and two pieces grit 400

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter in mm	Grit	Hole pattern	Cat. number	Price/pack Kč
125	several grain sizes	⊙ GLS 5	367314	217,35 Kč
150	several grain sizes	⊙ GLS 74	368446	208,03 Kč

Packing unit (Minimum order quantity) = 5 packs of 6 discs

Abrasive paper, self-fastening

PS 77 CK T-ACT Retail packs



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	C-paper

Applications:

Paint/Varnish/Filler	●	Composite materials	●
Primer	●	Plastic	○
Filler	●		
Gel coats	●		

Advantages: New high-performance disc with optimized anti-clogging behaviour - Increased service life due to the new coating, which prevents the adhesion of paint and dust particles - For aggressive grinding at high loads, a flexible and tear-resistant C-latex paper is used

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter in mm	Grit	Hole pattern	Cat. number	Price/pack Kč
125	80	⊙ GLS 5	662865	188,00 Kč
125	100	⊙ GLS 5	662866	177,00 Kč
125	120	⊙ GLS 5	662867	177,00 Kč
125	150	⊙ GLS 5	662869	177,00 Kč
125	180	⊙ GLS 5	662868	177,00 Kč
125	80	⊙ GLS 27	360318	205,96 Kč
125	100	⊙ GLS 27	360319	192,51 Kč
125	120	⊙ GLS 27	360321	192,51 Kč
125	150	⊙ GLS 27	360322	192,51 Kč
125	180	⊙ GLS 27	360323	192,51 Kč
150	80	⊙ GLS 47	360349	196,65 Kč

Recommended prices.



►► Continuation of PS 77 CK T-ACT Retail packs, Abrasive paper, self-fastening

Diameter in mm	Grit	Hole pattern	Cat. number	Price/pack Kč
150	100	⊗ GLS 47	360347	183,19 Kč
150	120	⊗ GLS 47	360351	183,19 Kč
150	150	⊗ GLS 47	360350	183,19 Kč
150	180	⊗ GLS 47	360348	183,19 Kč

Packing unit (Minimum order quantity) = 5 packs of 5 discs

Abrasive paper, self-fastening

PS 77 CK T-ACT Retail packs Set



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	C-paper

Applications:

Paint/Varnish/Filler	●	Composite materials	●
Primer	●	Plastic	●
Filler	●		
Gel coats	●		

Advantages: New high-performance disc with optimized anti-clogging behaviour - Increased service life due to the new coating, which prevents the adhesion of paint and dust particles - For aggressive grinding at high loads, a flexible and tear-resistant C-latex paper is used

Set discs: Assortments in two pieces grit 80, 120 and 180

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------


Diameter in mm	Grit	Hole pattern	Cat. number	Price/pack Kč
125	several grain sizes	⊗ GLS 5	367315	163,53 Kč
150	several grain sizes	⊗ GLS 74	367316	234,94 Kč

Packing unit (Minimum order quantity) = 5 packs of 6 discs

Retail range

Abrasive paper, self-fastening

PS 21 FK Retail packs



Properties

Bonding agent	Resin
Grain	Zirconia alumina
Coating	Close
Backing	F-paper

Applications:

Steel	●
Stainless steel	●
Metals	●

Advantages: Aggressive abrasive behavior due to self-sharpening zirconia alumina - Optimal recipe for rough grinding and finish grinding of stainless steel - Long service life

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter in mm	Grit	Hole pattern	Cat. number	Price/pack Kč
125	40	○ 0	367263	153,18 Kč
125	60	○ 0	367262	123,16 Kč
125	80	○ 0	367261	110,74 Kč
125	120	○ 0	367260	101,43 Kč
125	180	○ 0	367259	101,43 Kč
125	240	○ 0	367257	101,43 Kč
125	320	○ 0	367255	101,43 Kč
125	400	○ 0	367254	101,43 Kč
150	40	○ 0	367098	200,16 Kč
150	60	○ 0	367097	167,60 Kč
150	80	○ 0	367095	152,28 Kč
150	40	⊗ GLS 3	367096	200,16 Kč
150	60	⊗ GLS 3	367100	167,60 Kč
150	80	⊗ GLS 3	367099	152,28 Kč

Packing unit (Minimum order quantity) = 5 packs of 5 discs

Recommended prices.

Abrasive paper, self-fastening

PS 18 EK Retail packs



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Open
Backing	E-paper

Applications:

Wood	●
Plastic	○
Paint/Varnish/Filler	○

Advantages: Special product for processing of wood and workpieces

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter in mm	Grit	Hole pattern	Cat. number	Price/pack Kč
125	40	⊙ GLS 5	315546	98,32 Kč
125	60	⊙ GLS 5	315547	81,76 Kč
125	80	⊙ GLS 5	315548	75,55 Kč
125	120	⊙ GLS 5	315550	69,34 Kč
125	180	⊙ GLS 5	367253	69,34 Kč
150	40	⊙ GLS 3	315553	130,41 Kč
150	60	⊙ GLS 3	315554	104,53 Kč
150	80	⊙ GLS 3	315555	98,32 Kč
150	120	⊙ GLS 3	315557	87,97 Kč
150	180	⊙ GLS 3	315559	87,97 Kč

Packing unit (Minimum order quantity) = 5 packs of 5 discs

Abrasive paper, self-fastening

PS 19 EK Retail packs



Properties

Bonding agent	Resin
Grain	SiC
Coating	Close
Backing	E-paper

Applications:

Wood	●
Paint/Varnish/Filler	●
Plastic	●
Glass/Stone	●

Advantages: Hard and sharp silicon carbide grain for hard and tough materials - Resistant high-performance disc with a stable E-paper backing for rough sanding

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter in mm	Grit	Hole pattern	Cat. number	Price/pack Kč
225	24	⊙ GLS 55	665096	268,06 Kč

Packing unit (Minimum order quantity) = 5 packs of 5 discs

Recommended prices.

Retail range

Abrasive paper, self-fastening

PS 19 FK Retail packs



Properties

Bonding agent	Resin
Grain	SiC
Coating	Close
Backing	F - paper + cloth

Applications:

Masonry	●	Plastic	●
Plaster	●	Wood	●
Concrete	●		
Paint/Varnish/Filler	●		

Advantages: Very robust high-performance disc with tear-resistant combined backing for coarse grinding - Hard and sharp silicon carbide grain for hard and tough materials - For extreme applications

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter in mm	Grit	Hole pattern	Cat. number	Price/pack Kč
225	16	● GLS 55	665097	355,00 Kč

Packing unit (Minimum order quantity) = 5 packs of 5 discs

Abrasive screen, self-fastening, waterproof

AN 400 Retail packs



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Backing	Polyester screen

Applications:

Paint/Varnish/Filler	●	Composite materials	●
Gel coats	●	Wood	●
Plaster	●	Wood-based materials	●
Plasterboard walls	●		

Advantages: Effective and full-surface dust extraction thanks to open grid structure - Dust-free grinding extends the service life of the abrasive - At the same time, improved health and safety thanks to reduced dust formation at the workstation - Independent of existing extraction hole patterns - Waterproof

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter in mm	Grit	Hole pattern	Cat. number	Price/pack Kč
125	80	● Screen	360234	247,36 Kč
125	120	● Screen	360235	225,63 Kč
125	180	● Screen	360237	225,63 Kč
125	240	● Screen	360238	225,63 Kč
125	320	● Screen	360251	225,63 Kč
150	80	● Screen	360261	284,62 Kč
150	120	● Screen	360262	259,78 Kč
150	180	● Screen	360263	259,78 Kč
150	240	● Screen	360264	259,78 Kč
150	320	● Screen	360265	259,78 Kč
225	80	● Screen	360278	571,32 Kč

Recommended prices.




►► Continuation of AN 400 Retail packs, Abrasive screen, self-fastening, waterproof

Diameter in mm	Grit	Hole pattern	Cat. number	Price/pack Kč
225	120	● Screen	360279	522,67 Kč
225	180	● Screen	360282	522,67 Kč
225	240	● Screen	360280	522,67 Kč
225	320	● Screen	360281	522,67 Kč

Packing unit (Minimum order quantity) = 5 packs of 5 discs

Abrasive screen, self-fastening, waterproof

AN 400 Retail packs Set



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Backing	Polyester screen

Applications:

Paint/Varnish/Filler	●	Composite materials	●
Gel coats	●	Wood	●
Plaster	●	Wood-based materials	●
Plasterboard walls	●		

Advantages: Effective and full-surface dust extraction thanks to open grid structure - Dust-free grinding extends the service life of the abrasive - At the same time, improved health and safety thanks to reduced dust formation at the workstation - Independent of existing extraction hole patterns - Waterproof

Sets: Assortments in two pieces grit 80, two pieces grit 120 and two pieces grit 180

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter in mm	Grit	Hole pattern	Cat. number	Price/pack Kč
96	several grain sizes	● Screen	367459	149,04 Kč
125	several grain sizes	● Screen	367328	247,36 Kč
150	several grain sizes	● Screen	367327	338,44 Kč

Packing unit (Minimum order quantity) = 5 packs of 6 discs

Retail range

Abrasive paper, self-fastening

PS 33 CK Retail packs



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	C-paper

Applications:

Paint/Varnish/Filler	●
Wood	●
Plastic	●

Advantages: Improved abrasive and stock removal performance thanks to special heat-tempered aluminium oxide abrasive grain - Reduced clogging thanks to sanding active fillers in the size coat and the semi-open coating - Outstanding flexibility paired with good stability and tear resistance thanks to latex impregnated paper backing

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter in mm	Grit	Hole pattern	Cat. number	Price/pack Kč
125	60	GLS 27	360312	151,11 Kč
125	80	GLS 27	360313	138,69 Kč
125	120	GLS 27	360314	127,30 Kč
125	60	GLS 5	360250	151,11 Kč
125	80	GLS 5	360248	138,69 Kč
125	120	GLS 5	360249	127,30 Kč
150	60	GLS 1	360266	159,39 Kč
150	80	GLS 1	360267	140,76 Kč
150	120	GLS 1	360268	130,41 Kč
150	60	GLS 3	360324	159,39 Kč
150	80	GLS 3	360325	140,76 Kč
150	120	GLS 3	360326	130,41 Kč
150	60	GLS 47	368440	159,39 Kč
150	80	GLS 47	368445	140,76 Kč
150	120	GLS 47	368444	130,41 Kč
150	60	GLS 51	360272	159,39 Kč
150	80	GLS 51	360273	140,76 Kč
150	120	GLS 51	360274	130,41 Kč
150	60	GLS 74	360330	159,39 Kč
150	80	GLS 74	360331	140,76 Kč
150	120	GLS 74	360334	130,41 Kč
225	60	GLS 55	366980	261,85 Kč
225	80	GLS 55	366979	231,84 Kč
225	120	GLS 55	366984	212,17 Kč

Packing unit (Minimum order quantity) = 5 packs of 5 discs

Recommended prices.

Abrasive paper, self-fastening

PS 33 BK Retail packs



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	B-paper

Applications:

Paint/Varnish/Filler	●
Wood	●
Plastic	○

Advantages: Improved abrasive and stock removal performance thanks to special heat-tempered aluminium oxide abrasive grain - Reduced clogging thanks to sanding active fillers in the size coat and the semi-open coating - Outstanding flexibility paired with good stability and tear resistance thanks to latex impregnated paper backing

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter in mm	Grit	Hole pattern	Cat. number	Price/pack Kč
125	180	GLS 27	360315	127,30 Kč
125	240	GLS 27	360316	127,30 Kč
125	320	GLS 27	360317	127,30 Kč
125	180	GLS 5	360247	127,30 Kč
125	240	GLS 5	360246	127,30 Kč
125	320	GLS 5	360245	127,30 Kč
150	180	GLS 1	360269	130,41 Kč
150	240	GLS 1	360270	130,41 Kč
150	320	GLS 1	360271	130,41 Kč
150	180	GLS 3	360327	130,41 Kč
150	240	GLS 3	360328	130,41 Kč
150	320	GLS 3	360329	130,41 Kč
150	180	GLS 47	368443	130,41 Kč
150	240	GLS 47	368442	130,41 Kč
150	320	GLS 47	368441	130,41 Kč
150	180	GLS 51	360275	130,41 Kč
150	240	GLS 51	360276	130,41 Kč
150	320	GLS 51	360277	130,41 Kč
150	180	GLS 74	360335	130,41 Kč
150	240	GLS 74	360336	130,41 Kč
150	320	GLS 74	360337	130,41 Kč
225	150	GLS 55	366977	212,17 Kč
225	180	GLS 55	366976	212,17 Kč

Packing unit (Minimum order quantity) = 5 packs of 5 discs

Recommended prices.

Retail range

Abrasive paper, self-fastening

PS 22 K Retail packs



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	E-paper

Applications:

Wood	●	Plastic	○
Metals	●		
Stainless steel	○		
Paint/Varnish/Filler	○		

Advantages: Universal abrasive disc for metalworking and woodworking - Uniform surface scratch pattern - Available in many grit sizes and dimensions

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter in mm	Grit	Hole pattern	Cat. number	Price/pack Kč
50	120	○ 0	665176	228,73 Kč
50	240	○ 0	681486	229,77 Kč
50	320	○ 0	681474	229,77 Kč
50	400	○ 0	681485	229,77 Kč
75	120	○ 0	681487	328,09 Kč
75	240	○ 0	681488	330,16 Kč
75	320	○ 0	681489	330,16 Kč
75	400	○ 0	681473	330,16 Kč

Packing unit (Minimum order quantity) = 8 packs of 50 discs

Abrasive paper, self-fastening

PS 22 K Retail packs



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	E-paper

Applications:

Wood	●	Plastic	○
Metals	●		
Stainless steel	○		
Paint/Varnish/Filler	○		

Advantages: Universal abrasive disc for metalworking and woodworking - Uniform surface scratch pattern - Available in many grit sizes and dimensions

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter in mm	Grit	Hole pattern	Cat. number	Price/pack Kč
115	40	○ 0	278805	108,67 Kč
115	60	○ 0	278806	96,25 Kč
115	80	○ 0	278807	90,04 Kč
115	120	○ 0	278808	83,83 Kč
115	180	○ 0	278809	83,83 Kč

Recommended prices.



►► Continuation of PS 22 K Retail packs, Abrasive paper, self-fastening

Diameter in mm	Grit	Hole pattern	Cat. number	Price/pack Kč
115	40	⊙ GLS 4	243219	125,23 Kč
115	60	⊙ GLS 4	241608	108,67 Kč
115	80	⊙ GLS 4	243220	102,46 Kč
115	120	⊙ GLS 4	241610	96,25 Kč
115	180	⊙ GLS 4	241611	96,25 Kč
125	40	⊙ GLS 5	241614	116,95 Kč
125	60	⊙ GLS 5	241625	95,22 Kč
125	80	⊙ GLS 5	241626	84,87 Kč
125	120	⊙ GLS 5	241627	77,62 Kč
125	180	⊙ GLS 5	241628	77,62 Kč
150	40	⊙ GLS 1	371811	166,82 Kč
150	60	⊙ GLS 1	367094	140,08 Kč
150	80	⊙ GLS 1	367093	127,50 Kč
150	120	⊙ GLS 1	367092	101,43 Kč
150	180	⊙ GLS 1	371812	119,64 Kč
150	40	⊙ GLS 3	241649	166,82 Kč
150	60	⊙ GLS 3	241650	140,08 Kč
150	80	⊙ GLS 3	241651	127,50 Kč
150	120	⊙ GLS 3	241652	101,43 Kč
150	180	⊙ GLS 3	241653	119,64 Kč
150	60	⊙ GLS 47	669620	140,08 Kč
150	80	⊙ GLS 47	669621	127,50 Kč
150	120	⊙ GLS 47	669622	119,64 Kč
150	180	⊙ GLS 47	669623	119,64 Kč
150	240	⊙ GLS 47	669625	120,43 Kč
150	320	⊙ GLS 47	669624	120,43 Kč
150	40	⊙ GLS 51	319068	166,82 Kč
150	60	⊙ GLS 51	319069	140,08 Kč
150	80	⊙ GLS 51	319070	127,50 Kč
150	120	⊙ GLS 51	319071	119,64 Kč
150	180	⊙ GLS 51	319073	119,64 Kč
150	60	⊙ GLS 74	669628	113,10 Kč
150	80	⊙ GLS 74	669629	100,52 Kč
150	120	⊙ GLS 74	669630	92,65 Kč
150	180	⊙ GLS 74	669631	92,65 Kč
150	240	⊙ GLS 74	669626	93,44 Kč

Packing unit (Minimum order quantity) = 5 packs of 5 discs

Retail range

Protection pad, self-fastening

PP 555

Retail packs



Advantages: Improvement of adhesion and protection of the backing pad on random orbital sanders

Diameter in mm	Suitable for	Cat. number	Price/pack Kč
125	Random orbital sander	370652	336,37 Kč
150	Random orbital sander	358148	412,96 Kč
225	Drywall sander	370662	826,96 Kč

Packing unit (Minimum order quantity) = 1 packs of 2 pads

Recommended prices.



Hand block, self fastening

HBD 125



Advantages: Very suitable for surface and edge grinding - Fatigue-proof hand sanding due to ergonomic form - For self-fastening discs in diameter 125 mm - Self-fastening

Diameter in mm	Packing unit/pcs.	Cat. number	Price/pack Kč
125	1	387039	194,58 Kč

Hand block, self fastening

HBD 150



Advantages: Very suitable for surface and edge grinding - Fatigue-proof hand sanding due to ergonomic form - For self-fastening discs in diameter 150 mm - Self-fastening

Diameter in mm	Packing unit/pcs.	Cat. number	Price/pack Kč
150	1	387044	233,91 Kč

Recommended prices.

Retail range

Abrasive screen, self-fastening, waterproof

AN 400 Retail packs



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Backing	Polyester screen

Applications:

Paint/Varnish/Filler	●	Composite materials	●
Gel coats	●	Wood	●
Plaster	●	Wood-based materials	●
Plasterboard walls	●		

Advantages: Effective and full-surface dust extraction thanks to open grid structure - Dust-free grinding extends the service life of the abrasive - At the same time, improved health and safety thanks to reduced dust formation at the work station - Independent of existing extraction hole patterns - Waterproof

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Hole pattern	Cat. number	Price/pack Kč
70 x 125	80	Screen	360204	135,58 Kč
70 x 125	120	Screen	360205	135,58 Kč
70 x 125	180	Screen	360206	119,02 Kč
70 x 125	240	Screen	360207	119,02 Kč
70 x 125	320	Screen	360208	119,02 Kč
80 x 133	80	Screen	360197	183,19 Kč
80 x 133	120	Screen	360198	183,19 Kč
80 x 133	180	Screen	360199	183,19 Kč
80 x 133	240	Screen	360200	183,19 Kč
80 x 133	320	Screen	360201	183,19 Kč
93 x 178	80	Screen	360223	195,61 Kč
93 x 178	120	Screen	360224	191,47 Kč
93 x 178	180	Screen	360225	170,77 Kč
93 x 178	240	Screen	360226	170,77 Kč
93 x 178	320	Screen	360227	170,77 Kč
103 x 115	80	Screen	367138	200,79 Kč
103 x 115	120	Screen	367137	200,79 Kč
103 x 115	180	Screen	367136	200,79 Kč
103 x 115	240	Screen	367135	200,79 Kč
103 x 115	320	Screen	367134	200,79 Kč
115 x 230	80	Screen	360217	281,52 Kč
115 x 230	120	Screen	360218	278,41 Kč
115 x 230	180	Screen	360219	245,29 Kč
115 x 230	240	Screen	360220	245,29 Kč
115 x 230	320	Screen	360222	245,29 Kč


Packing unit (Minimum order quantity) = 5 packs of 5 strips

Recommended prices.

Abrasive paper, self-fastening

PS 33 CK

Retail packs

**Properties**

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	C-paper

Applications:

Paint/Varnish/Filler	●
Wood	●
Plastic	○

Advantages: Improved abrasive and stock removal performance thanks to special heat-tempered aluminium oxide abrasive grain - Reduced clogging thanks to sanding active fillers in the size coat and the semi-open coating - Outstanding flexibility paired with good stability and tear resistance thanks to latex impregnated paper backing

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

Width x Length in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number	Price/pack Kč
70 x 125	60	GL 0	25	360209	107,64 Kč
70 x 125	80	GL 0	25	360210	104,53 Kč
70 x 125	120	GL 0	25	360213	95,51 Kč
80 x 133	40	GL 18	25	367118	173,88 Kč
80 x 133	60	GL 18	25	360293	146,97 Kč
80 x 133	80	GL 18	25	360294	138,69 Kč
80 x 133	120	GL 18	25	360295	130,41 Kč
93 x 178	60	GL 17	25	360228	170,77 Kč
93 x 178	80	GL 17	25	360230	153,18 Kč
93 x 178	120	GL 17	25	360231	144,90 Kč
103 x 115	40	GL 19	25	367214	159,39 Kč
103 x 115	60	GL 19	25	367215	134,55 Kč
103 x 115	80	GL 19	25	367216	121,09 Kč
103 x 115	120	GL 19	25	367217	114,88 Kč
115 x 230	60	GL 15	25	360300	198,72 Kč
115 x 230	80	GL 15	25	360301	180,09 Kč
115 x 230	120	GL 15	25	360302	167,67 Kč
115 x 115	60	GL 20	25	360306	134,55 Kč
115 x 115	80	GL 20	25	360307	121,09 Kč
115 x 115	120	GL 20	25	360308	114,88 Kč
115 x 105	40	GL 43	25	367222	157,32 Kč
115 x 105	60	GL 43	25	367221	130,41 Kč
115 x 105	80	GL 43	25	367220	121,09 Kč
115 x 105	120	GL 43	25	367227	110,74 Kč


Packing unit (Minimum order quantity) = 5 packs of 5 strips

Recommended prices.

Retail range

Abrasive paper, self-fastening

PS 33 BK Retail packs



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	B-paper

Applications:

Paint/Varnish/Filler	●
Wood	●
Plastic	●

Advantages: Improved abrasive and stock removal performance thanks to special heat-tempered aluminium oxide abrasive grain - Reduced clogging thanks to sanding active fillers in the size coat and the semi-open coating - Outstanding flexibility paired with good stability and tear resistance thanks to latex impregnated paper backing

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Hole pattern	Cat. number	Price/pack Kč
70 x 125	180	GL 0	360214	95,51 Kč
70 x 125	240	GL 0	360215	95,75 Kč
70 x 125	320	GL 0	360216	95,75 Kč
80 x 133	180	GL 18	360303	130,41 Kč
80 x 133	240	GL 18	360296	130,41 Kč
80 x 133	320	GL 18	360297	130,41 Kč
93 x 178	180	GL 17	360252	144,90 Kč
93 x 178	240	GL 17	360232	144,90 Kč
93 x 178	320	GL 17	360233	144,90 Kč
103 x 115	180	GL 19	367218	114,88 Kč
103 x 115	240	GL 19	367219	114,88 Kč
103 x 115	320	GL 19	367223	110,74 Kč
115 x 230	180	GL 15	360304	167,67 Kč
115 x 230	240	GL 15	360305	167,67 Kč
115 x 230	320	GL 15	360320	167,67 Kč
115 x 115	180	GL 20	360309	114,88 Kč
115 x 115	240	GL 20	360310	114,88 Kč
115 x 115	320	GL 20	360311	114,88 Kč
115 x 105	180	GL 43	367226	110,74 Kč
115 x 105	240	GL 43	367225	110,74 Kč
115 x 105	320	GL 43	367224	110,74 Kč


Packing unit (Minimum order quantity) = 5 packs of 5 strips

Recommended prices.

Abrasives paper, self-fastening

PS 22 K

Retail packs

**Properties**

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	E-paper

Applications:

Wood	●	Plastic	○
Metals	●		
Stainless steel	○		
Paint/Varnish/Filler	○		

Advantages: High removal rate - Uniform scratch pattern

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

Width x Length in mm	Grit	Hole pattern	Cat. number	Price/pack Kč
70 x 125	60	GL 0	367130	110,74 Kč
70 x 125	80	GL 0	367132	98,32 Kč
70 x 125	120	GL 0	367131	91,08 Kč
70 x 125	180	GL 0	367133	91,08 Kč
80 x 133	40	GL 18	367125	155,23 Kč
80 x 133	60	GL 18	367126	130,41 Kč
80 x 133	80	GL 18	367129	116,95 Kč
80 x 133	120	GL 18	367127	110,74 Kč
80 x 133	180	GL 18	367128	110,74 Kč
93 x 186	40	GL 35	677438	133,51 Kč
93 x 186	60	GL 35	677439	122,13 Kč
93 x 186	80	GL 35	677440	111,78 Kč
93 x 186	120	GL 35	677442	106,60 Kč
93 x 186	180	GL 35	677443	106,60 Kč
103 x 115	40	GL 19	367240	123,16 Kč
103 x 115	60	GL 19	367239	101,43 Kč
103 x 115	80	GL 19	367238	91,08 Kč
103 x 115	120	GL 19	367235	84,87 Kč
103 x 115	180	GL 19	367237	84,87 Kč
115 x 230	40	GL 15	369725	254,99 Kč
115 x 230	60	GL 15	369726	216,93 Kč
115 x 230	80	GL 15	369724	183,19 Kč
115 x 230	120	GL 15	369723	170,77 Kč
115 x 230	180	GL 15	369722	170,77 Kč
115 x 105	40	GL 43	367234	123,16 Kč
115 x 105	60	GL 43	367233	101,43 Kč
115 x 105	80	GL 43	367232	91,08 Kč
115 x 105	120	GL 43	367231	84,87 Kč

Packing unit (Minimum order quantity) = 5 packs of 5 strips

Recommended prices.

Retail range

Finishing paper

PL 31 B Retail packs



Properties

Bonding agent	Glue
Grain	Aluminium oxide
Coating	Semi-open
Backing	B-paper

Applications:

Paint/Varnish/Filler	●
Wood	●
Metals	●

Advantages: Product with optimal price-performance ratio - Optimised wear properties for hand-held machine grinding - Very fine surface scratch pattern

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Hole pattern	Cat. number	Price/pack Kč
93 x 230	40	GL 9	382745	116,95 Kč
93 x 230	60	GL 9	382746	109,71 Kč
93 x 230	80	GL 9	382747	105,57 Kč
93 x 230	120	GL 9	382748	103,50 Kč
93 x 230	180	GL 9	382749	103,50 Kč
93 x 230	240	GL 9	382750	103,50 Kč

Packing unit (Minimum order quantity) = 5 packs of 5 strips

Abrasive screen, self-fastening, waterproof

AN 400 Retail packs Set



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Backing	Polyester screen

Applications:

Paint/Varnish/Filler	●	Composite materials	●
Gel coats	●	Wood	●
Plaster	●	Wood-based materials	●
Plasterboard walls	●		

Advantages: Effective and full-surface dust extraction thanks to open grid structure - Dust-free grinding extends the service life of the abrasive - At the same time, improved health and safety thanks to reduced dust formation at the workstation - Independent of existing extraction hole patterns - Waterproof

Set: Assortments in two pieces grit 80, two pieces grit 120 and two pieces grit 180

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Hole pattern	Cat. number	Price/pack Kč
99 x 148	several grain sizes	GLS 81 GI	367745	228,73 Kč

Packing unit (Minimum order quantity) = 5 packs of 6 strips

Recommended prices.

Abrasive paper, self-fastening

PS 33 CK Retail packs



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	C-paper

Applications:

Paint/Varnish/Filler	●
Wood	●
Plastic	○

Advantages: Improved abrasive and stock removal performance thanks to special heat-tempered aluminium oxide abrasive grain - Reduced clogging thanks to sanding active fillers in the size coat and the semi-open coating - Outstanding flexibility paired with good stability and tear resistance thanks to latex impregnated paper backing

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Hole pattern	Cat. number	Price/pack Kč
98 x 148	40	⚙ GLS 24	366849	167,67 Kč
98 x 148	60	⚙ GLS 24	360333	134,55 Kč
98 x 148	80	⚙ GLS 24	360338	116,95 Kč
98 x 148	120	⚙ GLS 24	360339	107,64 Kč

Packing unit (Minimum order quantity) = 5 packs of 5 strips

Abrasive paper, self-fastening

PS 33 BK Retail packs



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	B-paper

Applications:

Paint/Varnish/Filler	●
Wood	●
Plastic	○

Advantages: Improved abrasive and stock removal performance thanks to special heat-tempered aluminium oxide abrasive grain - Reduced clogging thanks to sanding active fillers in the size coat and the semi-open coating - Outstanding flexibility paired with good stability and tear resistance thanks to latex impregnated paper backing

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Hole pattern	Cat. number	Price/pack Kč
98 x 148	180	⚙ GLS 24	360340	107,64 Kč
98 x 148	240	⚙ GLS 24	360341	107,64 Kč
98 x 148	320	⚙ GLS 24	360342	107,64 Kč

Packing unit (Minimum order quantity) = 5 packs of 5 strips

Recommended prices.

Retail range

Abrasive paper, self-fastening

PS 22 K Retail packs



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	E-paper

Applications:

Wood	●	Plastic	○
Metals	●		
Stainless steel	○		
Paint/Varnish/Filler	○		

Advantages: Universal abrasive disc for metalworking and woodworking - Uniform surface scratch pattern - Available in many grit sizes and dimensions

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Hole pattern	Cat. number	Price/pack Kč
98 x 148	40	GLS 24	366848	154,21 Kč
98 x 148	60	GLS 24	366847	121,09 Kč
98 x 148	80	GLS 24	366846	104,53 Kč
98 x 148	120	GLS 24	366845	98,32 Kč
98 x 148	180	GLS 24	366844	98,32 Kč
102 x 150	40	GLS 67	665436	93,15 Kč
102 x 150	60	GLS 67	665437	71,41 Kč
102 x 150	80	GLS 67	665438	62,10 Kč
102 x 150	120	GLS 67	665439	55,89 Kč
102 x 150	180	GLS 67	665440	55,89 Kč

Packing unit (Minimum order quantity) = 5 packs of 5 strips

Recommended prices.

Abrasive paper, self-fastening

PS 33 CK Retail packs



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	C-paper

Applications:

Paint/Varnish/Filler	●
Wood	●
Plastic	○

Advantages: Improved abrasive and stock removal performance thanks to special heat-tempered aluminium oxide abrasive grain - Reduced clogging thanks to sanding active fillers in the size coat and the semi-open coating - Outstanding flexibility paired with good stability and tear resistance thanks to latex impregnated paper backing

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter in mm	Grit	Hole pattern	Cat. number	Price/pack Kč
96	40	△ GLS 15	366850	138,69 Kč
96	60	△ GLS 15	360241	110,74 Kč
96	80	△ GLS 15	360244	101,43 Kč
96	120	△ GLS 15	360243	95,22 Kč

Packing unit (Minimum order quantity) = 5 packs of 5 triangles

Abrasive paper, self-fastening

PS 33 BK Retail packs



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	B-paper

Applications:

Paint/Varnish/Filler	●
Wood	●
Plastic	○

Advantages: Improved abrasive and stock removal performance thanks to special heat-tempered aluminium oxide abrasive grain - Reduced clogging thanks to sanding active fillers in the size coat and the semi-open coating - Outstanding flexibility paired with good stability and tear resistance thanks to latex impregnated paper backing

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter in mm	Grit	Hole pattern	Cat. number	Price/pack Kč
96	180	△ GLS 15	360242	95,22 Kč
96	240	△ GLS 15	360240	95,22 Kč
96	320	△ GLS 15	360239	95,22 Kč

Packing unit (Minimum order quantity) = 5 packs of 5 triangles

Recommended prices.

Retail range

Abrasive paper, self-fastening

PS 22 K Retail packs



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	E-paper

Applications:

Wood	●	Plastic	○
Metals	●		
Stainless steel	○		
Paint/Varnish/Filler	○		

Advantages: Universal abrasive disc for metalworking and woodworking - Uniform surface scratch pattern - Available in many grit sizes and dimensions

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter in mm	Grit	Hole pattern	Cat. number	Price/pack Kč
96	40	△ GLS 15	241656	81,76 Kč
96	60	△ GLS 15	241657	65,20 Kč
96	80	△ GLS 15	241658	58,99 Kč
96	120	△ GLS 15	241659	56,92 Kč
96	180	△ GLS 15	241660	56,92 Kč

Packing unit (Minimum order quantity) = 5 packs of 5 triangles

Abrasive paper, self-fastening

PS 22 K Retail packs Set



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	E-paper

Applications:

Wood	●	Plastic	○
Metals	●		
Stainless steel	○		
Paint/Varnish/Filler	○		

Advantages: Universal abrasive disc for metalworking and woodworking - Uniform surface scratch pattern - Available in many grit sizes and dimensions

Set discs: Assortments in two pieces grit 40, two pieces grit 80 and two pieces grit 120

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter in mm	Grit	Hole pattern	Cat. number	Price/pack Kč
96	several grain sizes	△ GLS 15	241662	81,76 Kč
125	several grain sizes	⊙ GLS 5	241630	113,85 Kč
150	several grain sizes	⊙ GLS 51	319072	189,40 Kč

Packing unit (Minimum order quantity) = 5 packs of 6 triangles/discs

Recommended prices.

Abrasive cloth

LS 309 XH

Retail packs

**Properties**

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close
Backing	X-cotton

Applications:

Wood	●
Metals	●
NF metals	●
Paint/Varnish/Filler	ⓘ



Advantages: Special type for portable belt sanders - For universal use on wood, metal, paint and varnish - Large product mix of belts for all standard machines

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

Width x Length in mm	Grit	Belt joint	Cat. number	Price/pack Kč
75 x 457	40	F5	9189	176,98 Kč
75 x 457	60	F5	9176	167,67 Kč
75 x 457	80	F5	9172	159,39 Kč
75 x 457	100	F5	9171	156,28 Kč
75 x 457	120	F5	7138	156,28 Kč
75 x 533	40	F5	7018	188,37 Kč
75 x 533	60	F5	7019	178,02 Kč
75 x 533	80	F5	7020	172,84 Kč
75 x 533	100	F5	7021	169,74 Kč
75 x 533	120	F5	7022	169,74 Kč
75 x 533	150	F5	7023	169,74 Kč
75 x 533	180	F5	7077	169,74 Kč
100 x 560	40	F5	7036	244,08 Kč
100 x 560	60	F5	7037	225,22 Kč
100 x 560	80	F5	7038	216,34 Kč
100 x 560	100	F5	7039	210,79 Kč
100 x 560	120	F5	7040	210,79 Kč
100 x 610	40	F5	7080	256,51 Kč
100 x 610	60	F5	7081	235,97 Kč
100 x 610	80	F5	7082	226,30 Kč
100 x 610	100	F5	7083	220,26 Kč
100 x 610	120	F5	7084	220,26 Kč

Packing unit (Minimum order quantity) = 6 packs of 3 belts

Recommended prices.

Retail range

Abrasive cloth

LS 309 XH Retail packs Set



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close
Backing	X-cotton

Applications:

Wood	●
Metals	●
NF metals	●
Paint/Varnish/Filler	●

Advantages: Special type for portable belt sanders - For universal use on wood, metal, paint and varnish - Large product mix of belts for all standard machines - 1 piece each in grit 40, 80 and 120 assorted

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Belt joint	Cat. number	Price/pack Kč
75 x 457	several grain sizes	F5	367035	180,09 Kč
75 x 533	several grain sizes	F5	367034	195,61 Kč
100 x 560	several grain sizes	F5	367036	245,29 Kč
100 x 610	several grain sizes	F5	367037	256,68 Kč

Packing unit (Minimum order quantity) = 6 packs of 3 belts

Abrasive cleaning stick

SBR 100 Retail packs



Advantages: High quality abrasive belt cleaning stick - Suitable for both abrasive belts and discs used with machinery and mounted on rotating and oscillating backing pads - Extends the lifetime of the abrasives by removing stuck-on abrasive dust, clearing the abrasive, and thus expanding its service life

Width x Length x Height in mm	Packing unit/pcs.	Cat. number	Price/pack Kč
38 x 215 x 38	1	680719	297,04 Kč

Recommended prices.

File belt, abrasive cloth

CS 310 XF Retail packs



Properties		Applications:
Bonding agent	Resin	Stainless steel ●
Grain	Aluminium oxide	Metals ●
Coating	Close	NF metals ●
Backing	XF-cotton	Steel ●

Advantages: Universal type for working on radiuses and contours with belt files in all areas of metalworking

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Belt joint	Cat. number	Price/pack Kč
10 x 330	40	F4G	367104	114,74 Kč
10 x 330	60	F4G	367105	109,71 Kč
13 x 457	40	F4G	248820	123,01 Kč
13 x 457	60	F4G	248821	119,73 Kč
13 x 457	120	F4G	248822	117,21 Kč
13 x 610	60	F4G	367102	126,74 Kč

Packing unit (Minimum order quantity) = 6 packs of 3 belts

Small abrasive mop

KM 613 Retail packs



Properties		Applications:
Bonding agent	Resin	Stainless steel ●
Grain	Aluminium oxide	Metals ●
		Wood ○
		Plastic ○

Advantages: Universal product for steel and stainless steel materials - Even removal rate - Suitable for use in hard-to-reach areas

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter x Width x Shaft in mm	Grit	Max. operating speed	Max. RPM	Cat. number	Price/pack Kč
40 x 20 x 6	40	40 m/s	19000 rpm	360285	149,04 Kč
40 x 20 x 6	60	40 m/s	19000 rpm	360286	149,04 Kč
40 x 20 x 6	80	40 m/s	19000 rpm	360287	149,04 Kč
60 x 30 x 6	40	40 m/s	12700 rpm	360290	214,24 Kč
60 x 30 x 6	60	40 m/s	12700 rpm	360289	214,24 Kč

Recommended prices.



Retail range

► Continuation of KM 613 Retail packs, Small abrasive mop

Diameter x Width x Shaft in mm	Grit	Max. operating speed	Max. RPM	Cat. number	Price/pack Kč
60 x 30 x 6	80	40 m/s	12700 rpm	360288	214,24 Kč
80 x 30 x 6	40	40 m/s	9500 rpm	366998	305,32 Kč
80 x 30 x 6	60	40 m/s	9500 rpm	366997	305,32 Kč
80 x 30 x 6	80	40 m/s	9500 rpm	366996	305,32 Kč

Packing unit (Minimum order quantity) = Ø 40 mm 36 pieces, Ø 60 mm 24 pieces, Ø 80 mm 20 pieces

Abrasive fibre disc

CS 561 Retail packs



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close

Applications:

Steel	●	Stainless steel	○
NF metals	●	Wood	○
Metals	●		
Plastic	○		

Advantages: For universal use - Robust, resistant and long-lasting

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter x Hole in mm	Grit	Hole pattern	Max. RPM	Cat. number	Price/pack Kč
115 x 22	24	⊗ 30	13300 rpm	255905	180,09 Kč
115 x 22	40	⊗ 30	13300 rpm	255906	158,35 Kč
115 x 22	60	⊗ 30	13300 rpm	255907	137,65 Kč
115 x 22	80	⊗ 30	13300 rpm	255908	135,58 Kč
115 x 22	120	⊗ 30	13300 rpm	255909	135,58 Kč
125 x 22	24	⊗ 30	12250 rpm	255910	211,14 Kč
125 x 22	40	⊗ 30	12250 rpm	255911	186,30 Kč
125 x 22	60	⊗ 30	12250 rpm	255912	161,46 Kč
125 x 22	80	⊗ 30	12250 rpm	255913	158,35 Kč
125 x 22	120	⊗ 30	12250 rpm	255914	158,35 Kč

Packing unit (Minimum order quantity) = 5 packs of 5 fibre discs

Recommended prices.

Abrasive fibre disc, multibond

FS 966 ACT Retail packs



Properties

Bonding agent	Resin
Grain	Ceramic Al. oxide
Coating	Close

Applications:

Stainless steel	●
-----------------	---

Advantages: Micro-crystalline self-sharpening effect - High aggressiveness throughout the service life - Outstanding grit adhesion - Long service life, especially suitable for heavy duty applications - Increase in performance due to low temperatures - Multibond prevents heat tinting

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter x Hole in mm	Grit	Hole pattern	Max. RPM	Cat. number	Price/pack Kč
115 x 22	36	⊕ 30	13300 rpm	673834	240,12 Kč
115 x 22	60	⊕ 30	13300 rpm	673839	194,58 Kč
125 x 22	36	⊕ 30	12250 rpm	673840	292,90 Kč
125 x 22	60	⊕ 30	12250 rpm	673925	227,70 Kč

Packing unit (Minimum order quantity) = 5 packs of 5 fibre discs

Abrasive cloth

KL 375 J Retail packs



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close
Backing	J-cotton

Applications:

Wood	●
Metals	●

Advantages: Universal abrasive cloth for hand processing of metal surfaces - Highly flexible

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Cat. number	Price/pack Kč
115 x 5000	40	301050	261,85 Kč
115 x 5000	60	266533	256,91 Kč
115 x 5000	80	266538	239,74 Kč
115 x 5000	120	266548	213,21 Kč
115 x 5000	180	301052	213,21 Kč

Packing unit (Minimum order quantity) = 10 rolls

Recommended prices.

Retail range

Finishing paper

PL 31 B

Retail packs



Properties

Bonding agent	Glue
Grain	Aluminium oxide
Coating	Semi-open
Backing	B-paper

Applications:

Paint/Varnish/Filler	●
Wood	●
Metals	○

Advantages: Product with optimal price-performance ratio - Optimized wear properties for hand sanding and handheld machine sanding

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Cat. number	Price/pack Kč
115 x 5000	40	241817	270,04 Kč
115 x 5000	60	241818	219,06 Kč
115 x 5000	80	241819	195,07 Kč
115 x 5000	120	241820	180,08 Kč
115 x 5000	180	241821	180,08 Kč

Packing unit (Minimum order quantity) = 5 rolls

Abrasive paper

PS 33 C

Retail packs



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	C-paper

Applications:

Paint/Varnish/Filler	●
Wood	●
Plastic	○

Advantages: Very high removal rate - Minimal clogging due to active abrasive substances - Longer service life - Good tear resistance and flexibility

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Cat. number	Price/pack Kč
115 x 5000	60	366985	307,39 Kč
115 x 5000	80	366990	270,13 Kč
115 x 5000	120	366989	249,43 Kč

Packing unit (Minimum order quantity) = 5 rolls

Recommended prices.

Abrasive paper

PS 33 B Retail packs



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	B-paper

Applications:

Paint/Varnish/Filler	●
Wood	●
Plastic	⦿

Advantages: Very high removal rate - Minimal clogging due to active abrasive substances - Longer service life - Good tear resistance and flexibility

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Cat. number	Price/pack Kč
115 x 5000	180	366987	249,43 Kč
115 x 5000	240	366986	251,50 Kč
115 x 5000	320	366988	251,50 Kč

Packing unit (Minimum order quantity) = 5 rolls

Abrasive paper

PS 30 D Retail packs



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	D-paper

Applications:

Paint/Varnish/Filler	●
Wood	●
Metals	⦿

Advantages: Sharp grit and high aggressiveness for use on wood, varnish, fillers - Flexible and tear-resistant, easy folding - Product with good price-performance ratio

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Cat. number	Price/pack Kč
115 x 5000	40	294308	197,10 Kč
115 x 5000	60	280588	160,31 Kč
115 x 5000	80	280589	143,00 Kč
115 x 5000	100	267048	132,18 Kč
115 x 5000	120	267059	132,18 Kč
115 x 5000	150	267070	132,18 Kč
115 x 5000	180	279733	132,18 Kč
115 x 5000	220	294229	133,26 Kč

Packing unit (Minimum order quantity) = 10 rolls

Recommended prices.

Retail range

Abrasive cloth

KL 371 X Retail packs



Properties

Bonding agent	Glue
Grain	Aluminium oxide
Coating	Close
Backing	X-cotton

Applications:

Metals	●
NF metals	●

Advantages: Attractively priced universal product for surface hand grinding

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Cat. number	Price/pack Kč
230 x 280	40	241781	259,78 Kč
230 x 280	60	241783	228,73 Kč
230 x 280	80	241784	213,21 Kč
230 x 280	120	241785	205,96 Kč
230 x 280	240	241786	208,03 Kč

Packing unit (Minimum order quantity) = 5 packs of 5 sheets

Finishing paper

PL 31 B Retail packs



Properties

Bonding agent	Glue
Grain	Aluminium oxide
Coating	Semi-open
Backing	B-paper

Applications:

Paint/Varnish/Filler	●
Wood	●
Metals	○

Advantages: Product with optimal price-performance ratio - Optimized wear properties for hand sanding - Very fine surface scratch pattern

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Cat. number	Price/pack Kč
230 x 280	40	241776	152,06 Kč
230 x 280	60	241777	121,09 Kč
230 x 280	80	241778	107,64 Kč
230 x 280	120	241779	98,32 Kč
230 x 280	240	241780	98,32 Kč

Packing unit (Minimum order quantity) = 5 packs of 5 sheets

Recommended prices.

Abrasive paper

PS 33 C Retail packs



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	C-paper

Applications:

Paint/Varnish/Filler	●
Wood	●
Plastic	⓪

Advantages: High removal rate - For diverse applications

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Cat. number	Price/pack Kč
230 x 280	80	371919	216,31 Kč
230 x 280	120	371918	196,65 Kč

Packing unit (Minimum order quantity) = 5 packs of 5 sheets

Abrasive paper

PS 33 B Retail packs



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	B-paper

Applications:

Paint/Varnish/Filler	●
Wood	●
Plastic	⓪

Advantages: High removal rate - For diverse applications

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Cat. number	Price/pack Kč
230 x 280	180	371916	196,65 Kč
230 x 280	240	371922	196,65 Kč
230 x 280	320	371923	196,65 Kč

Packing unit (Minimum order quantity) = 5 packs of 5 sheets

Recommended prices.

Retail range

Abrasive paper, waterproof

PS 11 C Retail packs



Properties

Bonding agent	Resin
Grain	SiC
Coating	Close
Backing	C-paper

Applications:

Paint/Varnish/Filler	●
Plastic	●
Glass/Stone	◐
Metals	◐

Advantages: Special product for auto repair and painting - For hard and tough surfaces - Good adaptation and high stability - Wet and dry sanding

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Cat. number	Price/pack Kč
230 x 280	120	241787	157,32 Kč
230 x 280	180	241789	138,69 Kč

Packing unit (Minimum order quantity) = 5 packs of 5 sheets

Abrasive paper, waterproof

PS 11 A Retail packs



Properties

Bonding agent	Resin
Grain	SiC
Coating	Close
Backing	A-paper

Applications:

Paint/Varnish/Filler	●
Plastic	●
Glass/Stone	◐
Metals	◐

Advantages: Special product for auto repair and painting - For hard and tough surfaces - Good adaptation and high stability - Wet and dry sanding

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	Grit	Cat. number	Price/pack Kč
230 x 280	240	241790	138,69 Kč
230 x 280	400	241791	138,69 Kč

Packing unit (Minimum order quantity) = 5 packs of 5 sheets

Recommended prices.

Non-woven web hand pad, waterproof

NPA 400 Retail packs



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Non-woven material type	Soft non-woven material

Applications:

Stainless steel	●
Metals	●
Wood	●
Paint/Varnish	①

Plastic	①
---------	---

Advantages: Outstanding for surface finishing, e.g. adaptation to an existing surface scratch pattern - Can be used wet and dry

Width x Length in mm	Colour	Grade	Cat. number	Price/pack Kč
152 x 229	maroon	very fine	367350	195,61 Kč

Packing unit (Minimum order quantity) = 28 packs of 2 sheets

Non-woven web hand pad, waterproof

NPA 500 Retail packs



Properties

Bonding agent	Resin
Grain	SiC
Non-woven material type	Soft non-woven material

Applications:

Paint/Varnish	●
Plastic	●
Stainless steel	●
Metals	①

Wood	①
------	---

Advantages: Outstanding for surface finishing, e.g. adaptation to an existing surface scratch pattern - Can be used wet and dry

Width x Length in mm	Colour	Grade	Cat. number	Price/pack Kč
152 x 229	grey	ultra fine	687504	212,17 Kč

Packing unit (Minimum order quantity) = 28 packs of 2 sheets

Retail range

Abrasive block, flexible, coated on 4 sides, waterproof

SK 500 Retail packs



Properties

Grain	Aluminium oxide
Coating	Close

Applications:

Paint/Varnish/Filler	●
Wood	●
Plastic	○
Metals	○

Advantages: Can be used flat and upright (four usable sides) - For flat and profiled surfaces due to flexible foam core - Robust, washable and reusable

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length x Height in mm	Grit	Density	Grit color	Foam color	Cat. number	Price/pack Kč
70 x 100 x 25	60	hard	brown	grey	698820	53,25 Kč
70 x 100 x 25	80	hard	brown	grey	698824	53,25 Kč
70 x 100 x 25	100	hard	brown	grey	698821	53,25 Kč
70 x 100 x 25	120	hard	brown	grey	698835	53,25 Kč
70 x 100 x 25	150	hard	brown	grey	698822	53,25 Kč
70 x 100 x 25	220	hard	brown	grey	698823	53,25 Kč

Packing unit (Minimum order quantity) = 10 packs of 1 piece

Abrasive block, flexible, coated on 4 sides, waterproof

SK 700 A Retail packs



Properties

Grain	Aluminium oxide
Coating	Close

Applications:

Paint/Varnish/Filler	●
Wood	●
Plastic	○
Metals	○

Advantages: Suitable for flat or upright use on all four sides - The angled edge (approx. 45°) makes it an exceptional choice for narrow, tapering workpiece contours - Excellent contouring and pressure distribution thanks to flexible foam core - Robust, washable and reusable

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length x Height in mm	Grit	Density	Grit color	Foam color	Cat. number	Price/pack Kč
89 x 125 x 25	60	hard	brown	grey	698816	107,64 Kč
89 x 125 x 25	80	hard	brown	grey	698837	107,64 Kč
89 x 125 x 25	100	hard	brown	grey	698817	107,64 Kč
89 x 125 x 25	120	hard	brown	grey	698836	107,64 Kč
89 x 125 x 25	150	hard	brown	grey	698819	107,64 Kč
89 x 125 x 25	220	hard	brown	grey	698818	107,64 Kč

Recommended prices.

Packing unit (Minimum order quantity) = 10 packs of 1 piece

Abrasive sponge, flexible, coated on 2 sides, waterproof

SW 501 Retail packs



Properties

Grain	Aluminium oxide
Coating	Close

Applications:

Paint/Varnish/Filler	●
Wood	●
Plastic	○
Metals	○

Advantages: Satin surface scratch pattern - For low and high profiled surfaces (two usable sides) - Crease and break resistant - Washable and reusable

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length x Height in mm	Grit	Density	Grit color	Foam color	Cat. number	Price/pack Kč
96 x 123 x 12,5	120	soft	brown	yellow	698827	136,62 Kč
96 x 123 x 12,5	220	soft	brown	yellow	698826	136,62 Kč

Packing unit (Minimum order quantity) = 10 packs of 2 pieces

Cutting-off wheel

A 980 TZ SPECIAL



Class SPECIAL

Bond	■ ■ ■ ■ ■ ■ ■ ■
Aggression	■ ■ ■ ■ ■ ■ ■ ■
Service life	■ ■ ■ ■ ■ ■ ■ ■

Applications:

Stainless steel	●
Steel	●
NF metals	●

Advantages: Free of iron, sulphur and chlorine - Very short cutting times - Particularly precise and clean cuts due to the low thickness - Low thermal load - Minimal burr formation, minimizing finish-machining - 10 pieces in a tin with viewing window for easy removal

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/tin	Cat. number	Price/tin Kč
125 x 0,8 x 22,23		80 m/s	12250 rpm	10 discs	362549	1.065,01 Kč

Minimum order quantity = 5 tins

Recommended prices.

Retail range

Cutting-off wheel

A 60
EXTRA



Class	EXTRA
Bond	■ ■ ■ ■ □ □
Aggression	■ ■ ■ ■ □ □
Service life	■ ■ ■ ■ □ □

Applications:
Metals ●

Advantages: Minimal burr formation - Low thermal load - Very good price-performance ratio - 10 pieces in a tin with viewing window for easy removal

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/tin	Cat. number	Price/tin Kč
115 x 1 x 22,23	—	80 m/s	13300 rpm	10 discs	310499	402,61 Kč
125 x 1 x 22,23	—	80 m/s	12250 rpm	10 discs	310500	429,52 Kč

Minimum order quantity = 5 tins

Cutting-off wheel

A 60
EXTRA



Class	EXTRA
Bond	■ ■ ■ ■ □ □
Aggression	■ ■ ■ ■ □ □
Service life	■ ■ ■ ■ □ □

Applications:
Metals ●

Advantages: Minimal burr formation - Low thermal load - Very good price-performance ratio - 5 tins in a sales display

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/display	Cat. number	Price/tin Kč
125 x 1 x 22,23	—	80 m/s	12250 rpm	5 tins with 10 discs	312031	528,88 Kč

Recommended prices.

Cutting-off wheel

A 660 R SUPRA



Class	SUPRA
Bond	■ ■ ■ ■ ■ ■ ■ ■
Aggression	■ ■ ■ ■ ■ ■ ■ ■
Service life	■ ■ ■ ■ ■ ■ ■ ■

Applications:	
Steel	●
Stainless steel	○

Advantages: Minimal burr formation - Low thermal load - Highest cutting performance - 10 pieces in a tin with viewing window for easy removal

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/tin	Cat. number	Price/tin Kč
115 x 1 x 22,23	—	80 m/s	13300 rpm	10 discs	362677	567,18 Kč
125 x 1 x 22,23	—	80 m/s	12250 rpm	10 discs	362678	632,38 Kč

Minimum order quantity = 5 tins

Cutting-off wheel

A 60 TZ SPECIAL



Class	SPECIAL
Bond	■ ■ ■ ■ ■ ■ ■ ■
Aggression	■ ■ ■ ■ ■ ■ ■ ■
Service life	■ ■ ■ ■ ■ ■ ■ ■

Applications:	
Stainless steel	●
Steel	●
NF metals	○

Advantages: Free of iron, sulphur and chlorine - Fast cutting - Minimal burr formation - Low thermal load - 10 pieces in a tin with viewing window for easy removal

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/tin	Cat. number	Price/tin Kč
115 x 1 x 22,23	—	80 m/s	13300 rpm	10 discs	310503	594,09 Kč
125 x 1 x 22,23	—	80 m/s	12250 rpm	10 discs	310504	660,33 Kč

Minimum order quantity = 5 tins

Retail range

Cutting-off wheel

EDGE SPECIAL



Class

Bond	■ ■ ■ ■ ■ ■ ■ ■
Aggression	■ ■ ■ ■ ■ ■ ■ □
Service life	■ ■ ■ ■ ■ ■ ■ ■

Applications:

Stainless steel	●
Steel	●
Aluminium	●

Advantages: High-performance cutting-off wheel with self-sharpening abrasive grain - Great cutting performance combined with a long service life - Wide range of applications - 10 pieces in a tin with viewing window for easy removal

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/tin	Cat. number	Price/tin Kč
115 x 1,2 x 22,23	■ ■ ■ ■ ■ ■ ■ ■	80 m/s	13300 rpm	10 discs	362578	729,67 Kč
125 x 1,2 x 22,23	■ ■ ■ ■ ■ ■ ■ ■	80 m/s	12250 rpm	10 discs	362579	777,28 Kč

Minimum order quantity = 5 tins

Cutting-off wheel

A 346 EXTRA



Class

EXTRA

Bond	■ ■ ■ ■ ■ ■ ■ □
Aggression	■ ■ ■ ■ ■ ■ ■ □
Service life	■ ■ ■ ■ ■ ■ ■ □

Applications:

Metals	●
Aluminium	●

Advantages: Free of iron, sulphur and chlorine - Universal use on steel and stainless steel (INOX) - Cutting disc made of a calcined, cubic aluminium oxide - Minimal burr formation and longer service life - Best suited for cutting thin-walled profiles and pipes - 8 pieces in a tin with viewing window for easy removal

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/tin	Cat. number	Price/tin Kč
125 x 1,6 x 22,23	■ ■ ■ ■ ■ ■ ■ ■	80 m/s	12250 rpm	8 discs	362583	432,63 Kč

Minimum order quantity = 5 tins

Recommended prices.

Cutting-off wheel

A 646 R SUPRA



Class	SUPRA
Bond	■ ■ ■ ■ ■ ■ ■ □
Aggression	■ ■ ■ ■ ■ ■ ■ □
Service life	■ ■ ■ ■ ■ ■ ■ □



Applications:	
Steel	●
Stainless steel	○

Advantages: Free of iron, sulphur and chlorine - Universal use on steel and stainless steel - Cutting disc made of long-lasting, calcined aluminum oxide - Tremendous aggressiveness when used for cutting solid steel materials - 8 pieces in a tin with viewing window for easy removal

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/tin	Cat. number	Price/tin Kč
125 x 1,6 x 22,23		80 m/s	12250 rpm	8 discs	362581	501,97 Kč

Minimum order quantity = 5 tins

Cutting-off wheel

A 946 TZ SPECIAL



Class	SPECIAL
Bond	■ ■ ■ ■ ■ ■ ■ ■
Aggression	■ ■ ■ ■ ■ ■ ■ ■
Service life	■ ■ ■ ■ ■ ■ ■ □



Applications:	
Steel	●
Stainless steel	●
NF metals	○
Castings	○

Advantages: Free of iron, sulfur and chlorine - Extra long service life across all applications - For universal use in metal processing - Short cutting times - Low burr formation - Low thermal load - 8 pieces in a tin with viewing window for easy removal

Diameter x Width x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/tin	Cat. number	Price/tin Kč
125 x 1,6 x 22,23		80 m/s	12250 rpm	8 discs	342227	632,38 Kč

Minimum order quantity = 5 tins

Recommended prices.

Všeobecné obchodní podmínky

1. ÚVODNÍ USTANOVENÍ

Tyto obchodní podmínky (dále jen „obchodní podmínky“) obchodní společnosti KLINGSPOR Brusivo, spol. s r.o., se sídlem Brno, Hilleho 1842/5, PSČ 602 00, identifikační číslo: 48529362, zapsané v obchodním rejstříku vedeném Krajským soudem v Brně, oddíl C, vložka 10641 (dále jen „prodávající“) upravují v souladu s ustanovením § 1751 odst. 1 zákona č. 89/2012 Sb., občanský zákoník (dále jen „občanský zákoník“) vzájemná práva a povinnosti smluvních stran vzniklé v souvislosti nebo na základě kupní smlouvy (dále jen „kupní smlouva“) uzavírané mezi prodávajícím a jinou osobou (dále jen „kupujícím“). Ustanovení obchodních podmínek jsou nedílnou součástí kupní smlouvy.

2. UZAVŘENÍ KUPNÍ SMLOUVY

Veškerá prezentace zboží umístěná v ceníku prodávajícího je informativního charakteru a prodávající není povinen uzavřít kupní smlouvu ohledně tohoto zboží. Odchylky proti údajům o rozměrech, hmotnostech zboží a jeho balení, zobrazení a popisům v prospektech nebo ceníku prodávajícího jsou přípustné. Ustanovení § 1732 odst. 2 občanského zákoníku se nepoužije.

Ceník obsahuje informace o zboží, a to včetně uvedení cen jednotlivého zboží. Ceny zboží jsou uvedeny bez daně z přidané hodnoty (dále jen „DPH“) a všech souvisejících poplatků. Tímto ustanovením není omezena možnost prodávajícího uzavřít kupní smlouvu za individuálně sjednaných podmínek. Prodávající si vyhrazuje právo změny cen v průběhu platnosti ceníku.

Minimální cena zboží pro jednotlivou objednávku činí 2.500,- Kč bez DPH. V případě objednávky zboží v ceně nad 5.000,- Kč bez DPH, dodávaného v jedné zásilce na jedno místo určené kupujícím na území České republiky nebo Slovenské republiky, nese prodávající náklady na dodání zboží kupujícímu. V opačném případě prodávající účtuje náklady spojené s balením a dodáním zboží na místo určené kupujícím na území České republiky nebo Slovenské republiky v paušální výši 500,- Kč bez DPH za každou zásilku. Cena zboží vychází z ceníku zboží platného v den potvrzení objednávky kupujícího prodávajícím. Fakturována bude cena zboží s DPH platná v den dodávky zboží. Vícenáklady za kupujícím, vyžádaný zvláštní nebo zrychlený způsob zaslání zboží nese kupující, a to i tehdy, když nese náklady spojené s balením a dodáním zboží prodávajícím.

Pro objednání zboží zašle kupující prodávajícímu objednávku s údaji o objednávaném zboží, tj. artiklové číslo materiálu. Pokud se jedná o zboží, které je potřeba konfigurovat, zašle kupující v objednávce rovněž rozměr, zrna, typ a spoj. Údaje uvedené v objednávce jsou prodávajícím považovány za správné. Prodávající je vždy oprávněn požádat kupujícího o dodatečné potvrzení objednávky (například písemně či telefonicky).

Smluvní vztah mezi prodávajícím a kupujícím vzniká doručením přijetí objednávky (potvrzení), jež je prodávajícím zasláno kupujícímu (např. elektronickou poštou) nebo odevzdáním zboží kupujícímu.

Kupující souhlasí s použitím komunikačních prostředků na dálku při uzavírání kupní smlouvy.

Kupující tímto přebírá na sebe nebezpečí změny okolností ve smyslu § 1765 odst. 2 občanského zákoníku.

3. PLATEBNÍ PODMÍNKY

Cenu zboží a případné náklady spojené s dodáním zboží dle kupní smlouvy kupující uhradí prodávajícímu bezhotovostně převodem na účet prodávajícího. Kupující nabývá vlastnictví ke zboží zaplacením celé kupní ceny zboží. Prodávající je plátcem daně z přidané hodnoty.

Společně s kupní cenou je kupující povinen zaplatit prodávajícímu také náklady spojené s balením a dodáním zboží ve smluvené výši. Není-li uvedeno výslovně jinak, rozumí se dále kupní cenou i náklady spojené s dodáním zboží.

V případě bezhotovostní platby je kupní cena splatná na základě faktury prodávajícího. Kupující je povinen uhradit fakturu ve lhůtě splatnosti. Kupující není oprávněn se opozdit s úhradou faktury z jakéhokoli důvodu ani uhradit fakturu jen z části, a to ani po uplatnění práv z vadného plnění. Je-li kupující v prodlení s úhradou faktury, má prodávající právo další dodávky bez jakékoli náhrady kupujícímu zastavit, ukončit poskytování veškerých slev kupujícímu, v případě prodlení delšího než 60 dnů účtovat kupujícímu smluvní pokutu 0,1% z dlužné částky za každý den prodlení a v případě prodlení delšího než 90 dnů účtovat navíc kupujícímu smluvní pokutu ve výši 10% z dlužné částky. Nárok na náhradu škody zůstává prodávajícímu zachován.

V případě bezhotovostní platby je kupující povinen uhrazovat kupní cenu zboží společně s uvedením variabilního symbolu platby. V případě bezhotovostní platby je závazek kupujícího uhradit kupní cenu splněn okamžikem připsání příslušné částky na účet prodávajícího.

Prodávající je oprávněn dle svého uvážení vystavit fakturu v listinné nebo v elektronické podobě (ve formátu PDF/A) opatřenou kvalifikovaným elektronickým podpisem nebo elektronickou pečeti, založenými v době přijetí faktury na platném certifikátu kvalifikovaného poskytovatele služeb vytvářejících důvěru, nebo zaslat nepodepsanou fakturu e-mailem, který bude podepsán podle výše uvedených pravidel. Za doručení faktury v elektronické podobě se považuje okamžik přijetí e-mailu kupujícího. Kupující s případným vystavením faktury v elektronické podobě souhlasí.

4. PŘEPRAVA A DODÁNÍ ZBOŽÍ

V případě, že je způsob dopravy smlouven na základě zvláštního požadavku kupujícího, nese kupující riziko a případné dodatečné náklady spojené s tímto způsobem dopravy. Je-li prodávající podle kupní smlouvy povinen dodat zboží na místo určené kupujícím v objednávce, je kupující povinen převzít zboží při dodání. Při dodávkách zboží dopravními prostředky, které zprostředkoval prodávající, je kupující povinen zajistit faktickou možnost příjezdu dopravního prostředku (nákladního vozidla/kamionu) se zbožím až do požadovaného místa vykládky včetně místa vykládky tak, aby mohl být náklad vyložen bez překážek a bez čekání. Při porušení této povinnosti kupujícím je prodávající či dopravce zprostředkovaný prodávajícím oprávněn nepředat zboží a kupující je povinen uhradit veškeré náklady na dopravné, prostoje a jiné účelně vynaložené náklady na zmařenou dopravu.

V případě, že je z důvodů na straně kupujícího nutno zboží doručovat opakovaně nebo jiným způsobem, než bylo uvedeno v objednávce, je kupující povinen uhradit náklady spojené s opakovaným doručováním zboží, resp. náklady spojené s jiným způsobem doručení.

Při převzetí zboží od přepravce je kupující povinen zkontrolovat neporušenost obalů zboží a v případě jakýchkoliv závad toto neprodleně oznámit přepravci. V případě shledání porušení obalu svědčícího o neoprávněném vniknutí do zásilky nemusí kupující zásilku od přepravce převzít.

5. PRÁVA Z VADNÉHO PLNĚNÍ

Práva a povinnosti smluvních stran ohledně práv z vadného plnění se řídí příslušnými obecně závaznými předpisy (zejména ustanoveními § 1914 až 1925 a § 2099 až 2117 občanského zákoníku). Práva z vadného plnění uplatňuje kupující u prodávajícího v jeho sídle. Za okamžik uplatnění reklamace se považuje okamžik, kdy prodávající obdržel od kupujícího reklamované zboží.

Malé odchylky v barvě, vzhledu a v rozměrech zboží nejsou vadou zboží. Kupující zboží prohlédne co nejdříve po přechodu nebezpečí škody na věci a přesvědčí se o jeho vlastnostech a množství. Neoznámí-li kupující vadu bez zbytečného

odkladu poté, co ji mohl při včasné prohlídce a dostatečné péči zjistit, pozbývá práva z vadného plnění. Při zaslání nabídek, informačních dopisů, ceníků popř. poradenství v rámci

konzultace s kupujícím, nepřebírá prodávající žádnou odpovědnost za užívání nebo způsob použití dodaného zboží, pokud to nebylo výslovně a písemně mezi prodávajícím a kupujícím sjednáno. Kupující je povinen přesvědčit se o použitelnosti dodaného zboží pro jím předpokládaný způsob použití.

6. VRÁČENÍ ZBOŽÍ

Vrácení zboží uvedeného v ceníku prodávajícího je možné pouze po splnění všech dále uvedených podmínek: po předchozí písemné dohodě kupujícího s prodávajícím, nejpozději do 30 dnů od dodání zboží prodávajícím kupujícímu, v originálním a neporušeném obalu, nepoužité, nepoškozené a schopné dalšího prodeje. Zboží vrací kupující prodávajícímu na náklady kupujícího. Za každou vrácenou položku účtuje prodávající kupujícímu poplatek ve výši 500,- Kč bez DPH. Zboží, které není uvedeno v ceníku, je nevratné.


7. ZÁVĚREČNÁ USTANOVENÍ

Pokud vztah založený kupní smlouvou obsahuje mezinárodní (zahraniční) prvek, pak strany sjednávají, že vztah se řídí českým právem. Pro rozhodování veškerých sporů vzniklých z kupní smlouvy či v souvislosti s ní je dána pravomoc českých soudů, přičemž místně příslušným soudem k řízení v případných sporech je Krajský soud v Brně resp. Městský soud v Brně.

Je-li některé ustanovení obchodních podmínek neplatné nebo neúčinné, nebo se takovým stane, namísto neplatných ustanovení nastoupí ustanovení, jehož smysl se neplatnému ustanovení co nejvíce přibližuje. Neplatností nebo neúčinností jednoho ustanovení není dotknuta platnost ostatních ustanovení. Změny a doplňky kupní smlouvy či obchodních podmínek vyžadují písemnou formu.

Tyto obchodní podmínky nabývají platnosti dne 1.1.2021.

KLINGSPOR Brusivo, spol. s r.o.
Chyby v tisku vyhrazeny



Grid of dots for notes





LUDĚK ONDRÁČEK | MIRON ABRASIVE

Křížíkova 2064/5, 370 01 České Budějovice

mobil: +420 607 193 903

IČO: 48241709 DIČ: CZ7106051216

mail: ondracek@miron-abrasive.cz

web: www.miron-abrasive.cz

